LEGISLATIVE LIBRARY OF BRITISH COLUMBIA
3 3298 00253 5715

Regional Analysis of Health Statistics for Status Indians in British Columbia 1991-1999

Birth Related and Mortality Summaries for British Columbia and 20 Health Regions

Vital Statistics
British Columbia
Vital Statistics Agency

Prepared by the
British Columbia Vital Statistics Agency
Ministry of Health Services

July 2001

LEGISLATIVE LIBRARY
VICTORIA BC V8V 1X4 OCT 18 2001

National Library of Canada Cataloguing in Publication Data
Main entry under title:
Regional analysis of health statistics for Status Indians in British Columbia. - 1991/1999-

Annual.
Also available on the Internet.
First issue covers the period from 1991-1999.
ISSN 1499-1365 = Regional analysis of health statistics for Status Indians in British Columbia

1. Indians of North America - British Columbia - Statistics, Vital - Periodicals. 2. Health status indicators - British Columbia - Periodicals. I. British Columbia Vital Statistics Agency.

E78.B9R43 2001 614.4'2711'08997 C2001-960199-9

Preface

The need for accurate health statistics and population estimates for the Status Indian population is acute. Consistent and reliable data are essential to monitor health status, to assess health needs, and to plan, fund, and deliver health care programs to the province's aboriginal people. The British Columbia Vital Statistics Agency has been involved in the analysis of British Columbia's Status Indian population since 1989. A special feature report *Analysis of Status Indians in British Columbia: a Vital Statistical Overview* was released in 1994. This was followed by a series of reports providing health statistics for Status Indians, the most recent of these was *Analysis of Health Statistics for Status Indians in British Columbia, 1991-1999, Birth Related and Mortality Statistics for British Columbia and Four Administrative Areas*, prepared for Health Canada.

Although the provincial level analyses provided valuable information on B.C.'s Status Indians, these reports could not answer the demand for regional data. *Regional Analysis of British Columbia's Status Indian Population: Birth Related and Mortality Statistics* addressed this need. The data in the regional analysis covered a time period ending in 1992 and used 21 health regions, reflecting the Ministry of Health's boundaries at the time. More recent information using current data dissemination areas was clearly required.

The Vital Statistics Agency is pleased to present *Regional Analysis of Health Statistics for Status Indians in British Columbia, 1991-1999: Birth Related and Mortality Summaries, British Columbia and Health Regions*, providing an update of the previous regional report. Like the Agency's other Status Indian reports, a unique methodology is used to identify the Status Indian births and deaths, and to produce provincial and regional Status Indian population estimates. In addition to the Agency's birth and death data, the data sources for this report included the British Columbia Medical Services Plan and the First Nations and Inuit Health Branch, Health Canada. Numerous tables, figures, and maps present population estimates, life expectancy, and summaries of birth-related and mortality measures for Status Indians compared to other residents in the province.

Vital Statistics would like to acknowledge the assistance of many groups and individuals responsible for ensuring recording of vital events and contributing to the continual improvement in the quality of the data and the quality of publications based on the data. The Agency also wishes to thank Dr. J. David Martin, First Nations and Inuit Health Branch, Health Canada, for their on-going financial support of this project.

R. J. Danderfer
CEO/Director
British Columbia Vital Statistics Agency

Soo-Hong Uh
Manager
British Columbia Vital Statistics Agency

This publication is also available on the Agency website: http://www.vs.gov.bc.ca

Table of Contents

102-01628/

Executive Summary 1
- Highlights of Status Indian Population Estimates 1
- Highlights of Life Expectancy 1
- Highlights of Birth-related Statistics 1
- Highlights of Infant Mortality Statistics 2
- Highlights of Mortality Statistics 2

Introduction 3

Definition of Status Indian 4
- *Figure 1* Percentage of Status Indian Events Identified by Source 4
- *Table 1* Number of Status Indian Live Births Identified by Source 5
- *Table 2* Number of Status Indian Deaths Identified by Source 5

Status Indian Population Estimates 6
- *Table 3* 1999 Population Estimates by Age and Gender 6
- *Figure 2* Population Pyramid 7
- *Figure 3* Map: Health Regions 8
- *Figure 4* Status Indian: Population Estimates by Health Region 9

Life Expectancy 10
- *Figure 5* Life Expectancy by Health Region 10

Highlights of Regional Statistics 11

Overview of Birth Statistics 15
- Live Births 15
  - *Figure 6* Live Birth Rate 15
  - *Figure 7* Live Birth Rate by Health Region 16
- Low Birth Weight Births 17
  - *Figure 8* Low Birth Weight Rate 17
  - *Figure 9* Low Birth Weight Rate by Health Region 17
  - *Figure 10* Map: Status Indian: Low Birth Weight Rate by Health Region 18
- Premature Births 19
  - *Figure 11* Premature Birth Rate by Health Region 19
- Births by Cesarean Section 20
  - *Figure 12* Cesarean Section Rate 20
  - *Figure 13* Cesarean Section Rate by Health Region 20

Births to Teenage Mothers 21
Figure 14 Live Birth Rate to Teenage Mothers 21
Figure 15 Live Birth Rate to Teenage Mothers by Health Region 21
Figure 16 Map: Status Indian: Live Birth Rate to Teenage Mothers by Health Region 22
Births to Older Mothers 23
Figure 17 Live Birth Rate to Mothers 35+ Years Old 23
Figure 18 Live Birth Rate to Mothers 35+ Years Old by Health Region 23
Stillbirths 24
Figure 19 Stillbirth Rate by Health Region 24

Overview of Infant Mortality Statistics 25
Definitions 25
Infant Mortality 25
Figure 20 Infant Mortality Rate 25
Figure 21 Infant Mortality Rate by Health Region 26
Figure 22 Map: Status Indian: Infant Deaths by Health Region 27
Infant Mortality by Age at Death 27
Causes of Infant Deaths 28
Infant Mortality by Age of Mother and Birth Weight 28
Table 4 Selected Causes of Infant Deaths and Stillbirths 29
Table 5 Infant Mortality by Age of Mother and Birth Weight 30

Overview of Mortality Statistics 31
All Causes 31
Figure 23 ASMRs for All Causes of Death 31
Figure 24 Mortality by Age Groups 31
Figure 25 Map: Status Indian: ASMR, All Causes of Death by Health Region 32
Leading Causes of Death 33
Figure 26 Major Causes of Death 33
Table 6 Leading Causes of Death Ranked by ASMR 34
Table 7 Leading Causes of Death in Each Health Region Ranked by ASMR 35
Infectious/Parasitic Diseases 36
Figure 27 ASMRs for Infectious/Parasitic Disease Deaths 36
Figure 28 ASMRs for Infectious/Parasitic Disease Deaths by Health Region 36
Cancers 37
Figure 29 ASMRs for Deaths Due to Cancer 37
Figure 30 ASMRs for Deaths Due to Cancer by Health Region 38
Figure 31 Map: Status Indian: ASMR, Deaths Due to Cancer by Health Region 39
Endocrine/Nutritional/Metabolic Diseases 40
Figure 32 ASMRs for All Endocrine Deaths 40
Circulatory System Diseases 40
Figure 33 ASMRs for All Circulatory System Disease Deaths 41

Figure 34 ASMRs for Ischemic Heart Disease Deaths by Health Region 41
Figure 35 Map: Status Indian: ASMR, Deaths Due to Ischemic Heart Disease by Health Region 42
Respiratory System Diseases 42
Figure 36 ASMRs for All Respiratory System Disease Deaths 43
Figure 37 ASMRs for Pneumonia/Influenza Deaths by Health Region 43
Digestive system Diseases 44
Figure 38 ASMRs for All Digestive System Disease Deaths 44
Figure 39 ASMRs for Chronic Liver Disease / Cirrhosis Deaths by Health Region 45
Congenital Anomalies 45
Perinatal Conditions 45
Risk Factors: Alcohol, Drugs, and Smoking 46
Figure 40 ASMRs for Alcohol-related Deaths by Health Region 46
Figure 41 ASMRs for Drug-induced Deaths by Health Region 47
Accidents and Violence (External Causes of Death) 47
Figure 42 ASMRs for All External Causes of Death 48
Figure 43 PYLLs for External Causes of Death by Health Region 48
Figure 44 Map: Status Indian: ASMR, External Causes of Death by Health Region 49
Motor Vehicle Traffic Accidents 50
Figure 45 ASMRs for Motor Vehicle Traffic Accident Fatalities 50
Figure 46 ASMRs for Motor Vehicle Traffic Accident Fatalities by Health Region 50
Figure 47 Map: Status Indian: ASMR, Deaths Due to Motor Vehicle Traffic Accidents by Health Region 51
Accidental Poisoning 52
Accidental Falls 52
Suicide 52
Figure 48 ASMRs for Suicide Deaths 53
Figure 49 ASMRs for Suicide Deaths by Health Region 53
Figure 50 Map: Status Indian: ASMR, Deaths Due to Suicide by Health Region 54
Homicide 54
Fire and Flames 54

Glossary 55

Appendix 1 - Population Estimates by Health Region and Age Group 61

Appendix 2 - Life Expectancy by Health Region and Gender 81

Appendix 3 - Birth and Death-Related Statistical Summaries by Health Region 83

Appendix 4 - Age Standardized Mortality Rates by Health Region 125

Appendix 5 - Potential Years of Life Lost (Age Under 75 Years) by Health Region 147

Appendix 6 - Causes of Death by Age and Health Region 169

Executive Summary

This report presents summaries of birth-related and mortality measures as health status indicators for British Columbia's Status Indian population. Data from 1991 to 1999 were analyzed and comparisons were made between Status Indian residents and other B.C. residents. This summary provides provincial level information; subsequent sections of this report provide information at the health region level. All rates and counts referred to in the analysis are from supporting tables or appendices presented in the report.

Highlights of Status Indian Population Estimates

- In 1999, one in 27 B.C. residents was a Status Indian.
- The Status Indian population is younger than other B.C. residents.
- In 1999, the average age in the Status Indian population was 27.8 years. This was more than nine years younger than average age of 37.2 years for other B.C. residents.
- Children (age 19 or younger) made up almost two fifths of the Status Indian population, but only one-quarter of the population of other B.C. residents.
- Less than one in 20 Status Indians was a senior (65 years of age or older), compared to more than one in eight for other B.C. residents.

Highlights of Life Expectancy

- Status Indians in B.C. had a life expectancy of 72.1 years, compared to the Other Population's life expectancy of 79.5 years. The difference in male life expectancy between Status Indians and other residents was 7.9 years (69.3 for Status Indian males and 77.2 for other males) compared to 6.7 years for females (75.0 for Status Indian females and 81.7 for other females).

Highlights of Birth-Related Statistics

- In the nine year period, 27,108 Status Indian babies were born in the province. Each year, there were approximately 3,000 Status Indian live births, or 23.3 births for every 1,000 Status Indian residents. This was twice the live birth rate for other B.C. residents.
- In the Status Indian population, the teen mother birth rate was four and a half times higher than the rate for other B.C. residents.
- The rate of cesarean section deliveries was 20% lower in the Status Indian population.
- The Status Indian population accounted for approximately one out of every 13 low birth weight births in the province in the nine years.
- One out of every 11 premature births in B.C. in the nine years was a Status Indian baby.

Highlights of Infant Mortality Statistics

- Between 1991 and 1999, there were 286 deaths of Status Indian infants under one year of age in the province. One out of every seven deaths of children under one year of age was a Status Indian child. For the nine years, there were 10.6 infant deaths for every 1,000 Status Indian births, more than double the rate for other residents.

- There was a significant decrease in infant mortality in the Status Indian population in the last five years from a rate of 14.7 per 1,000 live births based on 45 infant deaths in 1995 to a rate of 4.2 based on 12 deaths in 1999. Infant deaths also decreased from 5.3 to 2.2 among other B.C. residents in this time period.

- Sudden Infant Death Syndrome (SIDS) was the leading cause of infant mortality in the Status Indian population, accounting for more than a third of all Status Indian infant deaths. The infant mortality rate for SIDS in the Status Indian population was more than six times the rate for other B.C. residents.

- Although there were only 11 Status Indian infant deaths from pneumonia/influenza in the nine year period, the Status Indian mortality rate (4.1 per 10,000 live births) was more than 20 times higher than the rate for other B.C. residents.

Highlights of Mortality Statistics

- In the 1991-1999 period, one out of every 37 deaths in the province was a Status Indian, for a total of 6,429 Status Indian deaths over the nine years.

- The 1991-1999 Age Standardized Mortality Rate (ASMR) for the Status Indian population was 103.3 deaths per 10,000 standard population, one and two thirds the rate for other B.C. residents (61.8).

- The Status Indian population had higher mortality in the younger age groups. In the nine year period, 9.2% of the Status Indian deaths were children (age 19 years or younger) compared to only 1.7% in this age group for other B.C. residents. Similarly, seniors (age 65 or older) accounted for only 39.1% of Status Indian deaths but 77.2% for other residents.

- In the Status Indian population, the top five leading causes of death were, in order, ischemic heart disease, cerebrovascular disease/stroke, gastrointestinal cancers, pneumonia/ influenza, and respiratory system cancers. Together, these five categories accounted for more than one quarter (27.7%) of Status Indian deaths and more than two fifths (44.3%) of other B.C. resident deaths between 1991 and 1999.

- Circulatory system diseases were responsible for almost a quarter of Status Indian deaths in the nine years and one in seven Status Indian deaths was due to cancer.

- The Status Indian ASMR for deaths from respiratory system diseases was 10.5 per 10,000 standard population, compared to rate of 6.2 for other residents of the province.

- The Status Indian mortality rate for digestive system diseases (7.1 per 10,000 standard population) was more than three times the rate for other B.C. residents (2.2). Chronic liver disease/cirrhosis, the largest sub-category of digestive system diseases, was ranked ninth in the list of leading causes of death in the Status Indian population, compared to twentieth in the leading cause list for other B.C. residents.

- The mortality rate for alcohol-related deaths in the Status Indian population (20.7 per 10,000 standard population) was almost six times the rate for other B.C. residents (3.5), and the rate for drug-induced deaths (3.7) was more than three times the rate for other B.C. residents (1.1).

- Accidents and violence accounted two out of every seven Status Indian deaths, but less than one in ten deaths among other B.C. residents in the nine years.

- The 1991-1999 Status Indian mortality rate for accidental poisoning (3.6 per 10,000 standard population) was four times the rate for other B.C. residents (0.9), and the rate for Status Indian deaths from motor vehicle traffic accidents (4.0) was nearly four times the rate for other B.C. residents (1.1).

- The Status Indian mortality rate for suicide (3.0 per 10,000 standard population) was two and a half times the rate for other B.C. residents (1.2); the Status Indian homicide rate (1.1) was five and a half times the rate for other B.C. residents (0.2).

- The Status Indian ASMR for accidental deaths from fire and flames (0.7 per 10,000 standard population) was seven times the rate for other B.C. residents (0.1).

Introduction

This report was produced by the British Columbia Vital Statistics Agency and updates the health region information in the report *Regional Analysis of British Columbia's Status Indian Population: Birth-Related and Mortality Statistics*. In addition to providing birth and death data for 1999 and updated data for earlier years, the entire time series of population estimates were updated for this publication. As a result of these enhancements, readers who maintain a library of resource materials should treat this report as a replacement of previous publications.

The need for accurate health statistics and population estimates for the Status Indian population is acute. Consistent and reliable data are essential to monitor health status, to assess health needs, and to plan, fund, and deliver health care programs to the province's aboriginal people. This report presents indicators for one section of that broad population, the provincial residents who are registered as *Status Indian*. The project uses a unique methodology to identify the Status Indian births and deaths in British Columbia, and to produce provincial and regional Status Indian population estimates. Over the years, the quality of the data has improved significantly, and work continues on providing meaningful and reliable statistics. Readers are encouraged to read the *Definition of Status Indian* section of this report to become familiar with the terms and methodology used in the report.

Definition of Status Indian

Status Indians are one part of the broad group of First Nations people in British Columbia. There is considerable interest in the health status of First Nations people whether Status, Non-Status or Metis, but in most cases, relevant data exist only for Status Indians. In order to analyze the characteristics of any group or population, there needs to be a way to clearly define group membership and identify the events (births, deaths, hospitalizations, etc.) that occur in that group. The sources used in this report to identify Status Indian births and deaths were the British Columbia Vital Statistics Agency, the B.C. Medical Services Plan, and the First Nations and Inuit Health Branch, Health Canada. Status Indians were the only First Nations group that could be identified with these files.

This report presents summaries of birth-related and mortality measures as health status indicators for the Status Indian population who were resident in the province, with comparisons to other B.C. residents (labeled *Other Population* in most tables, maps and charts). The major source of data were the British Columbia Vital Statistics Agency's statistical database (VS) of information extracted from the registration of births and deaths including demographic information, medical information related to the birth or cause of death, and whether the individual was a Status Indian. In addition, two other databases were used to identify Status Indians who were resident in the Province: the Indian Status Verification File (SVF) of First Nations and Inuit Health Branch, Health Canada originating from Department of Indian and Northern Development, and the Status Indian Entitlement files from the B.C. Medical Services Plan (MSP). Using an extensive computer matching process, a birth or death in the VS database was considered to be a Status Indian event if the individual was identified as a Status Indian in any of the three sources.

Figure 1
Percentage of Status Indian Events Identified by Source
British Columbia, 1991-1999

Using a combination of VS, MSP and SVF files, 27,108 live births in the nine year period 1991-1999 were identified as Status Indian events (see Table 1). More than half (54.2%) of the live births were identified by all three sources, more than a quarter (28.6%) were identified by two sources, and the remaining 17.3% were identified by only one of the three sources.

Table 1
Number of Status Indian Live Births Identified by Source
British Columbia, 1991-1999

Source	Year of Birth					
	Total 1991-1998		1999		Total 1991-1999	
	Number	Percent	Number	Percent	Number	Percent
VS only	1,953	8.0	387	13.7	2,340	8.6
MSP only	475	2.0	29	1.0	504	1.9
SVF only	1,768	7.3	79	2.8	1,847	6.8
MSP & SVF	5,314	21.9	204	7.2	5,518	20.4
VS & SVF	1,603	6.6	366	12.9	1,969	7.3
VS & MSP	197	0.8	51	1.8	248	0.9
VS, MSP & SVF	12,971	53.4	1,711	60.5	14,682	54.2
Total	**24,281**	**100.0**	**2,827**	**100.0**	**27,108**	**100.0**

Table 2
Number of Status Indian Deaths Identified by Source
British Columbia, 1991-1999

Source	Year of Death					
	Total 1991-1998		1999		Total 1991-1999	
	Number	Percent	Number	Percent	Number	Percent
VS only	1,213	21.1	135	19.5	1,348	21.0
MSP only	513	8.9	186	26.8	699	10.9
SVF only	421	7.3	23	3.3	444	6.9
MSP & SVF	1,111	19.4	19	2.7	1,130	17.6
VS & SVF	187	3.3	1	0.1	188	2.9
VS & MSP	948	16.5	303	43.7	1,251	19.5
VS, MSP & SVF	1,343	23.4	26	3.8	1,369	21.3
Total	**5,736**	**100.0**	**693**	**100.0**	**6,429**	**100.0**

Notes: VS indicates that the event was identified by the BC Vital Statistics Agency.
MSP indicates that the event was identified by the BC Medical Services Plan.
SVF indicates that the event was identified by the Indian Status Verification File, updated to June 2000.

A total of 6,429 deaths were identified by VS, MSP, SVF, or a combination of these sources for the years 1991 through 1999 (see Table 2). Slightly more than one fifth (21.3%) of the deaths were identified by all three sources, two fifths (40.0%) were identified by two sources, and almost two fifths (38.7%) were identified by only one of the three sources.

Since this report's definition of Status Indian is determined by a compilation of these three data sources, the data presented in this report may not match data reported by other sources. In addition, it is important to note that this definition is not equivalent to the broader terms such as Aboriginal or First Nations people.

Status Indian Population Estimates

The population estimates presented in this report were created by the British Columbia Vital Statistics Agency specifically for this project, based on the age and usual residence information on Vital Statistics birth and death files and the Status Indian Entitlement files from the B.C. Medical Services Plan (MSP). The Entitlement files contain the age and usual residence of Status Indians who have registered to have their MSP premiums funded by the federal government. The MSP files were adjusted for births and deaths by cross matching with historical annual files from the British Columbia Vital Statistics Agency.

Population estimation is a complex undertaking. Using the MSP administrative files as the basis for deriving population estimates has both strengths and weaknesses. On one hand, the addresses in the MSP files enable the project to produce regional population estimates that are not available elsewhere. On the other hand, since registration is voluntary, the files might not include Status Indians who are covered by a spouse's or employer's MSP coverage. Overall, the MSP database was considered to be the best available source for estimating the Status Indian population living in B.C. However, there were concerns that the population estimates published in earlier reports of this series undercounted children aged 1-4 when compared to the number of births in the preceding four years. Additional year to year comparisons of records in the MSP files were added to ensure that births from one year were excluded from the next year's population estimates only when death records were found. These additional comparisons should result in improved longitudinal population estimates. Readers are reminded that the population estimates presented in this report are intended for research purposes only.

Table 3 provides 1999 population estimates by age and gender for Status Indians and other B.C. residents, while Appendix 1 provides similar information for each year from 1991 to 1999 for the Status Indian and other BC residents populations in each of the Health Regions. A map showing health region boundaries is provided as an aid to readers who are not familiar with identification of these areas by their numbers. Health Regions 01 East Kootenay and 02 West Kootenay-Boundary were combined to avoid small numbers that would result in unreliable rates. It should also be noted that the Health Regions do not sum to the provincial totals due to records with unknown addresses.

Table 3
1999 Population Estimates by Age and Gender
Status Indian and Other B.C. Residents

Age Group	Status Indians in B.C.			Other B.C. Residents			Total B.C. Population			Status Indian % of B.C. Population		
(Years)	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
<1	1,496	1,438	2,934	20,764	19,746	40,510	22,260	21,184	43,444	6.7	6.8	6.8
1 - 4	6,568	6,213	12,781	89,529	84,384	173,913	96,097	90,597	186,694	6.8	6.9	6.8
5 - 9	8,570	8,151	16,721	121,461	115,484	236,945	130,031	123,635	253,666	6.6	6.6	6.6
10-14	6,780	6,230	13,010	127,493	120,201	247,694	134,273	126,431	260,704	5.0	4.9	5.0
15-19	6,003	5,731	11,734	131,248	125,071	256,319	137,251	130,802	268,053	4.4	4.4	4.4
20-24	5,904	5,966	11,870	128,730	124,347	253,077	134,634	130,313	264,947	4.4	4.6	4.5
25-29	6,076	6,755	12,831	135,624	133,704	269,328	141,700	140,459	282,159	4.3	4.8	4.5
30-34	5,895	7,043	12,938	150,924	147,284	298,208	156,819	154,327	311,146	3.8	4.6	4.2
35-39	6,109	7,575	13,684	173,157	169,915	343,072	179,266	177,490	356,756	3.4	4.3	3.8
40-44	4,798	6,029	10,827	166,252	166,326	332,578	171,050	172,355	343,405	2.8	3.5	3.2
45-49	3,823	4,705	8,528	151,897	150,773	302,670	155,720	155,478	311,198	2.5	3.0	2.7
50-54	2,862	3,314	6,176	130,195	129,106	259,301	133,057	132,420	265,477	2.2	2.5	2.3
55-59	2,006	2,327	4,333	97,247	97,430	194,677	99,253	99,757	199,010	2.0	2.3	2.2
60-64	1,479	1,705	3,184	79,453	80,673	160,126	80,932	82,378	163,310	1.8	2.1	1.9
65-69	1,174	1,183	2,357	74,050	74,683	148,733	75,224	75,866	151,090	1.6	1.6	1.6
70-74	719	879	1,598	61,133	70,014	131,147	61,852	70,893	132,745	1.2	1.2	1.2
75 +	1,129	1,357	2,486	90,958	142,005	232,963	92,087	143,362	235,449	1.2	0.9	1.1
Total	**71,391**	**76,601**	**147,992**	**1,930,115**	**1,951,146**	**3,881,261**	**2,001,506**	**2,027,747**	**4,029,253**	**3.6**	**3.8**	**3.7**

The major highlights of the population estimates are summarized below:

- In 1999, one in 27 B.C. residents was a Status Indian. The population of Status Indians in the province was estimated at 147,992 (or 3.7% of the provincial population).

- In 1999, there were 57,180 Status Indian children (age 19 years or younger) in the province. Almost two fifths (38.6%) of the Status Indian population and one quarter (24.6%) of other B.C. residents were in this young age group. Although overall, Status Indians made up 3.7% of the provincial population, they comprised 5.6% of the B.C. population under age 20.

- In 1999, almost one in five (19.4%) Status Indians was over 44 years of age and less than one in 20 (4.4%) was 65 or older. For other B.C. residents, the proportions were 36.8% (more than one in three) and 13.2% (more than one in eight) respectively. The Status Indian population is younger than other B.C. residents. Comparing the average age of the two populations in 1999, the B.C. Status Indian population was 27.8 years old, which was more than nine years younger than the average age of 37.2 years for other B.C. residents.

A graphical comparison of these age distributions can be seen in the population pyramids that show the percentage of the population in each five-year age group, with males shown on the left and females on the right. For Status Indians, the population pyramid is roughly triangular in shape, with a wide base indicating high birth rates and population growth. The pyramid for other B.C. residents is characterized by the baby boomer bulge in the middle age groups, and a narrowing base resulting from declining birth rates in the last 25 years.

Figure 2
Population Pyramid
Status Indian and Other B.C. Residents
British Columbia, 1999



FIGURE 3
HEALTH REGIONS
BRITISH COLUMBIA, 1999



Figure 4

Status Indian: Population Estimates by Health Region

British Columbia, 1999



Note: Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Life Expectancy

Appendix 2 provides 1995-1999 life expectancy at birth for Status Indians and other residents. This information is provided at the provincial and Health Region levels, and is provided for males, females, and both genders combined.

- Status Indians in B.C. had a life expectancy of 72.1 years, compared to the Other Population's life expectancy of 79.5 years. The difference in life expectancy between Status Indian and Other Population males (69.3 for Status Indian males and 77.2 for other male residents) was 7.9 years. Life expectancy for Status Indian and Other females was 75.0 and 81.7 years respectively.

- The Simon Fraser Health Region was the area with the lowest life expectancy for Status Indians (62.8 years) this was 20.6% lower than the Other Population of that same area (79.1), which was the greatest difference between both populations for all of the Health Regions of the province.

Figure 5
Life Expectancy by Health Region
Status Indian and Other Residents
British Columbia, 1995 - 1999



- Status Indians in the Peace Liard Health Region had the highest life expectancy of all Status Indians in the province (76.5) compared to 78.5 for the Other Population in that area.

- The life expectancy for Status Indians ranged from about two to more than fifteen years less than the life expectancy for the Other Population in the Health Regions.

Highlights of Regional Statistics

01/02 East & West Kootenay

Health Regions 01 East Kootenay and 02 West Kootenay-Boundary were combined to avoid small numbers that would result in unreliable rates.

- The 2,369 Status Indian residents in this area in 1999 represented 1.4% of the Regional population.
- There were 474 Status Indian live births in the East & West Kootenay Regions over the nine years. The Status Indian live birth rate was 27.6 per 1,000 Status Indian Population, almost three times the rate of the Other Population in the Regions (9.9).
- From 1991-1999, the Status Indian population in the East & West Kootenay Regions had 119 deaths with an Age Standardized Mortality Rate (ASMR) of 163.7 per 10,000 standard population, more than twice the rate of 70.9 for the Other Population (10,397 deaths).

03 North Okanagan

- The 3,442 Status Indians in this area in 1999 represented 2.9% of the Regional population.
- There were 607 Status Indian live births in the North Okanagan Region over the nine years. The Status Indian live birth rate was 22.0 births per 1,000 Status Indian Population, just over twice the rate of the Other Population in the Region (9.9).
- From 1991-1999 the Status Indian population in the North Okanagan Region had 151 deaths with an ASMR of 85.0 per 10,000 standard population, compared to the rate of 62.7 for the Other Population (8,015 deaths).

04 South Okanagan Similkameen

- The 4,992 Status Indian residents in this area in 1999 represented 2.2% of the Regional population.
- There were 919 Status Indian live births in the South Okanagan Similkameen Region over the nine years. The Status Indian live birth rate was 24.7 births per 1,000 Status Indian Population, two and a half times the rate of the Other Population in the Region (9.8).
- From 1991-1999, the Status Indian population in the South Okanagan Similkameen Region had 201 deaths with an ASMR of 107.2 per 10,000 standard population, just under twice the rate of 56.2 for the Other Population (16,787 deaths).

05 Thompson

- The 13,858 Status Indian residents in this area in 1999 represented 10.2% of the Regional population.
- There were 2,036 Status Indian live births in the Thompson Region over the nine years. The Status Indian live birth rate was 18.9 births per 1,000 Status Indian Population, almost twice the rate of the Other Population in the Region (10.5).
- From 1991-1999, the Status Indian population in the Thompson Region had 543 deaths with an ASMR of 84.6 per 10,000 standard population, compared to the rate of 68.8 for the Other Population (6,871 deaths).

06 Fraser Valley

- The 9,385 Status Indian residents in this area in 1999 represented 3.9% of the Regional population.
- There were 1,808 Status Indian live births in the Fraser Valley Region over the nine years. The Status Indian live birth rate was 25.0 births per 1,000 Status Indian population, almost twice the rate of the Other Population in the Region (13.8).
- From 1991-1999, the Status Indian population in the Fraser Valley Region had 380 deaths with an ASMR of 99.2 per 10,000 standard population, about one and a half times the rate of 62.9 for the Other Population (14,277 deaths).

07 South Fraser Valley

- The 5,058 Status Indian residents in this area in 1999 represented 0.9% of the Regional population.
- There were 1,316 Status Indian live births in the South Fraser Valley Region over the nine years. The Status Indian live birth rate was 38.5 births per 1,000 Status Indian population, around two and a half times the rate of the Other Population in the Region (14.1).
- From 1991-1999, the Status Indian population in the Fraser Valley Region had 222 deaths with an ASMR of 224.4 per 10,000 standard population, almost four times the rate of 58.8 for the Other Population (27,088 deaths).

08 Simon Fraser

- The 3,121 Status Indian residents in this area in 1999 represented 1.0% of the Regional population.
- There were 827 Status Indian live births in the Simon Fraser Region over the nine years. The Status Indian live birth rate was 38.2 births per 1,000 Status Indian population, almost three times the rate of the Other Population in the Region (13.3).
- From 1991-1999, the Status Indian population in the Simon Fraser Region had 213 deaths with an ASMR of 414.5 per 10,000 standard population, over six times the rate of 66.1 for the Other Population (15,203 deaths).

09 Coast Garibaldi

- The 4,638 Status Indian residents in this area in 1999 represented 5.9% of the Regional population.
- There were 748 Status Indian live births in the Coast Garibaldi Region over the nine years. The Status Indian live birth rate was 20.2 births per 1,000 Status Indian population, almost twice the rate of the Other Population in the Region (11.5).
- From 1991-1999, the Status Indian population in the Coast Garibaldi Region had 188 deaths with an ASMR of 99.0 per 10,000 standard population, about one and a half times the rate of 63.1 for the Other Population (4,042 deaths).

10 Central Vancouver Island

- The 15,756 Status Indian residents in this area in 1999 represented 6.5% of the Regional population.
- There were 2,938 Status Indian live births in the Central Vancouver Island Region over the nine years. The Status Indian live birth rate was 23.6 births per 1,000 Status Indian population, almost two and a half times the rate of the Other Population in the Region (9.9).
- From 1991-1999, the Status Indian population in the Central Vancouver Island Region had 611 deaths with an ASMR of 94.0 per 10,000 standard population, one and a half times the rate of 62.0 for the Other Population (15,477 deaths).

11 Upper Island/Central Coast

- The 9,446 Status Indian residents in this area in 1999 represented 7.7% of the Regional population.
- There were 1,626 Status Indian live births in the Upper Island/Central Coast Region over the nine years. The Status Indian live birth rate was 21.2 births per 1,000 Status Indian population, almost twice the rate of the Other Population in the Region (11.1).
- From 1991-1999, the Status Indian population in the Upper Island/Central Coast Region had 456 deaths with an ASMR of 110.3 per 10,000 standard population, about one and a half times the rate of 65.0 for the Other Population (5,680 deaths).

12 Cariboo

- The 7,831 Status Indian residents in this area in 1999 represented 10.2% of the Regional population.
- There were 1,495 Status Indian live births in the Cariboo Region over the nine years. The Status Indian live birth rate was 23.5 births per 1,000 Status Indian population, twice the rate of the Other Population in the Region (11.7).
- From 1991-1999, the Status Indian population in the Cariboo Region had 345 deaths with an ASMR of 88.2 per 10,000 standard population, compared to the rate of 68.9 for the Other Population (3,101 deaths).

13 North West

- The 24,372 Status Indian residents in this area in 1999 represented 26.6% of the Regional population.
- There were 4,007 Status Indian live births in the North West Region over the nine years. The Status Indian live birth rate was 19.9 births per 1,000 Status Indian population, about one and a half times the rate of 13.7 for the Other Population in the Region.
- From 1991-1999, the Status Indian population in the North West Region had 900 deaths with an ASMR of 76.3 per 10,000 standard population, compared to the rate of 71.2 for the Other Population (2,501 deaths).

14 Peace Liard

- The 4,700 Status Indian residents in this area in 1999 represented 7.1% of the Regional population.
- There were 1,051 Status Indian live births in the Peace Liard Region over the nine years. The Status Indian live birth rate was 30.5 births per 1,000 Status Indian population, about twice the rate for the Other Population in the Region (14.8).
- From 1991-1999, the Status Indian population in the Peace Liard Region had 135 deaths with an ASMR of 85.2 per 10,000 standard population, compared to the rate of 69.8 for the Other Population (2,322 deaths).

15 Northern Interior

- The 12,036 Status Indian residents in this area in 1999 represented 9.0% of the Regional population.
- There were 2,261 Status Indian live births in the Northern Interior Region over the nine years. The Status Indian live birth rate was 23.9 births per 1,000 Status Indian population, almost twice the rate for the Other Population in the Region (13.1).
- From 1991-1999, the Status Indian population in the Northern Interior Region had 467 deaths with an ASMR of 91.9 per 10,000 standard population, compared to the rate of 72.8 for the Other Population (4,528 deaths).

16 Vancouver

- The 12,336 Status Indian residents in this area in 1999 represented 2.2% of the Regional population.
- There were 2,257 Status Indian live births in the Vancouver Region over the nine years. The Status Indian live birth rate was 22.9 births per 1,000 Status Indian population, about twice the rate for the Other Population in the Region (11.0).
- From 1991-1999, the Status Indian population in the Vancouver Region had 893 deaths with an ASMR of 167.1 per 10,000 standard population, about two and a half times the rate of 64.7 for the Other Population (36,092 deaths).

17 Burnaby

- The 2,946 Status Indian residents in this area in 1999 represented 1.5% of the Regional population.
- There were 523 Status Indian live births in the Burnaby Region over the nine years. The Status Indian live birth rate was 22.0 births per 1,000 Status Indian population, twice the rate for the Other Population in the Region (11.0).
- From 1991-1999, the Status Indian population in the Burnaby Region had 94 deaths with an ASMR 315.8 per 10,000 standard population, over five times the rate of 62.1 for the Other Population (11,992 deaths).

18 North Shore

- The 2,922 Status Indian residents in this area in 1999 represented 1.6% of the Regional population.
- There were 459 Status Indian live births in the North Shore Region over the nine years. The Status Indian live birth rate was 19.5 births per 1,000 Status Indian population, almost twice the rate for the Other Population in the Region (10.3).
- From 1991-1999, the Status Indian population in the North Shore Region had 134 deaths with an ASMR of 102.9 per 10,000 standard population, almost twice the rate of 57.3 for the Other Population (10,794 deaths).

19 Richmond

- The 711 Status Indian residents in this area in 1999 represented 0.4% of the Regional population.
- There were 183 Status Indian live births in the Richmond Region over the nine years. The Status Indian live birth rate was 32.5 births per 1,000 Status Indian population, almost three times the rate for the Other Population in the Region (11.2).
- From 1991-1999, the Status Indian population in the Richmond Region had 42 deaths with an ASMR of 313.3 per 10,000 standard population, over six times the rate of 50.0 for the Other Population (6,510 deaths).

20 Capital

- The 7,518 Status Indian residents in this area in 1999 represented 2.2% of the Regional population.
- There were 1,479 Status Indian live births in the Capital Region over the nine years. The Status Indian live birth rate was 25.7 births per 1,000 Status Indian population, about two and a half times the rate for the Other Population in the Region (9.6).
- From 1991-1999, the Status Indian population in the Capital Region had 326 deaths with an ASMR of 216.3 per 10,000 standard population, just over two times the rate of 60.7 for the Other Population (27,882 deaths).

Overview of Birth Statistics

This section examines the birth-related statistics for Status Indians and the Other Population at the provincial and Health Region levels. The birth-related statistics are presented in Appendix 3, and include live births by gender, low birth weight, premature, cesarean section, teenage mothers, elderly gravida, and stillbirths. This information is provided for each year from 1991-1999, as well as for the nine year aggregate, and includes the ratio of the Status Indian rate to the rate for the Other Population.

Live Births

- Over the period 1991 to 1999, one out of every 15 babies born in the province was Status Indian. There were 27,108 Status Indian live births over the nine year period: 13,960 males and 13,147 females (and one birth with unknown gender). The Status Indian live birth rate for 1991-1999 was 23.3 per 1,000 Status Indian population, twice the rate of 11.6 per 1,000 of other B.C. residents. The live birth rates for both Status Indians and other B.C. residents decreased each year from 1991 until 1999, and these trends were statistically significant.

Figure 6
Live Birth Rate
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

FIGURE 7
LIVE BIRTH RATE BY HEALTH REGION
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1991 - 1999



- In the nine year period, the North West Health Region had the highest number of Status Indian births with around 15% of the total provincial amount (4,007 out of 27,108). Central Vancouver Island (2,938) and the Northern Interior (2,261) Regions followed.

- The South Fraser Valley Health Region had the highest rate of live births that were Status Indian (38.5). For 1991-1999 the Thompson Region had the lowest rate in the province (18.9).

LOW BIRTH WEIGHT BIRTHS

Low birth weight (LBW) is defined as less than 2,500 grams.

- There were 1,512 Status Indian live births with low birth weight (less than 2,500 grams) in 1991-1999. This resulted in a Status Indian low birth weight (LBW) rate of 55.8 per 1,000 Status Indian live births, that was slightly higher than the LBW rate of 49.7 for other B.C. residents. The Status Indian population accounted for approximately one out of every 13 low birth weight births in the province in the nine years.

FIGURE 8
LOW BIRTH WEIGHT RATE
STATUS INDIAN AND OTHER B.C. RESIDENTS
BRITISH COLUMBIA, 1991-1999



Note: Trends do not show statistically significant @ 5% level for Status Indians and Others.

FIGURE 9
LOW BIRTH WEIGHT RATE BY HEALTH REGION
STATUS INDIAN AND OTHER RESIDENTS
BRITISH COLUMBIA, 1991 - 1999



- The lowest LBW rate (1991-1999) was in the North Okanagan Indian population (34.6). The rates for Status Indian populations in other Regions ranged between 40.1 and 74.4; Vancouver had the highest rate (74.4).

FIGURE 10

STATUS INDIAN: LOW BIRTH WEIGHT RATE BY HEALTH REGION
BRITISH COLUMBIA, 1991 - 1999



Notes: Low Birth Weight <2,500 grams.
Rate per 1,000 live births.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Premature Births

Premature or preterm births are those with a gestational age of less than 37 weeks.

- Status Indians had 2,407 premature live births (gestational age less than 37 weeks) in 1991-1999. The Status Indian premature birth rate was 88.8 per 1,000 Status Indian live births, which was almost one and a half times the rate of 60.8 for other B.C. residents. One out of every 11 premature live births in B.C. in the nine years was a Status Indian baby.

- The 1991-1999 Status Indian premature birth rates were higher than the rates for Other Population in each Health Region. The Vancouver Region Status Indian premature birth rate of 118.7 was the highest rate of all the Health Regions and over one and a half times that of Other Population in the Vancouver Region (68.6). The North Okanagan Region had the lowest Status Indian premature rate (54.4), followed closely by the East & West Kootenay Regions (59.1).

Figure 11
Premature Birth Rate by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



Births by Cesarean Section

- In 1991-1999, a total of 4,428 Status Indian live births were delivered by cesarean section. The Status Indian cesarean section rate of 163.3 per 1,000 Status Indian live births was 23% lower than the rate for other B.C. residents (210.8). Approximately one out of every 19 live births delivered by cesarean section was a Status Indian.

Figure 12
Cesarean Section Rate
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends do not show statistically significant @ 5% level for Status Indians and Others.

Figure 13
Cesarean Section Rate by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- In the 1991-1999 period, only two Health Regions (East and West Kootenay combined and Peace Liard) had higher Status Indian rates of cesarean section than the Other Population. The highest rate of Status Indian cesarean births was in Cariboo (200.7), followed by Richmond (191.3) and North Okanagan (191.1). The Burnaby Region Status Indian cesarean section rate of 122.4 was the lowest of all Health Regions.

Births to Teenage Mothers

A teenage mother is any woman who was less than 20 years of age at the time of delivery of an infant.

- From 1991 to 1999, one out of every four teenage mothers in the province was a Status Indian. There were 5,231 live births to Status Indian women under the age of 20 years old in this period of time. The Status Indian live birth rate for teenage mothers was 193.0 per 1,000 live births, four and a half times the rate for other B.C. residents (42.3).

Figure 14
Live Birth Rate to Teenage Mothers
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

Figure 15
Live Birth Rate to Teenage Mothers by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- The trends in live birth rates to teenage mothers showed statistically significant decreases for both Status Indians and other B.C. residents.

- The highest 1991-1999 live birth rate for Status Indian teenage mothers was in the Central Vancouver Island Region (232.8) and the lowest was in the Richmond Region (82.0). All Status Indian Populations in all Health Regions had higher rates of live births to teenage mothers than the Other Population.

Figure 16

Status Indian: Live Birth Rate to Teenage Mothers by Health Region

British Columbia, 1991 - 1999



Notes: Teenage Mothers <20 years old.
Rate per 1,000 live births.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Births to Older Mothers

An older mother (Elderly Gravida) is defined as any woman who was 35 years of age or older at the time of delivery of an infant.

- There were a total of 1,826 babies born to Status Indian women aged 35 years or older in 1991-1999, for an elderly gravida rate of 67.4 per 1,000 live births in the Status Indian population. This rate was less than half the elderly gravida rate in other B.C. residents (149.7). The rate of live births to women 35 or older showed a large increase each year from 1991 to 1999 in both populations, and these trends were statistically significant for both Status Indians and other B.C. residents.

Figure 17
Live Birth Rate to Mothers 35+ Years Old
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

Figure 18
Live Birth Rate to Mothers 35+ Years Old by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- In the Northern Interior Region, the 1991-1999 elderly gravida rate of 40.7 for Status Indians was the lowest of the Health Regions, the Other Population's lowest rate was in the Peace Liard Health Region (84.3). The North Shore Region had the highest rate for Status Indians (115.5) and for Other Population (275.7). In all Health Regions, the Status Indian elderly gravida rates were lower than those for the Other Population.

Stillbirths

Stillbirth statistics for each year from 1991-1999, as well as for the nine year aggregate, are presented in Appendix 3. The information provided at the provincial and Health Region levels, and includes the ratio of the Status Indian stillbirth rate to the rate for the Other Population. Table 4, which is presented in the Infant Mortality section of this report, shows causes of infant deaths and stillbirths for the nine year period at the provincial level.

- In 1991-1999, there were 201 Status Indian stillbirths for a rate of 7.4 per 1,000 total births (live births plus stillbirths) in the Status Indian population. The Status Indian stillbirth rate was slightly higher than the rate for other B.C. residents (6.7) for the nine year period.

- The Coast Garibaldi Region had the highest 1991-1999 rate of Status Indian stillbirths (11.9). The Status Indian Population in the Richmond Health Region had no stillbirths during the 1991-1999 period, and North Okanagan and Burnaby Health Regions had less than three stillbirths. These Health Regions are not shown in the graph. Several other Health Regions had small numbers of stillbirths; rates for these areas should be interpreted with caution.

Figure 19
Stillbirth Rate by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



Overview of Infant Mortality Statistics

Infant mortality is a widely used measure of health status. This section presents the number of infant deaths and mortality rates by age at death, causes of infant deaths, and infant mortality by age of mother and birth weight, at the provincial level. Infant mortality by age at death is also presented at the Health Region level. Infant mortality statistics are presented in Appendix 3, and include early neonatal, neonatal, post neonatal deaths, and infant deaths. This information is provided for each year from 1991-1999, as well as for the nine year aggregate, and includes the ratio of the Status Indian rate to the rate for the Other Population.

Definitions

Infant mortality is defined as the death of a child under one year of age. Early neonatal mortality refers to an infant death where the age at death was less than 7 days. Neonatal mortality, which includes the early neonatal period, refers to an age at death less than 28 days old. Post neonatal mortality refers to an age at death between 28 and 364 days after birth.

Infant Mortality

- From 1991-1999, one out of every seven infant deaths (age under one year old) in the province was a Status Indian baby. In total, 286 of the 2,125 infant deaths in B.C. in the nine years were Status Indian infants. At the provincial level, the Status Indian infant mortality rate was 10.6 infant deaths per 1,000 Status Indian live births, more than double the rate of 4.9 for other BC residents. However, these aggregate statistics disguise the progress made in infant mortality over the period.
- There has been a significant decrease in infant mortality in the Status Indian population in the last five years. The number of Status Indian infant deaths dropped each year from 45 in 1995 to 12 in 1999, and the Status Indian infant mortality rate showed a similar dramatic decline from 14.7 to 4.2 infant deaths per 1,000 Status Indian live births. Infant mortality also declined in the rest of the provincial population in this time period, dropping from 5.3 per 1,000 live births in 1995 to 3.7 in 1999. The trends in infant mortality rates showed statistically significant decreases for both Status Indians and other B.C. residents.

Figure 20
Infant Mortality Rate
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

- The Upper Island/Central Coast Region Status Indian Population had the highest infant mortality rate of the Health Regions, 18.5 for the nine year period. The Thompson Health Region was the only Health Region where the Status Indian infant mortality rate was lower than the Other Population infant mortality rate. The Status Indian Population in the North Shore Health Region, with less than three infant deaths in 1991-1999, is not shown in the graph. Several other Health Regions had small numbers of infant deaths; rates for these areas should be interpreted with caution.

Figure 21
Infant Mortality Rate by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



Figure 22

Status Indian: Infant Deaths by Health Region

British Columbia, 1991 - 1999



Notes: Rate per 1,000 live births.
Includes infant deaths with gender unknown. Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Infant Mortality by Age at Death

- In the nine year period, there were 100 Status Indian infant deaths in the neonatal period, 81 of which were in the early neonatal period. The Status Indian neonatal mortality rate (3.7 deaths per 1,000 live births in the Status Indian population) and the early neonatal mortality rate (3.0) were only slightly higher than the rates for other B.C. residents (3.4 and 2.9 respectively).

- The major difference between the pattern of infant deaths in the Status Indian and other residents of B.C. was in the post neonatal period. In the nine year period, almost two thirds of Status Indian infant deaths (186 of the 286 infant deaths) were between 28 and 364 days after birth, for a rate of 6.9 deaths in the post neonatal period per 1,000 live births. Among other B.C. residents, less than a third of infant deaths were in the post neonatal period (573 out of 1,849 infant deaths), and the post neonatal mortality rate was only 1.5.

- From 1991-1999, post neonatal mortality was highest in the Upper Island/Central Coast Region Status Indian population (13.5 deaths in the post neonatal period per 1,000 live births). This rate was nine times the rate for other residents of the Upper Island/Central Coast Region (1.5).

Causes of Infant Deaths

Table 4 shows causes of infant deaths for 1991-1999 at the provincial level.

- Sudden Infant Death Syndrome (SIDS) was the leading cause of infant mortality in the Status Indian population between 1991 and 1999, accounting for more than a third of all Status Indian infant deaths. Over the nine year period, 110 of the 341 SIDS deaths in the province were Status Indian children. The infant mortality rate for SIDS in the Status Indian population was 40.6 deaths per 10,000 live births, more than six times the rate of 6.1 for other B.C. residents. Since the majority of SIDS deaths occur between 28 and 364 days after birth, SIDS is the major cause of post neonatal mortality.

- Perinatal complications were responsible for three quarters of infant deaths in the first week of life (early neonatal period), and one quarter of all Status Indian deaths under the age of one in the nine year period. The Status Indian infant mortality rate from perinatal complications was 26.6 deaths per 10,000 live births, slightly higher than the rate for other B.C. residents (22.0).

- Congenital anomalies were responsible for one in ten Status Indian infant deaths (31 deaths) in 1991-1999. The Status Indian infant mortality rate for congenital anomalies, 11.4 deaths per 10,000 live births, was below the rate of 14.0 for other B.C. residents.

- Although there were only 11 Status Indian infant deaths from pneumonia/influenza in the nine year period, the Status Indian mortality rate (4.1 per 10,000 live births) was more than 20 times higher than the rate for other B.C. residents.

Infant Mortality by Age of Mother and Birth Weight

Table 5 shows infant mortality by age of mother and birth weight for 1991-1999 at the provincial level.

- In the 1991-1999 period, there were 212 infant deaths where the mother was under 20 years of age, and more than a third (71 deaths) were Status Indians. Of all maternal age groups, teenage mothers had the highest infant mortality rates in both populations. The Status Indian infant mortality rate for teenage mothers was 13.6 infant deaths per 1,000 live births of Status Indian babies, compared to 8.8 for other B.C. residents. In general, Status Indian mothers tend to be younger than other B.C. mothers, therefore it is not surprising about eight out of every ten Status Indian infant deaths were to mothers under 30 years of age, compared to five out of ten infant deaths among other B.C. residents.

- Generally, low birth weight is less of a factor in infant deaths among the province's Status Indian population. Of the 286 Status Indian infant deaths in 1991-1999, two in five (114 deaths) had birth weights below 2,500 grams. Of the

Table 4
Selected Causes of Infant Deaths and Stillbirths
B. Columbia, 1991-1999

		Status Indians in B.C.							Other Residents in B.C.							Status/Other	
		Infant deaths (age in days)					Stillbirths		Infant deaths (age in days)					Stillbirths		Infant Death	Stillbirth
Cause of Infant Death or Stillbirth	ICD9 Codes	<7	7-27	28-364	Total	Rate	Number	Rate	<7	7-27	28-364	Total	Rate	Number	Rate	Ratio	Ratio
Nervous system congenital anomalies	740-742	2	1	3	6	2.2	2	0.7	45	6	13	64	1.7	80	2.1	1.3	0.4
Congenital heart/circulatory system anomalies	745-747	2	3	4	9	3.3	3	1.1	87	48	68	203	5.4	33	0.9	0.6	1.2
Respiratory system congenital anomalies	748	4	-	-	4	1.5	-	-	66	7	8	81	2.1	5	0.1	0.7	-
Digestive system congenital anomalies	749-751	-	-	3	3	1.1	-	-	4	1	9	14	0.4	3	0.1	2.8	-
Renal system congenital anomalies	753	2	-	-	2	0.7	-	-	15	2	1	18	0.5	35	0.9	1.4	-
Musculoskeletal/other congenital anomalies	743-744,752,754-757	-	-	1	1	0.4	1	0.4	27	2	5	34	0.9	25	0.7	0.4	0.7
Chromosomal anomalies	758	1	1	1	3	1.1	7	2.6	46	10	19	75	2.0	113	3.0	0.6	0.9
Multiple congenital anomalies	759	2	-	1	3	1.1	6	2.2	33	-	10	43	1.1	79	2.1	1.0	1.0
Total deaths due to congenital anomalies	**740-759**	**13**	**5**	**13**	**31**	**11.4**	**19**	**7.0**	**323**	**76**	**133**	**532**	**14.0**	**373**	**9.8**	**0.8**	**0.7**
Maternal conditions not related to pregnancy	760	-	-	-	-	-	9	3.3	15	2	3	20	0.5	60	1.6	-	2.1
Complications of pregnancy/labour/delivery	761,763	8	-	1	9	3.3	22	8.1	119	2	-	121	3.2	191	5.0	1.0	1.6
Complications of placenta/cord/membranes	762	8	-	-	8	3.0	69	25.4	121	-	-	121	3.2	947	24.9	0.9	1.0
Slow fetal growth and fetal malnutrition	764	-	-	-	-	-	4	1.5	9	1	-	10	0.3	43	1.1	-	1.4
Short gestation/unspecified low birth weight	765	9	-	-	9	3.3	8	3.0	126	-	-	126	3.3	58	1.5	1.0	2.0
Long gestation and high birth weight	766	-	-	-	-	-	-	-	-	-	-	-	-	4	0	-	-
Birth trauma	767	5	-	-	5	1.8	-	-	26	3	-	29	0.8	2	0.1	2.3	-
Intrauterine hypoxia and birth asphyxia	768	7	-	-	7	2.6	5	1.8	59	3	1	63	1.7	95	2.5	1.5	0.7
Respiratory conditions of the fetus/newborn	769-770	18	2	5	25	9.2	-	-	168	24	22	214	5.7	2	0.1	1.6	-
Infections specific to the perinatal period	771	2	1	-	3	1.1	2	0.7	19	13	5	37	1.0	8	0.2	1.1	3.5
Fetal and neonatal hemorrhage	772	3	-	-	3	1.1	-	-	18	-	-	18	0.5	12	0.3	2.2	-
Perinatal jaundice/other hematological disorders	773-774,776	-	-	-	-	-	2	0.7	3	2	-	5	0.1	8	0.2	-	3.5
Perinatal digestive system disorders	777	1	-	-	1	0.4	-	-	5	8	4	17	0.4	-	-	1.0	-
Integument/temperature regulation disorders	778	-	-	-	-	-	1	0.4	9	1	1	11	0.3	28	0.7	-	0.6
Other perinatal conditions[1]	779	1	1	-	2	0.7	58	21.4	35	3	2	40	1.1	679	17.9	0.7	1.2
Total deaths due to perinatal complications	**760-779**	**62**	**4**	**6**	**72**	**26.6**	**180**	**66.0**	**732**	**62**	**36**	**832**	**22.0**	**2137**	**56.1**	**1.2**	**1.2**
Pneumonia/influenza	480-487	1	1	9	11	4.1	-	-	1	-	6	7	0.2	-	-	20.5	-
Sudden Infant Death Syndrome (SIDS)[2]	798.0	-	4	106	110	40.6	-	-	2	12	217	231	6.1	-	-	6.7	-
Other causes[3]		5	5	52	62	22.9	2	0.7	38	30	179	247	6.5	44	1.2	3.5	0.6
Total (All Causes)		**81**	**19**	**186**	**286**	**105.5**	**201**	**73.6**	**1096**	**180**	**573**	**1,849**	**48.8**	**2554**	**67.0**	**2.2**	**1.1**

Notes: Infant death rates per 10,000 live births. Stillbirth rates per 10,000 total births.
[1] Includes stillbirths with undetermined cause of death (coded to 779.9).
[2] Some infant deaths, which were still under investigation, may later be identified as SIDS.
[3] Includes infant deaths with interim or undetermined cause of death (coded to 799.9).
Cases with gender unknown are included.
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others.

Table 5
Infant Mortality by Age of Mother and Birth Weight
British Columbia, 1991-1999

Status Indians in B.C.

Age of Mother (in years)	Birth Weight (in grams)							Status/ Other
	<1500	1500-2499	< 2500	2500+	N.S.	Total	Rate	
< 20	19	14	33	37	1	71	13.6	1.5
20-24	20	12	32	60	1	93	10.6	2.0
25-29	15	14	29	40	2	71	10.2	2.5
30-34	9	6	15	16	2	33	7.6	1.7
35-39	4	1	5	5	-	10	6.5	1.4
40+	-	-	-	1	-	1	++	-
N.S.	-	-	-	1	6	7	-	-
Total	**67**	**47**	**114**	**160**	**12**	**286**	**10.6**	**2.2**
Percent	**23.4**	**16.4**	**39.9**	**55.9**	**4.2**	**100.0**		

All Other Residents in B.C.

Age of Mother (in years)	Birth Weight (in grams)							Status/ Other
	<1500	1500-2499	< 2500	2500+	N.S.	Total	Rate	
< 20	56	18	74	65	2	141	8.8	1.5
20-24	116	66	182	172	4	358	5.4	2.0
25-29	215	78	293	206	5	504	4.1	2.5
30-34	257	78	335	182	5	522	4.5	1.7
35-39	111	39	150	79	-	229	4.7	1.4
40+	28	6	34	14	1	49	6.2	-
N.S.	1	-	1	1	44	46	-	-
Total	**784**	**285**	**1,069**	**719**	**61**	**1,849**	**4.9**	**2.2**
Percent	**42.4**	**15.4**	**57.8**	**38.9**	**3.3**	**100.0**		

Notes: N.S. - Not Stated
Rates per 1,000 live births in the specified age group.
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.
Cases with gender unknown are included.
++ Rate not shown for less than three deaths.

Overview of Mortality Statistics

The following section discusses each of the major cause of death categories for Status Indians and other B.C. residents, by Health Region. The analysis includes discussion of Age Standardized Mortality Rates (ASMR), and Potential Years of Life Lost (PYLL) measures. Generally, the analysis focuses on aggregate data for the 1991-1999 period. Annual data by Health Region are provided in Appendix 3 Birth and Death-Related Statistical Summaries, but are generally not included in the analysis because of the small numbers involved. Appendix 4 provides Age Standardized Mortality Rates by Health Region, and Appendix 5 provides Potential Years of Life Lost (Age Under 75 Years) by Health Region. Causes of Death by Age Group and Health Region can be found in Appendix 6.

All Causes

- In the 1991-1999 period, there were 6,429 Status Indian deaths, which was one out of every 37 deaths in the province. The Status Indian Age Standardized Mortality Rate (ASMR) was 103.3 per 10,000 standard population, one and two thirds the rate of 61.8 for other B.C. residents.

- The trends in ASMRs for all causes of death showed statistically significant decreases for both Status Indians and other B.C. residents.

- There were 3,708 male and 2,721 female deaths in the Status Indian population in the nine year period. The Age Standardized Mortality Rate (ASMR) for males was 121.3 per 10,000 standard population for Status Indians and 76.2 for other B.C. males. For females, the ASMRs were 87.0 and 49.9 respectively.

- The Status Indian population had higher mortality in the younger age groups. In the nine year period, 9.2% of the Status Indian deaths were children (age 19 years or younger) compared to only 1.7% in this age group for other B.C. residents. Similarly, seniors (age 65 or older) accounted for only 39.1% of Status Indian deaths but 77.2% for other residents.

Figure 23
ASMRs for All Causes of Death
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

Figure 24
Mortality by Age Groups
British Columbia, 1991-1999



- In total, 4,910 Status Indians were under the age of 75 years at the time of death. This represented 4.7% of the 104,188 'premature' deaths (age under 75) in the province. However, since Status Indians are generally in the younger age groups, the Status Indian PYLL (148,612) accounted for 8.1% of the total potential years of life lost in the province (1,826,956).

- The Status Indian Population in the Simon Fraser Health Region had the highest ASMR of all Health Regions (414.5 per 10,000 standard population). The North West Health Region had the lowest Status Indian ASMR rate for all causes of death of the Health Regions (76.3 per 10,000 standard population).

Figure 25
Status Indian: ASMR, All Causes of Death by Health Region
British Columbia, 1991 - 1999



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Leading Causes of Death

Categories in the Statistics Canada publication *Leading Causes at Different Ages* were ranked by the 1991-1999 ASMR to determine the leading causes of Death as shown in Table 6.

- In the provincial Status Indian population, the top five leading causes of death were, in order, ischemic heart disease, cerebrovascular disease/stroke, gastrointestinal cancers, pneumonia/ influenza, and respiratory system cancers. All five were also in the leading causes for other B.C. residents, in a slightly different order with respiratory system cancers rating higher than pneumonia/ influenza. Together, these five categories accounted for more than one quarter (27.8%) of Status Indian deaths and almost half (47.2%) of Other Population deaths in the province between 1991 and 1999.

- Ischemic heart disease was the leading cause of death for all B.C. residents. Out of the 44,877 deaths from this cause over the nine year period, 682 deaths were Status Indians. The Status Indian ASMR was 14.8 per 10,000 standard population, compared to the provincial rate of 11.7.

Figure 26
Major Causes of Death
British Columbia, 1991-1999



- The other causes of death in the Status Indian top ten leading causes were, from sixth to tenth place respectively, motor vehicle traffic accidents, accidental poisoning, suicide, chronic liver disease/ cirrhosis, and congestive heart failure. With the exception of congestive heart failure, none of these were among the top ten leading causes for other B.C. residents. The causes of death that were in the top ten for other B.C. residents but not for the Status Indian population were prostate cancer, female breast cancer, chronic pulmonary diseases, and cancer of the blood/lymph system.

- Overall, accidents and violence categories (motor vehicle traffic accidents, accidental poisoning, suicide, and accidental falls) and diseases affecting the digestive or urinary system (chronic liver disease/cirrhosis and renal failure, nephritis, nephrosis) ranked higher in the Status Indian list of leading causes, and had ASMRs which were at least two and a half times the rates for other B.C. residents. On the other hand, the ASMRs for cancers were generally similar in the two populations; and ranked lower in the Status Indian list of leading causes.

Table 6
Leading Causes of Death Ranked by ASMR
British Columbia, 1991-1999

Leading Causes of Death	ICD-9 Codes	Status Indians in B.C.			Other B.C. Residents			Status/ Other
		No.	ASMR	Rank	No.	ASMR	Rank	
Ischemic Heart Disease	410-414, 429.2	682	14.8	1	44,195	11.7	1	1.3
Cerebrovascular Disease/Stroke	430-434, 436-438	326	7.0	2	18,925	4.9	2	1.4
Gastrointestinal Cancers	140-159	299	6.1	3	17,318	4.7	3	1.3
Pneumonia/Influenza	480-487	275	5.5	4	10,758	2.8	5	2.0
Cancer of Respiratory System	160-165	208	4.3	5	17,278	4.7	4	0.9
Motor Vehicle Traffic Accidents	E810-E819	426	4.0	6	3,488	1.1	16	3.6
Accidental Poisoning	E850-E869	387	3.6	7	2,832	0.9	17	4.0
Suicide	E950-E959	346	3.0	8	4,014	1.2	14	2.5
Chronic Liver Disease/Cirrhosis	571	208	3.0	9	2,256	0.6	21	5.0
Congestive Heart Failure	428	123	3.0	10	5,763	1.5	9	2.0
Chronic Pulmonary Diseases	491, 492, 496	115	2.7	11	9,244	2.4	8	1.1
Prostate Cancer	185	51	2.6	12	4,222	2.7	6	1.0
Diabetes	250	120	2.5	13	4,706	1.3	13	1.9
Female Breast Cancer	174	74	2.4	14	4,949	2.5	7	1.0
Accidental Falls	E880-E888	121	2.1	15	2,984	0.8	18	2.6
Conduction/Cardiac Dysrhythmia	426-427	95	2.0	16	4,139	1.1	15	1.8
Renal Failure, Nephritis, Nephrosis	580-589	79	1.8	17	2,416	0.6	20	3.0
Cancer of Female Repoductive System	179-184	52	1.7	18	2,739	1.4	11	1.2
Cardiomyopathies	425	87	1.5	19	1,826	0.5	22	3.0
Cancer of Blood/Lymph System	200-208	78	1.4	20	5,592	1.5	10	0.9
Other Causes of Death of Interest								
Diseases of Arterial	440-448	64	1.3	21	5,068	1.3	12	1.0
AIDS/HIV Infections	042-044	122	1.2	22	1,804	0.5	23	2.4
Homicide	E960-E969	120	1.1	23	770	0.2	24	5.5
Accidental Drowning	E830, E832, E910	84	0.8	24	583	0.2	25	4.0
Accidents Caused by Fire/Flames	E890-E899	64	0.7	25	244	0.1	26	7.0
Bladder, Kidney and Urinary Tract	188-189	35	0.7	26	2,836	0.8	19	0.9
Sudden Infant Death Syndrome(SIDS)	798.0	111	0.6	27	237	0.1	27	6.0

Notes: ASMR - Age Standardized Mortality Rates per 10,000 standard population. Deaths with gender unknown are excluded.
Status/Other is the ratio of the Status Indian 1991-1999 ASMR to the rate of Other B.C. Residents.
Order based on the ASMR rank for Status Indians.

- Among other causes of death of interest, the Status Indian populations had ASMRs for homicide, accidental drowning, and accidents caused by fire/flames that were from four to more than nine times higher than the rates for other B.C. residents.

Table 7 presents Leading Causes of Death for Status Indians and Others in Each Health Region for 1991-1999. Cause of death categories which were not in the top five for Status Indians in any Health Region were excluded.

- Ischemic heart disease was the leading cause of death for both the Status Indian and Other Populations in each Health Region.

- Leading causes of death found regionally in the top five for the Status Indian Population but not in the top five for the Other Population in the specified Health Region included motor vehicle traffic accidents, accidental poisoning, suicide, chronic liver disease/cirrhosis, congestive heart failure, diabetes, accidental falls, and cancer of the female reproductive system.

Table 7
Leading Causes of Death in Each Health Region Ranked by ASMR
Status Indian and Other Residents
British Columbia, 1991-1999

	PROVINCIAL TOTAL*	01/02 East & West Kootenay	03 North Okanagan	04 South Okanagan Similkameen	05 Thompson	06 Fraser Valley	07 South Fraser Valley	08 Simon Fraser	09 Coast Garibaldi	10 Central Vancouver Island	11 Upper Island/Central Coast	12 Cariboo	13 North West	14 Peace Liard*	15 Northern Interior	16 Vancouver	17 Burnaby	18 North Shore	19 Richmond	20 Capital
Status Indians																				
Ischemic Heart Disease	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
Cerebrovascular Disease/Stroke	2	4		2	2	2	3	2	2	2	2	3	2		4	4	4	4	5	4
Gastrointestinal Cancers	3	5	4		5	3	2		4	3	3	5	3	4	2			2	3	2
Pneumonia/Influenza	4		3	5	3	5	5	4	3	5		4	4	5	5	5	5	3		
Cancer of Respiratory System	5	2						3					5	3					2	
Motor Vehicle Traffic Accidents	6		2		4	4						1		2	3					
Accidental Poisoning	7															2				
Suicide	8									4										
Chronic Liver Disease/Cirrhosis	9																	5		
Congestive Heart Failure	10						4				5									
Chronic Pulmonary Diseases	11			3				5								3				5
Prostate Cancer	12			4												3	2			
Diabetes	13								5		4									
Female Breast Cancer	14	3																		3
Accidental Falls	15																		4	
Cancer of Female Reproductive System	18	5	5																	
Other Residents																				
Ischemic Heart Disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebrovascular Disease/Stroke	2	3	2	3	4	2	2	2	3	3	3	3	3	4	3	2	2	2	3	2
Gastrointestinal Cancers	4	4	3	2	3	4	4	4	4	4	4	4	4	3	4	3	3	3	2	4
Pneumonia/Influenza	5							5					5			5		5		
Cancer of Respiratory System	3	5	4	4	2	3	3	3	2	2	2	2	2	2	2	4	4	4	4	3
Motor Vehicle Traffic Accidents	16																			
Accidental Poisoning	17																			
Suicide	14																			
Chronic Liver Disease/Cirrhosis	21																			
Congestive Heart Failure	10																			
Chronic Pulmonary Diseases	8				5							5			5					
Prostate Cancer	6	2		5		5				5	5			5			5		5	
Diabetes	13																			
Female Breast Cancer	7		5				5		5											5
Accidental Falls	18																			
Cancer of Female Reproductive System	11																			

Notes: Causes of death exclude those which were not in the top five for Status Indians in any Health Region.
*Provincial total represents the rank for the specified cause of death for Status Indians or Other Residents.

Infectious/Parasitic Diseases

Infectious and parasitic diseases include AIDS/HIV infections, tuberculosis, viral hepatitis, and septicemia.

- In the nine year period, there were 229 Status Indian deaths from infectious/ parasitic diseases. These deaths included 16 children (under 20 years of age) and 39 seniors (65 years or older). The Status Indian ASMR for infectious/parasitic diseases was 2.8 per 10,000 standard population, more than double the provincial rate of 1.1. AIDS/HIV infections accounted for approximately half the deaths from infectious diseases in both populations.

- AIDS/HIV claimed 122 Status Indian lives in the 1991-1999 period, 102 of which were males. For the nine year period, the Status Indian ASMR for deaths from AIDS/HIV infections was 1.2 deaths per 10,000 standard population. In comparison, the ASMR for other B.C. residents was 0.5.

Figure 27
ASMRs for Infectious/Parasitic Disease Deaths
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends do not show statistically significant @ 5% level for Status Indians and Others.

Figure 28
ASMRs for Infectious/Parasitic Disease Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- The Vancouver Health Region had the highest mortality rates for infectious/ parasitic diseases, 9.6 per 10,000 standard population for the Status Indian population and 2.9 for the Other Population in the same area. The Thompson Health Region had the lowest ASMR for the Status Indian population (0.7 per 10,000 standard population). The Thompson Health Region was the only Health Region where the Status Indian 1991-1999 ASMR for deaths from infectious/parasitic diseases was lower than the rate for the Other Population. East & West Kootenay, North Okanagan, Peace Liard, and Richmond Health Regions had less than three deaths from infectious/parasitic diseases in 1991-1999 and are not shown in the graph. Several other Health Regions had small numbers of deaths from infectious/parasitic diseases; rates for these areas should be interpreted with caution.

Cancers

- There were 936 Status Indian deaths from cancers, or malignant neoplasms in the 1991-1999 period or one in seven Status Indian deaths in the nine years. The Status Indian ASMR for cancer (18.3 deaths per 10,000 standard population) was higher than the rate of 16.9 for other B.C. residents.
- Cancer claimed younger lives in the Status Indian population. Seventy percent of Status Indian cancer deaths were under 75 years of age, compared to less than 60% of other B.C. residents of this age group who died from cancers.

Figure 29
ASMRs for Deaths Due to Cancer
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant for Others but not significant for Status Indians @ 5% level.

- Colorectal cancer claimed 92 Status Indian lives between 1991 and 1999. The ASMR for this specific cause of death was 1.9 deaths per 10,000 standard population, slightly above the rate of 1.5 for other B.C. residents.

- In the nine year period, 74 Status Indian women died from breast cancer and 18 died from cervical cancer. The Status Indian ASMR for female breast cancer (2.4 per 10,000 standard population) was slightly less than the rate for other B.C. residents (2.5), while the rate for cervical cancer (0.5) was more than twice the rate (0.2) for other B.C. residents. Among Status Indian women, almost 90% of cervical cancer deaths and almost 80% of breast cancer deaths were aged 75 years or younger. For other provincial residents, the corresponding proportions were 80% and 65%.

Figure 30
ASMRs for Deaths Due to Cancer by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- There were 51 deaths from prostate cancer in the Status Indian population in the 1991-1999 period. The ASMR for prostate cancer was 2.6 per 10,000 standard population, which was slightly lower than the rate of 2.7 for other B.C. residents.

- Of all the Health Regions, the Simon Fraser Health Region had the highest 1991-1999 Status Indian ASMR for cancers (99.9 per 10,000 standard population); the Central Vancouver Island Health Region had the lowest rate for Status Indians (10.3 per 10,000 standard population).

Figure 31

Status Indian: ASMR, Deaths Due to Cancer by Health Region

British Columbia, 1991 - 1999



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Endocrine/Nutritional/Metabolic Diseases

Endocrine, nutritional, and metabolic diseases and immunity disorders include diabetes, cystic fibrosis and nutritional deficiencies.

- There were 174 Status Indian deaths from endocrine, nutritional, and metabolic diseases and immunity disorders in the 1991-1999 period, and 6,446 deaths from this cause among other residents of the province. The Status Indian ASMR for endocrine/nutritional/metabolic diseases was 3.3 deaths per 10,000 standard population, almost double the rate of 1.7 for other B.C. residents.
- In this category, diabetes was responsible for two thirds of Status Indian deaths and almost three-quarters of deaths among other B.C. residents from endocrine, nutritional, and metabolic diseases and immunity disorders. There were 120 Status Indian deaths from diabetes between 1991 and 1999. The ASMR for diabetes in the Status Indian population (2.5 per 10,000 standard population) was almost double the rate for other B.C. residents (1.3).

Figure 32
ASMRs for All Endocrine Deaths
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends do not show statistically significant @ 5% level for Status Indians and Others.

Circulatory System Diseases

Circulatory system diseases include heart diseases, cardiovascular disease or stroke, diseases of the arteries, cardiac dysrhythmias, cardiomyopathies, and congestive heart failure.

- There were 1,507 Status Indian deaths from circulatory system diseases in the 1991-1999 period. This cause of death was responsible for almost a quarter of Status Indian deaths in the nine years and over one third of deaths of other B.C. residents. The Status Indian ASMR for deaths from circulatory system diseases (32.0 deaths per 10,000 standard population) was almost 40% higher than the rate of 22.6 for other residents.
- The trends in ASMRs for circulatory system disease deaths showed statistically significant decreases for both Status Indians and other B.C. residents.
- Ischemic heart disease was the leading cause of death in both provincial and area populations. There were 682 Status Indian deaths from ischemic heart disease in 1991-1999, producing an ASMR of 14.8 per 10,000 standard population, compared to an ASMR of 11.7 for other residents.

- The trends in ASMRs for ischemic heart disease deaths for Status Indians and other B.C. residents over the nine year period, 1991-1999, show the same pattern as the trends in ASMRs for all circulatory system disease deaths.

- Cerebrovascular disease/stroke was second leading cause of death for Status Indians (326 deaths and ASMR 7.0 per 10,000 standard population) and the third leading cause of death for other B.C. residents (18,925 deaths and ASMR 4.9). In both populations, the ASMRs for cerebrovascular disease/stroke were less than half the rates for ischemic heart disease.

Figure 33
ASMRs for All Circulatory System Disease Deaths
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

Figure 34
ASMRs for Ischemic Heart Disease Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- The Status Indian ASMRs for ischemic heart disease deaths in 1991-1999 in Richmond, Simon Fraser, and Burnaby Health Regions were more than five times the rates for the Other Populations in those areas. The highest Status Indian ASMRs for Ischemic Heart Disease deaths occurred in Health Regions in the lower Mainland, while the lowest rates occurred in northern Health Regions.

Figure 35

Status Indian: ASMR, Deaths Due to Ischemic Heart Disease by Health Region

British Columbia, 1991 - 1999



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded. Cases with gender unknown are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Respiratory System Diseases

Respiratory system diseases include pneumonia, influenza, chronic bronchitis, emphysema, asthma, and other chronic airway obstructions.

- There were 504 Status Indian deaths from respiratory system diseases in the nine year period. The Status Indian ASMR for this cause of death was 10.5 per 10,000 standard population, compared to rate of 6.2 for other residents of the province.

- More than half of the Status Indian deaths from respiratory system diseases were from pneumonia/influenza (275 deaths). Pneumonia/influenza was the fourth leading cause of death in the Status Indian population with an ASMR of 5.5 per 10,000 standard population, almost double the rate of 2.8 for other B.C. residents.

- Chronic pulmonary diseases (chronic bronchitis, emphysema and chronic obstructive pulmonary disease) caused 115 deaths in the Status Indian population between 1991 and 1999. The Status Indian ASMR was 2.7 deaths per 10,000 standard population, which was slightly higher than the rate of 2.4 for other B.C. residents. Chronic pulmonary diseases ranked eleventh in the list of leading causes of death for Status Indians and eighth among provincial leading causes.

Figure 36
ASMRs for All Respiratory System Disease Deaths
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends do not show statistically significant @ 5% level for Status Indians and Others.

Figure 37
ASMRs for Pneumonia/Influenza Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- The Simon Fraser Health Region had the highest rate of Status Indian deaths from pneumonia/influenza (28.1). The Status Indian ASMR for pneumonia/influenza deaths was higher than the rate for the Other Population in every Health Region except Richmond. The Richmond Health Region had no Status Indian deaths due to pneumonia/influenza in 1991-1999, and is not shown in the graph. Other Health Regions had small numbers of deaths from pneumonia/influenza; rates for these areas should be interpreted with caution.

Digestive System Diseases

Digestive system diseases include chronic liver disease/cirrhosis, ulcers, enteritis and colitis, and gastrointestinal hemorrhages.

- There were 427 deaths in the Status Indian population from digestive system diseases in the 1991-1999 period. The Status Indian ASMR for this broad category was 7.1 deaths per 10,000 standard population, more than three times the rate of 2.2 for other B.C. residents.

- The largest sub-category of digestive system diseases was chronic liver disease/ cirrhosis which ranked ninth in the list of leading causes of death in the Status Indian population, compared to twentieth in the list for other B.C. residents. There were 208 Status Indian deaths from this cause in the 1991-1999 period for an ASMR of 3.0 deaths per 10,000 standard population, which was five times the ASMR of 0.6 for other B.C. residents.

Figure 38
ASMRs for All Digestive System Disease Deaths
Status Indian and Other B.C. Residents
British Columbia, 1991-1999



Note: Trends show statistically significant for Others but not significant for Status Indians @ 5% level.

- The Vancouver Health Region had the highest Status Indian mortality rate for deaths from chronic liver disease/ cirrhosis (6.6). The Status Indian ASMRs for deaths from chronic liver disease/ cirrhosis ranged from two to twelve times the rates for the Other Population in the Health Region. The Richmond Health Region had no Status Indian deaths due to chronic liver disease/cirrhosis in 1991-1999, and is not shown in the graph. Other Health Regions had small numbers of deaths from chronic liver disease/ cirrhosis; rates for these areas should be interpreted with caution.

Figure 39
ASMRs for Chronic Liver Disease / Cirrhosis Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999


15 Vancouver 0.6 6.6
18 North Shore 0.5 6.1
17 Burnaby 0.6 5.5
09 Coast Garibaldi 0.6 5.4
04 South Okanagan Similkameen 0.5 5.1
08 Simon Fraser 0.7 4.8
03 North Okanagan 0.6 4.5
07 South Fraser Valley 0.6 4.0
05 Thompson 0.9 3.4
PROVINCIAL TOTAL 0.6 3.0
01/02 East & West Kootenay 0.7 2.8
15 Northern Interior 0.6 2.7
20 Capital 0.6 2.7
06 Fraser Valley 0.5 2.6
10 Central Vancouver Island 0.6 2.5
12 Cariboo 0.3 2.4
14 Peace Liard 0.5 2.4
11 Upper Island/Central Coast 0.6 1.9
13 North West 0.4 0.9
0.0 1.0 2.0 3.0 4.0 5.0 6.0 7.0
Rate per 10,000 standard population
Status Indians Others

Congenital Anomalies

This category consists of birth defects and chromosomal anomalies including Down's Syndrome.

- In the 1991-1999 period, there were 48 deaths from congenital anomalies in the Status Indian population. The ASMR for this cause was 0.3 per 10,000 standard population for both the Status Indian and other B.C. residents.

Perinatal Conditions

Deaths from conditions originating in the perinatal period (perinatal complications) include obstetric complications, immaturity, birth asphyxia, and respiratory distress syndrome.

- There were 72 Status Indian deaths from perinatal conditions in the 1991-1999 period, for an ASMR of 0.4 per 10,000 standard population which was slightly above the rate for other residents of the province (0.3).

Risk Factors: Alcohol, Drugs, and Smoking

Alcohol-related deaths includes deaths where the underlying cause of death was directly related to alcohol, such as liver disease/cirrhosis, as well as 'indirect' alcohol deaths where alcohol was noted on the medical certification of death form but the underlying cause of death was not due to alcohol. Drug-induced deaths, which include drug dependence, accidental drug poisoning, and suicides, are limited to underlying causes of death due to drugs ("indirect" drug deaths are excluded). Please refer to the glossary for an explanation of Smoking-Attributable Mortality (SAM).

- There were 1,528 alcohol-related deaths in the Status Indian population between 1991 and 1999. In the Status Indian population there were 20.7 alcohol-related deaths per 10,000 standard population. This ASMR was almost six times the rate of 3.5 for other B.C. residents.

Figure 40
ASMRs for Alcohol-related Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999


16 Vancouver 4.6 37.9
08 Simon Fraser 3.5 33.3
01/02 East & West Kootenay 4.1 33.2
09 Coast Garibaldi 4.8 30.6
17 Burnaby 3.1 27.5
04 South Okanagan Similkameen 3.4 25.2
18 North Shore 2.6 23.1
11 Upper Island/Central Coast 4.1 22.9
05 Thompson 5.0 22.3
12 Cariboo 4.2 21.9
03 North Okanagan 3.9 21.1
PROVINCIAL TOTAL 3.5 20.7
10 Central Vancouver Island 3.5 19.7
14 Peace Liard 3.6 18.4
15 Northern Interior 4.1 15.5
20 Capital 3.3 14.8
06 Fraser Valley 2.8 14.2
07 South Fraser Valley 2.7 13.8
13 North West 4.8 13.7
19 Richmond 1.8 7.4
0.0 5.0 10.0 15.0 20.0 25.0 30.0 35.0 40.0
Rate per 10,000 standard population
Status Indians Others

- The Vancouver Health Region had the highest Status Indian mortality rate for alcohol-related deaths (37.9 per 10,000 standard population). The Richmond Health Region had the lowest Status Indian mortality rate for alcohol-related deaths (7.4), although this rate was based on a small number of deaths and should be interpreted with caution.

- There were 391 drug-induced deaths in the Status Indian population in the nine year period. The ASMR for drug-induced deaths was 3.7 per 10,000 standard population for Status Indians, more than three times the rate for other B.C. residents (1.1).

- Only three Health Regions, Vancouver, simon Fraser, and South Fraser Valley, had Status Indian Mortality rates for drug-induced deaths which were higher than the provincial Status Indian ASMR for deaths from this cause.

- The Vancouver Health Region had the highest Status Indian mortality rate for drug-induced deaths (15.1 per 10,000 standard population). North Okanagan, South Okanagan Similkameen, and Richmond Health Regions had less than three drug-induced deaths in 1991-1999 and are not shown in the graph. Several other Health Regions had small numbers of drug-induced deaths; rates for these areas should be interpreted with caution.

- In the nine year period, 776 Status Indian deaths were attributed to smoking. The provincial ASMR was 16.1 per 10,000 standard population for Status Indians, one and a quarter times the rate for other B.C. residents (12.8).

Figure 41
ASMRs for Drug-Induced Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



Accidents and Violence (External Causes of Death)

Deaths from external causes include motor vehicle traffic accident fatalities, accidental deaths from drowning, poisoning, falls, fire and flames, and deaths from intentional injuries such as suicide and homicide.

- Accidents and violence were the cause of death for about two out of five children (age <20) and four out of five young adults (aged 20-24) in both the Status Indian and other populations. Approximately seven out of ten deaths from accidents and violence were males.

- Accidents and violence accounted for 1,752 Status Indian deaths or two out of every seven Status Indian deaths in the nine years. Among other B.C. residents, less than one in ten was from external causes. The Status Indian ASMR is this category, 17.5 deaths per 10,000 standard population, was more than three times the rate for other B.C. residents (5.1).

- The trends in ASMRs for all external causes of death showed statistically significant decreases for both Status Indians and other B.C. residents.

- The Status Indian 1991-1999 ASMRs for external causes of death were higher than those for the Other Population in each of the Health Regions. The Vancouver Health Region had the highest Status Indian ASMR for external causes of death (30.4 per 10,000 standard population) whereas the North West Health Region had the lowest Status Indian ASMR for external causes of death (11.2 per 10,000 standard population). Status Indian ASMRs ranged from one and a half to nine times the rates for the Other Population in each Health Region.

Figure 42
ASMRs for All External Causes of Death
Status Indian and Other B.C. Residents
British Columbia, 1991 - 1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

Figure 43
PYLLs for External Causes of Death by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



- The average PYLL for deaths from accidents and violence was 40.5 years for Status Indians compared to 35.1 years for other B.C. residents.

- Almost all of the Status Indian deaths from external causes (96.6%) were to individuals under the age of 75 years old (1,693 deaths under age 75 out of 1,752 Status Indian deaths due to external

causes). In contrast, only 79.3% of other B.C. resident deaths from external causes were under age 75 (13,623 out of 17,179 other resident deaths from this cause in 1991-1999).

- The Richmond Health Region had the lowest percentage of Status Indian deaths under age 75 (87.5%); while every Status Indian death from external causes was under age 75 in the South Fraser Valley and North Shore Health Regions. The percentage of deaths under age 75 from external causes ranged from 64.7% to 91.4% for other residents.

- The Status Indian PYLL for external causes of death for the nine year period (59.3) was almost four times the PYLL for other B.C. residents (15.8). At the Health Region level, Status Indian PYLLs ranged from about twice to almost seven times the potential years of life lost from external causes for other residents.

- The highest Status Indian PYLL for external causes of death was in the Northern Interior Health Region (69.0); the lowest Status Indian PYLL for external causes of death was in the Burnaby Health Region (31.3).

Figure 44
Status Indian: ASMR, External Causes of Death by Health Region
British Columbia, 1991 - 1999



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Motor Vehicle Traffic Accidents

- Motor vehicle traffic accidents (MVTA) were responsible for the largest number of Status Indian deaths from external causes (426 deaths) in 1991-1999. The Status Indian ASMR for MVTA deaths (4.0 per 10,000 standard population) was nearly four times the rate for other residents of the province (1.1). The trends in ASMRs for motor vehicle traffic accidents fatalities showed statistically significant decreases for both Status Indians and other B.C. residents.

Figure 45
ASMRs for Motor Vehicle Traffic Accident Fatalities
Status Indian and Other B.C. Residents
British Columbia, 1991 - 1999



Note: Trends show statistically significant @ 5% level for Status Indians and Others.

Figure 46
ASMRs for Motor Vehicle Traffic Accident Fatalities by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999


12 Cariboo 2.1 8.9
14 Peace Liard 1.9 8.6
03 North Okanagan 2.1 7.0
15 Northern Interior 2.2 5.7
06 Fraser Valley 1.3 5.5
05 Thompson 2.2 5.3
04 South Okanagan Similkameen 1.3 4.4
09 Coast Garibaldi 1.3 4.1
PROVINCIAL TOTAL 1.1 4.0
01/02 East & West Kootenay 1.8 3.8
08 Simon Fraser 0.9 3.6
07 South Fraser Valley 1.0 3.2
10 Central Vancouver Island 1.4 3.0
11 Upper Island/Central Coast 1.2 2.9
18 North Shore 0.5 2.8
13 North West 1.6 2.3
16 Vancouver 0.7 2.3
20 Capital 0.6 2.2
17 Burnaby 0.7 1.5
0.0 1.0 2.0 3.0 4.0 5.0 6.0 7.0 8.0 9.0 10.0
Rate per 10,000 standard population
Status Indians
Others

- Approximately seven out of ten deaths from MVTA fatalities were males in both the Status Indian and other populations.

- The 1991-1999 Status Indian ASMR for MVTA deaths was highest in the Cariboo Health Region (8.9 per 10,000 standard population) and lowest in the Burnaby Health Region (1.5). The Status Indian ASMRs for MVTA deaths were higher than those for the Other Population in each of the Health Regions. Richmond Health Region had less than three motor vehicle traffic accident deaths in 1991-1999 and is not shown in the graph. Other Health Regions had small numbers of deaths from motor vehicle traffic accidents; rates for these areas should be interpreted with caution.

Figure 47

Status Indian: ASMR, Deaths Due to Motor Vehicle Accidents by Health Region
British Columbia, 1991 - 1999



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Accidental Poisoning

Accidental poisoning includes poisoning deaths caused by food, plants, chemicals, alcohol and drugs.

- Accidental poisoning was responsible for 387 Status Indian deaths in 1991-1999 and had the second highest ASMR among the external cause of death sub-categories. The Status Indian ASMR for accidental poisoning deaths (3.6 per 10,000 standard population) was four times the rate for other B.C. residents (0.9).

- In the 1991-1999 period, 13 of the 66 children (age 19 or younger) who died from accidental poisoning were Status Indian children. Children accounted for 3.4% of all accidental poisoning deaths in the Status Indian population, but only 1.9% of deaths from this cause for other B.C. residents. The average PYLL for accidental poisoning deaths was 37.5 years for Status Indians, similar to the average PYLL years for other B.C. residents (35.4 years).

- Status Indians in the Vancouver Health Region had the highest ASMR for accidental poisoning deaths, 16.2 per 10,000 standard population, which was more than twice the ASMR for the Status Indian populations in other areas. It was eight times higher than the ASMR for accidental poisoning deaths for other residents in the area (2.0). The Vancouver Health Region was also the area with the highest 1991-1999 ASMR for accidental poisoning deaths for the Other Population. The Status Indian ASMRs for accidental poisoning deaths were higher than those for the Other Population in each of the Health Regions.

Accidental Falls

- Of all deaths from accidental falls over the nine year period, about one in 25 was a Status Indian (121 Status Indian deaths out of 3,105). Accidental falls resulting in death occur mainly in the elderly population: three quarters of the deaths from accidental falls were seniors aged 75 or older among other B.C. residents, but less than three in ten Status Indian deaths from this cause were in this oldest age group.

- The ASMR for deaths from accidental falls for 1991-1999 was 2.1 per 10,000 standard population for Status Indians and 0.8 for other B.C. residents.

- The average PYLL for premature deaths from accidental falls (under 75 years of age) was 27.8 years for Status Indians compared to 22.4 years for other B.C. residents.

Suicide

- There were 346 Status Indian suicides in the nine-year period; the Status Indian ASMR for suicide (3.0 per 10,000 standard population) was two and a half times the rate for other B.C. residents (1.2). In the Status Indian population, suicide was the third highest sub-category of accidents and violence after motor vehicle traffic accidents and accidental poisoning. For other residents in the province, suicide was responsible for the largest number of deaths and had the highest ASMR among all the sub-categories of accidents and violence.

- Males accounted for more than three-quarters of the suicide deaths between 1991 and 1999 in both populations.

- Among children (age 19 or younger), there were 59 Status Indian suicides and 182 suicides of other B.C. residents in 1991-1999. More than a quarter of the Status Indian deaths aged 15-19 were suicides (52 out of the 182 deaths in the age group), a percentage twice that for suicide deaths in this age group for other residents in the province (152 suicides out of 1,034 deaths).

- The Status Indian trend in ASMRs for suicides showed a statistically significant decrease; the trend for other B.C. residents did not show a statistically significant change.

- Central Vancouver Island had the highest suicide rate for the Status Indian population (4.9) of all the Health Regions. The Thompson Health Region had the highest suicide rate for the Other Population (1.6). Peace Liard was the only Health Region where the 1991-1999

Figure 48
ASMRs for Suicide Deaths
Status Indian and Other B.C. Residents
British Columbia, 1991 - 1999



Note: Trends show statistically significant for Status Indians but not significant for Others @ 5% level.

Figure 49
ASMRs for Suicide Deaths by Health Region
Status Indian and Other Residents
British Columbia, 1991 - 1999



Status Indian ASMR for suicide was lower than the rate for the Other Population in the area. Richmond Health Region had less than three suicide deaths in 1991-1999 and is not shown in the graph. Other Health Regions had small numbers of suicide deaths; rates for these areas should be interpreted with caution.

Figure 50
Status Indian: ASMR, Deaths Due to Suicide by Health Region
British Columbia, 1991 - 1999



Notes: ASMR - Age Standardized Mortality Rate per 10,000 standard population.
Cases with unknown usual residence are excluded.
Map produced by BC Vital Statistics Agency based on boundary files supplied by BC Stats.

Homicide

- Between 1991 and 1999, there were 120 Status Indian homicides. The Status Indian ASMR for homicides (1.1 per 10,000 standard population) was five and a half times the ASMR for other B.C. residents (0.2).

- Over the 1991 to 1999 period, roughly two thirds of homicide victims were male in both populations.

Fire and Flames

- Out of 308 deaths from fire and flames in the province between 1991 and 1999, 64 occurred in the Status Indian population. Although the Status Indian ASMR was only 0.7 deaths per 10,000 standard population, this rate was seven times the rate for other B.C. residents.

- Fire and flames were responsible for 59 deaths of children (age 19 years or younger) during 1991-1999, 18 of which were Status Indian children.

Glossary

Acquired Immunodeficiency Syndrome (AIDS)

In 1987, the World Health Organization, in recognition of AIDS and the human immunodeficiency virus (HIV) that causes AIDS as important health concerns, added new codes to the *International Classification of Diseases, Ninth Revision* (ICD-9) which allowed AIDS (042) and HIV (043-044) to be identified as unique causes of death and also provided differentiation among the complications of AIDS.

Age Standardization

Various measures are age standardized to account for compositional differences in populations, in order that more meaningful comparisons can be made between different time periods or geographic areas. Such measures may be calculated for both genders combined or separately by gender. The major age-standardized measures employed in this publication are Age Standardized Mortality Rate (ASMR) and Potential Years of Life Lost (PYLL) Standardized Rate.

Age Standardized Mortality Rate (ASMR)

A summary of age adjusted death rates by gender, which have been standardized to a specific population for the purpose of rate comparisons of different time periods or different geographic locations. In this report, the 1991 Canada Census population was used as the standard population.

The ASMR is an important analysis tool when comparing the Status Indian population with the BC population, since these populations have very different age structures. The ASMR reflects the pattern of death at different ages and estimates the number of deaths (per 10,000 population) that would occur if the population had the same age structure as the standard population.

AIDS

See **Acquired Immunodeficiency Syndrome**

Alcohol-Related Deaths

Alcohol-related deaths are based on the ICD9 diagnostic categories listed below, for which the resulting deaths are directly or indirectly attributed to the use or abuse of alcohol.

ICD9 Code(s)	Diagnostic Category
291	Alcohol psychoses
303	Alcohol dependence syndrome
305.0	Non-dependent abuse of alcohol
357.5	Alcoholic polyneuropathy
425.5	Alcoholic cardiomyopathy
535.3	Alcoholic gastritis
571.0	Alcoholic fatty liver
571.1	Acute alcoholic hepatitis
571.2	Alcoholic cirrhosis of liver
571.3	Alcoholic liver damage, unspecified
571.5	Cirrhosis of liver without mention of alcohol
571.9	Unspecified chronic liver disease without mention of alcohol
577.1	Chronic pancreatitis
648.4	"Alcohol and pregnancy"
760.7	"Fetal Alcohol Syndrome"
790.3	Excessive blood level of alcohol
E860	Accidental alcohol poisoning

Alcohol is considered to be a direct cause of death if one of the above conditions is listed as the underlying cause of death on the medical certificate of death. If, however, any of the above conditions are listed on the certificate as antecedent causes giving rise to the underlying cause or other significant conditions contributing to the death, the death is considered to be indirectly related to alcohol. In 1993, the Medical Certification of Death was revised to include a box where the physician or coroner could note environmental, occupational and lifestyle factors, including pesticides, asbestos and abuse of alcohol/tobacco. This has resulted in increased reporting of deaths indirectly related to alcohol. Alcohol-related deaths can be viewed as a measure of the health status of the population.

ASMR

See **Age Standardized Mortality Rate**

Birth Weight

The first weight of the fetus or newborn after birth. For live births this weight should be measured within the first hour of life before significant postnatal weight loss has occurred. For statistical and risk assessment purposes, birth weights are grouped as:

Extremely Low Birth Weight	less than 500 grams
Very Low Birth Weight	less than 1500 grams
Low Birth Weight (LBW)	less than 2500 grams
"Normal" Birth Weight	2500 to 4499 grams
High Birth Weight	4500 grams or more

Cesarean Section (C-Section)

A delivery involving the surgical incision of the abdomen and uterine walls.

Congenital Anomalies

Physical defects that existed or date from birth.

Crude Rates

For live births: the number of births divided by the mid-year population and converted to a rate per 1,000 population.

For birth-related statistics (teenage mother, elderly gravida, C-section, low birth weight, and preterm): the number of these births divided by the number of live births and converted to a rate per 1,000 live births.
For stillbirths: the number of stillbirths divided by the number of total births (live births plus stillbirths) and converted to a rate per 1,000 total births.

For infant deaths: the number of infant deaths divided by the number of live births and converted to a rate per 1,000 live births.

Drug-Induced Deaths

Deaths due to drug-induced causes such as drug dependence, accidental poisonings, and suicides involving drugs. This category is limited to deaths where the underlying cause reflects drug use or abuse. The causes of death classified as being drug-induced are based on those used by the National Center for Health Statistics (National Center for Health Statistics (1993). Technical notes. *Monthly Vital Statistics Report*. 41 (Suppl. 7), 48), and include the following:

ICD9 Code(s)	Diagnostic Category
292	Drug psychoses
304	Drug dependence
305.2-305.9	Nondependent use of drugs, not including alcohol and tobacco
E850-E858	Accidental poisoning by drugs, medicaments, and biologicals
E930-E949	Adverse effects of drugs, medicaments, and biologicals in therapeutic use
E950.0-E950.5	Suicide by drugs, medicaments, and biologicals
E962.0	Assault from poisoning by drugs and medicaments
E980.0-E980.5	Poisoning by drugs, medicaments, and biologicals

Early Neonatal Death
Death of an infant under seven days of age.

Elderly Gravida
Any woman who was 35 years of age or older at the time of delivery of a live born infant.

External Causes of Death (ICD9 Codes E800-E999)
Deaths due to accidents and violence including environmental events, circumstances and conditions as the cause of injury, poisoning, and other adverse effects. Broad categories include accidents, suicides, medical misadventures or abnormal reactions, homicide, legal intervention, and injury from war operations.

Gestational Age
Fetal age or duration of pregnancy measured from the first day of the last normal menstrual period. Gestational age is expressed in completed days or completed weeks (e.g. events occurring 280 to 286 days after the onset of the last menstrual period are considered to have occurred at 40 weeks of gestation). Measurements of fetal growth are expressed in relation to a specific week of gestational age as follows:

Extremely premature	gestational age of less than 28 weeks
Moderately premature	gestational age of 28 to 36 weeks
Pre-term/Premature	age less than 37 weeks of gestation
Term	gestational age of 37 to 41 weeks
Post-term/Postmature	gestational age of 42 weeks or more

ICD9 Codes
Codes from *International Classification of Diseases, 9th Revision*, established by the World Health Organization in 1977 for classification of morbidity and mortality.

Infant Death/Mortality
Death of a child under one year of age.

Infant Mortality Rate
The number of deaths of children under one year of age expressed as a rate per 1,000 live births. The infant mortality rate is an internationally accepted indicator of the health status of a population.

Live Birth
The complete expulsion or extraction from its mother, irrespective of the duration of the pregnancy, of a product of conception in which, after the expulsion or extraction, there is:

(a) breathing;
(b) beating of the heart;
(c) pulsation of the umbilical cord; or
(d) unmistakable movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.

Low Birth Weight (LBW)
See **Birth Weight**

Medically Treatable Diseases
Deaths due to medically treatable diseases are based on Charlton's classification (Charlton, J. R. H. 1987, "Avoidable Deaths and Diseases as Monitors of Health Population" pages 467-479 in Abelin, T., Brzezinski, Z. J. & Carstairs, V., *Measurement in Health Promotion and Protection*, Copenhagen, Denmark: World Health Organization). The disease categories (shown below) are ones for which mortality could **potentially** have been avoided through appropriate medical intervention. The calculation of this measure is based on deaths where the underlying cause stated on the medical certificate of death falls into one of these categories.

ICD9 Code(s)	Diagnostic Category (Charlton)
001-005, 020-041, 320,382, 383, 390-392,680-686, 711, 730	Bacterial infections (ages 5-64)
010-018, 137	Tuberculosis (age 5-64)
180	Cervical cancer (age 5-64)
201	Hodgkin's disease (age 5-34)
280, 281	Deficiency anemias (age 5-64)
393-398	Chronic rheumatic heart disease (age 5-44)
401-405	Hypertensive disease (age 5-64)
460-466, 487	Acute respiratory infections and influenza (age 5-49)
481-486, 490	Pneumonia and unspecified bronchitis (age 5-49)
493	Asthma (age 5-49)
540-543, 550-553, 574, 575	Abdominal hernias, cholecystitis, cholelithiasis and appendicitis (age 5-64)

Neonatal Death
Death of a child under 28 days of age.

P-Value
The p-value is the probability of rejecting the null hypothesis when a specified test procedure is used on a given data set. This probability is the smallest level of significance at which the null hypothesis would be rejected. Once the p-value has been determined, the conclusion at any particular level a results from comparing the p-value to α (e.g. 0.05):

(a) p-value $\leq \alpha \Rightarrow$ reject null hypothesis at level α

(b) p-value $> \alpha \Rightarrow$ do not reject the null hypothesis at level α,

and we call the data statistically significant when the null hypothesis is rejected and not significant otherwise.

Perinatal Conditions
Includes conditions of the fetus or newborn which have their origin in the perinatal period even though death or morbidity may occur later.

Post Neonatal Death
Death of a child between the ages of 28 days and less than one year.

Potential Years of Life Lost (PYLL)
The number of years of life lost when a person dies before a specified age (e.g. 75 years). In this report, all deaths are assumed to occur at the mid-point of five-year age groups.

Potential Years of Life Lost Standardized Rate (PYLLSR)
An age-standardized measure of Potential Years of Life Lost expressed in terms of a rate per 1,000 population, adjusted to a standard population. In this report, the 1991 Canada Census population was used as the standard population.

Premature or Pre-Term Birth
see **Gestational Age**

SIDS
Sudden Infant Death Syndrome.

Smoking Attributable Mortality (SAM)
Since death certifications do not systematically collect complete data on smoking as a contributing factor to the cause of death, an alternate method is required to estimate the extent of smoking attributable deaths. The method used here is based on the concept of attributable risk. The number of adult (35+ years of age) smoking deaths were estimated for the disease categories listed below and weighted by a SAM percentage reflecting the proportion of these deaths which are attributed to smoking:

ICD9 Code(s)	Diagnostic Category
140-149	Malignant neoplasms of lip, oral cavity, and pharynx
150	Malignant neoplasm of esophagus
157	Malignant neoplasm of pancreas
161	Malignant neoplasm of larynx
162	Malignant neoplasm of trachea, lung, and bronchus
180	Malignant neoplasm of cervix uteri
188	Malignant neoplasm of urinary bladder
189	Malignant neoplasm of kidney and other urinary organs
401-404	Hypertension
410-414	Ischemic heart disease
390-398, 415-417, 420-429	Other heart diseases
430-438	Cerebrovascular disease
440	Atherosclerosis
441	Aortic aneurysm
442-448	Other arterial disease
480-487	Pneumonia and influenza
491-492	Bronchitis and emphysema
493, 010-012	Other respiratory diseases
496	Chronic obstructive pulmonary disease

In 1997, provincial prevalence rates for smoking from the *Tobacco Use in BC (1997)* survey (which can be found on the Ministry of Health's web page at http://www.hlth.gov.bc.ca/program.html) were used to update the Smoking Attributable Mortality (SAM) used in the calculation of the number of smoking attributable deaths. Comparison should not be made to earlier reports due to this change in methodology. Further information on the methodology can be found in Centres for Disease Control 1990 publication *Smoking and health: A national status report* (DHSS publication no. (CDC) 87-8396) 2nd Edition. Rockville, MD: U.S. Department of Health and Human Services.

Standard Population

A reference population of known age distribution and/or rates used to adjust for variations in population age structures in different geographic areas or time periods to allow for more meaningful comparisons of various measures. In this report, the ASMR and PYLLSR use the 1991 Canada Census population based on male and female combined populations.

Stillbirth

The complete expulsion or extraction from its mother after at least 20 weeks of pregnancy, or after attaining a weight of at least 500 grams, of a product of conception in which, after the expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle.

Stillbirth Rate

The number of stillbirths expressed as a rate per 1,000 total births (live births plus stillbirths).

Teenage Mother

Any mother who was age 19 or less at the time of delivery.

Total PYLL

The total number of years of life lost prior to an established cut-off point of 75 years.

Underlying Cause of Death (UCOD)

The underlying cause of death is the disease that triggered the chain of events leading directly to the death or the description of the accident or violence that produced the fatality (World Health Organization, 1977).

Appendix 1

Population Estimates by Health Region and Age Group

1991 Status Indian Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	22	65	75	79	89	85	89	66	47	48	18	24	17	8	11	4	9	696
	F	31	85	57	65	82	66	98	80	48	38	37	20	14	8	8	5	18	742
	T	53	150	132	144	131	133	187	146	95	86	55	44	31	16	19	9	27	1,438
03 North Okanagan	M	42	107	122	123	136	117	146	118	103	89	48	45	40	24	28	19	27	1,334
	F	41	117	116	96	140	103	152	163	110	87	70	45	33	41	24	16	16	1,370
	T	83	224	238	219	276	220	298	281	213	176	118	90	73	65	52	35	43	2,704
04 South Okanagan Similkameen	M	41	143	179	181	146	127	125	141	125	97	68	60	42	42	17	14	17	1,565
	F	38	137	163	151	155	152	195	157	150	118	65	63	35	26	25	9	29	1,669
	T	79	280	342	332	301	279	320	298	275	213	133	123	77	68	45	23	46	3,234
05 Thompson	M	136	454	465	452	536	471	542	469	376	343	209	172	135	107	70	45	69	5,073
	F	107	397	459	419	490	482	619	507	442	316	207	166	119	119	63	47	94	5,053
	T	243	851	924	871	1,026	953	1,161	976	818	659	416	338	254	226	133	92	163	10,126
06 Fraser Valley	M	108	324	352	310	306	281	330	271	256	185	143	102	65	52	39	36	32	3,214
	F	90	284	329	330	295	322	373	350	313	198	133	82	68	68	33	36	48	3,374
	T	198	608	681	640	601	603	703	621	569	383	276	184	173	120	72	76	80	6,588
07 South Fraser Valley	M	71	176	106	101	86	112	112	134	72	51	37	24	18	21	11	5	10	1,147
	F	62	132	107	106	101	135	175	130	96	79	56	53	31	24	17	3	8	1,315
	T	133	308	213	207	187	247	287	264	168	130	93	77	49	45	28	8	18	2,462
08 Simon Fraser	M	32	95	71	80	67	93	87	71	51	45	26	19	15	8	3	2	6	771
	F	40	91	68	67	73	109	105	86	71	42	33	31	19	10	12	6	4	867
	T	72	186	139	147	140	202	192	157	122	87	59	50	34	18	15	8	10	1,638
09 Coast Garibaldi	M	47	186	195	174	191	175	173	207	127	123	75	75	39	40	26	10	33	1,896
	F	45	162	174	144	167	172	231	214	143	104	66	46	33	40	15	12	20	1,788
	T	92	348	369	318	358	347	404	421	270	227	141	121	72	80	41	22	53	3,684
10 Central Vancouver Island	M	211	682	695	579	606	556	526	475	387	291	205	138	125	100	48	46	63	5,745
	F	168	590	634	607	631	669	650	596	514	302	208	159	107	85	72	40	93	6,125
	T	379	1,272	1,329	1,186	1,239	1,225	1,176	1,071	911	593	413	297	232	185	120	86	156	11,870
11 Upper Island/Central Coast	M	114	340	395	372	331	315	366	338	291	225	185	140	109	75	51	30	59	3,736
	F	94	324	395	324	359	335	480	432	355	220	189	110	97	73	71	33	46	3,937
	T	208	664	790	696	690	650	846	770	646	445	374	250	206	148	122	63	105	7,673
12 Cariboo	M	76	294	368	289	306	282	327	259	187	170	130	92	69	75	55	28	47	3,056
	F	99	290	344	316	333	308	340	277	249	156	139	86	69	65	45	33	74	3,223
	T	175	584	712	605	641	590	667	536	436	326	269	178	138	140	100	61	121	6,279
13 North West	M	276	1,000	1,026	916	1,031	949	969	904	748	531	453	306	272	208	151	112	191	10,063
	F	239	888	953	787	1,024	1,106	1,148	966	849	570	423	284	216	192	142	108	191	10,106
	T	515	1,888	1,979	1,703	2,055	2,055	2,137	1,890	1,597	1,101	876	590	488	400	293	220	382	20,169
14 Peace Liard	M	68	175	146	147	122	131	149	124	81	86	47	39	29	15	21	9	14	1,403
	F	60	171	154	138	158	171	157	129	115	78	60	37	25	32	21	9	20	1,533
	T	128	346	300	285	280	302	306	253	196	162	107	76	54	47	42	18	34	2,936
15 Northern Interior	M	142	449	534	422	494	441	405	397	288	187	155	120	87	63	63	38	79	4,364
	F	149	422	478	466	443	512	503	404	325	206	154	124	89	63	54	39	85	4,496
	T	291	871	1,012	888	937	953	908	801	613	393	309	244	176	126	117	77	144	8,860
16 Vancouver	M	163	353	410	340	340	402	576	511	429	283	211	128	100	46	24	19	23	4,358
	F	126	385	348	314	356	445	571	554	431	316	217	136	86	53	39	26	35	4,438
	T	289	738	758	654	696	847	1,147	1,065	860	599	428	264	186	99	63	45	58	8,796
17 Burnaby	M	28	96	131	182	85	92	110	90	68	54	32	14	16	7	2	2	-	1,029
	F	31	100	104	177	102	114	182	137	97	82	48	24	17	4	11	1	2	1,213
	T	59	196	235	359	187	206	272	227	165	136	80	38	33	11	13	3	2	2,242
18 North Shore	M	30	115	124	99	93	103	128	106	93	54	58	37	25	21	18	12	11	1,125
	F	26	75	122	98	86	104	139	125	86	61	60	40	32	20	24	15	20	1,133
	T	56	190	246	197	179	207	267	231	179	115	118	77	57	41	42	27	31	2,258
19 Richmond	M	16	28	21	20	21	25	25	20	23	9	11	7	6	2	1	2	1	238
	F	9	24	26	15	17	18	39	29	21	20	18	11	7	3	2	1	3	263
	T	25	52	47	35	38	43	64	49	44	29	29	18	13	5	3	3	4	501
20 Capital	M	75	235	278	259	260	238	257	208	182	167	87	61	40	37	28	16	32	2,480
	F	91	238	260	257	246	309	325	281	226	150	88	77	70	32	25	18	26	2,721
	T	166	473	538	516	506	547	582	489	408	317	175	138	110	69	53	34	58	5,181
Provincial Total	M	1,799	5,325	5,782	5,147	5,241	4,982	5,446	4,914	3,980	3,091	2,237	1,629	1,299	968	674	462	748	53,513
	F	1,551	4,915	5,302	4,896	5,245	5,847	6,486	5,644	4,670	3,269	2,315	1,611	1,186	884	714	461	814	58,821
	T	3,251	10,240	11,084	10,043	10,486	10,829	11,911	10,558	8,650	6,360	4,553	3,240	2,487	1,852	1,388	913	1,562	109,135

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1991 Other Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	897	3,953	5,617	5,552	5,411	4,230	4,519	6,005	6,466	6,107	4,517	3,801	3,558	3,572	2,978	2,334	3,454	72,973
	F	886	3,792	5,376	5,117	4,950	3,751	4,678	5,778	6,098	5,733	4,184	3,565	3,279	3,300	3,191	2,746	4,332	70,756
	T	1,783	7,745	10,993	10,669	10,361	7,981	9,197	11,783	12,566	11,840	8,701	7,366	6,837	6,872	6,169	5,080	7,786	143,729
03 North Okanagan	M	565	2,441	3,511	3,560	3,323	2,636	2,877	3,559	3,664	3,507	2,660	2,515	2,481	2,604	2,482	1,865	2,609	47,091
	F	529	2,339	3,294	3,314	3,040	2,323	2,905	3,625	3,800	3,516	2,848	2,462	2,363	2,664	2,813	2,194	3,225	47,052
	T	1,094	4,780	6,805	6,874	6,363	4,961	5,782	7,184	7,464	7,023	5,726	4,977	4,844	5,268	5,095	4,059	5,834	94,130
04 South Okanagan Similkameen	M	1,074	4,367	5,937	5,580	5,514	5,055	5,663	6,546	6,514	6,305	5,044	4,392	4,676	5,277	5,347	4,401	6,415	88,107
	F	958	4,094	5,653	5,378	5,258	4,739	5,661	6,920	6,811	6,437	5,201	4,741	4,783	5,727	6,100	5,198	7,952	91,612
	T	2,032	8,461	11,590	10,959	10,772	9,794	11,324	13,466	13,325	12,742	10,245	9,133	9,459	11,004	11,447	9,599	14,367	179,719
05 Thompson	M	662	2,804	4,077	3,979	4,028	3,259	3,469	4,272	4,391	4,426	3,468	2,983	2,774	2,569	2,032	1,393	1,869	52,275
	F	636	2,695	3,732	3,777	3,703	3,084	3,590	4,454	4,363	4,179	3,332	2,815	2,410	2,269	2,066	1,523	2,085	50,735
	T	1,298	5,499	7,809	7,756	7,731	6,343	7,059	8,726	8,754	8,605	6,800	5,798	5,184	4,838	4,120	2,916	3,754	103,010
06 Fraser Valley	M	1,415	5,970	7,594	6,813	6,218	5,978	7,514	8,250	7,387	6,615	5,062	4,046	4,023	4,299	4,142	3,329	4,504	93,161
	F	1,321	5,674	7,109	6,279	5,845	5,573	7,015	7,812	6,985	6,181	4,774	4,028	3,906	4,487	4,759	3,763	5,971	91,282
	T	2,736	11,644	14,703	13,092	11,863	11,551	14,529	16,062	14,372	12,796	9,836	8,076	7,929	8,786	8,901	7,092	10,475	184,443
07 South Fraser Valley	M	3,521	14,265	17,970	16,216	15,772	15,510	17,606	19,795	19,459	18,499	14,868	11,115	9,143	8,252	7,625	5,975	7,670	223,261
	F	3,595	13,763	16,866	15,512	14,965	14,526	17,319	20,289	19,512	18,569	13,667	10,044	8,717	8,639	8,969	7,402	11,292	223,696
	T	7,116	28,028	34,836	31,728	30,737	30,036	34,925	40,084	38,971	37,068	28,535	21,159	17,860	16,891	16,594	13,377	18,962	446,959
08 Simon Fraser	M	1,961	7,778	9,140	7,833	7,789	9,366	11,446	13,007	11,726	10,576	7,920	6,064	5,201	4,517	3,574	2,616	3,643	124,159
	F	1,855	7,316	8,746	7,400	7,422	9,026	11,330	12,700	11,454	10,205	7,496	5,738	4,765	4,580	4,338	3,743	6,292	124,406
	T	3,816	15,094	17,886	15,233	15,211	18,392	22,776	25,707	23,182	20,781	15,416	11,802	9,966	9,097	7,912	6,359	9,935	248,567
09 Coast Garibaldi	M	396	1,616	2,064	1,845	1,840	1,715	2,218	2,660	2,702	2,601	1,961	1,500	1,471	1,473	1,292	911	1,135	29,420
	F	372	1,604	2,050	1,842	1,665	1,491	2,163	2,508	2,516	2,241	1,632	1,400	1,371	1,322	1,283	1,046	1,585	28,091
	T	768	3,220	4,114	3,687	3,505	3,206	4,381	5,168	5,218	4,842	3,613	2,900	2,842	2,795	2,575	1,957	2,720	57,511
10 Central Vancouver Island	M	1,095	4,818	6,579	6,404	6,182	5,130	6,024	7,363	7,734	7,626	6,006	4,958	4,684	5,357	5,218	3,873	4,438	93,469
	F	1,110	4,754	6,381	6,171	5,764	4,747	5,963	7,478	7,976	7,140	5,750	4,636	4,635	5,245	5,528	4,355	5,892	93,525
	T	2,205	9,572	12,960	12,575	11,946	9,877	11,987	14,841	15,710	14,766	11,756	9,594	9,319	10,602	10,746	8,228	10,330	187,014
11 Upper Island/Central Coast	M	606	2,860	3,996	3,591	3,133	2,674	3,600	4,362	4,321	4,148	3,330	2,518	2,402	2,128	1,695	1,186	1,397	47,987
	F	631	2,747	3,656	3,426	2,979	2,452	3,377	4,182	4,122	3,802	2,860	2,206	2,062	1,797	1,869	1,342	1,896	45,426
	T	1,237	5,627	7,652	7,017	6,112	5,126	6,977	8,544	8,443	7,950	6,190	4,724	4,464	3,923	3,564	2,530	3,293	93,393
12 Cariboo	M	390	1,805	2,587	2,690	2,288	1,793	2,063	2,535	2,761	2,701	2,123	1,656	1,557	1,457	972	680	783	30,811
	F	373	1,734	2,466	2,548	2,146	1,638	2,061	2,584	2,677	2,511	1,761	1,469	1,307	1,103	933	610	777	28,718
	T	763	3,539	5,053	5,238	4,434	3,431	4,124	5,119	5,438	5,212	3,884	3,145	2,864	2,560	1,905	1,290	1,560	59,529
13 North West	M	557	2,273	2,955	2,780	2,551	2,412	2,892	3,509	3,324	2,987	2,354	1,794	1,480	1,216	729	459	483	34,736
	F	574	2,207	2,878	2,606	2,265	2,000	2,531	3,088	2,792	2,473	1,891	1,364	1,113	894	688	456	654	30,476
	T	1,131	4,480	5,833	5,386	4,816	4,412	5,423	6,597	6,116	5,460	4,245	3,158	2,593	2,110	1,417	915	1,117	65,211
14 Peace Liard	M	504	2,068	2,804	2,410	2,210	2,232	2,866	3,081	2,641	2,083	1,655	1,312	1,211	973	647	433	609	29,761
	F	506	1,990	2,556	2,231	2,107	2,104	2,564	2,797	2,328	1,868	1,414	1,135	980	747	578	451	674	27,052
	T	1,010	4,078	5,362	4,641	4,317	4,336	5,452	5,878	4,969	3,951	3,069	2,447	2,191	1,720	1,225	884	1,283	56,813
15 Northern Interior	M	842	3,732	4,867	4,763	4,437	4,031	4,792	5,407	5,271	4,607	3,655	2,742	2,406	1,933	1,204	748	827	56,264
	F	877	3,319	4,729	4,514	4,229	3,783	4,586	5,144	4,929	4,231	3,166	2,353	1,855	1,483	1,065	802	982	52,067
	T	1,719	7,051	9,596	9,277	8,666	7,814	9,378	10,551	10,200	8,838	6,821	5,095	4,261	3,416	2,269	1,550	1,809	108,331
16 Vancouver	M	2,598	9,627	11,217	10,986	12,431	21,362	29,016	25,740	21,713	19,892	13,862	11,702	11,172	10,705	9,114	6,833	11,074	239,046
	F	2,489	9,168	10,662	10,435	12,502	21,848	26,373	24,073	20,864	18,936	13,365	11,351	10,553	10,725	10,725	9,860	19,935	243,984
	T	5,087	18,795	21,879	21,423	24,933	43,210	55,389	49,813	42,577	38,828	27,247	23,053	21,725	21,430	19,839	16,693	31,009	482,930
17 Burnaby	M	938	3,372	4,124	4,021	4,654	7,587	8,711	7,829	6,500	5,874	4,676	4,062	3,919	3,802	3,206	2,406	3,600	79,270
	F	942	3,314	4,127	3,793	4,709	7,431	8,007	7,159	6,390	6,029	4,763	4,175	3,822	3,907	3,838	3,337	6,154	81,897
	T	1,880	6,686	8,251	7,814	9,363	15,018	16,718	14,988	12,890	11,903	9,439	8,227	7,741	7,709	7,043	5,743	9,754	161,167
18 North Shore	M	994	3,785	4,662	4,398	4,921	5,471	5,879	6,674	6,574	6,729	6,022	4,669	4,086	3,911	3,202	2,411	3,127	77,536
	F	905	3,786	4,395	4,315	4,850	5,444	6,011	6,950	7,105	7,267	6,065	4,767	4,105	4,006	3,863	3,163	5,746	82,743
	T	1,899	7,571	9,077	8,713	9,771	10,915	11,890	13,624	13,679	13,996	12,087	9,436	8,191	7,917	7,065	5,574	8,873	160,279
19 Richmond	M	846	3,466	4,497	4,562	4,431	4,900	5,342	5,520	5,628	5,775	4,411	3,448	2,900	2,358	1,982	1,525	2,003	63,594
	F	825	3,259	4,228	4,257	4,294	4,636	5,391	5,908	6,130	6,198	4,474	3,288	2,851	2,551	2,523	2,096	3,067	65,996
	T	1,671	6,725	8,725	8,819	8,725	9,536	10,733	11,428	11,758	11,973	8,885	6,736	5,751	4,909	4,505	3,611	5,070	129,580
20 Capital	M	1,690	6,710	8,773	8,324	8,558	11,152	12,248	12,276	12,012	11,914	8,810	6,755	6,549	6,815	7,563	6,374	9,373	145,699
	F	1,641	6,581	8,415	7,953	8,402	10,551	11,373	12,622	12,613	12,003	8,936	7,136	6,829	7,845	9,300	8,490	15,873	156,567
	T	3,331	13,291	17,188	16,277	16,960	21,703	23,621	24,898	24,625	23,917	17,746	13,893	13,378	14,660	16,863	14,864	25,246	302,483
Provincial Total	M	21,549	87,742	112,982	106,287	105,662	116,489	136,763	148,986	140,776	132,919	102,803	81,986	75,573	73,290	64,986	48,783	69,796	1,628,566
	F	21,020	84,133	107,310	100,862	100,890	111,136	132,915	148,084	139,436	129,469	97,557	78,678	71,715	73,285	74,299	62,986	104,382	1,635,766
	T	42,569	171,875	220,292	207,139	206,572	227,624	271,678	294,449	280,212	262,388	200,159	160,676	147,288	146,484	139,285	112,318	173,142	3,264,364

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1992 Status Indian Population Estimates by Health Region and Age Group

Health Region	Gender	Age Group (in years)																	
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	21	66	67	72	71	72	69	64	49	53	21	24	18	8	11	3	10	721
	F	30	104	61	63	57	71	91	83	59	38	41	20	14	10	7	6	17	771
	T	51	172	146	135	128	143	160	147	107	91	62	44	32	18	18	9	27	1,492
03 North Okanagan	M	25	123	124	119	122	121	142	113	104	89	64	45	39	30	25	18	29	1,332
	F	25	136	114	102	122	114	148	152	119	84	69	53	36	37	25	24	15	1,375
	T	50	259	238	221	244	235	290	265	223	173	133	98	75	67	50	42	44	2,707
04 South Okanagan Similkameen	M	47	154	184	166	152	131	135	141	129	102	78	61	41	43	21	14	20	1,619
	F	55	150	159	151	147	154	194	156	156	132	65	69	36	32	26	10	29	1,721
	T	102	304	343	317	299	285	329	297	285	234	143	130	77	75	47	24	49	3,340
05 Thompson	M	126	500	451	496	496	506	500	480	404	347	223	181	137	114	69	53	90	5,143
	F	111	416	449	433	438	467	579	500	483	323	237	170	121	120	79	47	91	5,044
	T	237	916	900	899	934	973	1,079	980	887	670	460	351	258	234	148	100	181	10,187
06 Fraser Valley	M	103	355	355	315	313	274	308	309	234	188	159	108	82	54	30	34	37	3,267
	F	100	305	321	335	306	310	332	363	322	218	146	92	89	74	31	34	54	3,432
	T	203	660	676	650	619	584	640	672	576	406	305	200	171	128	70	68	91	6,719
07 South Fraser Valley	M	76	214	122	104	81	118	125	133	77	56	40	29	20	22	14	7	9	1,347
	F	62	166	130	93	97	140	174	138	104	88	60	52	37	24	17	5	5	1,392
	T	138	380	252	197	178	258	299	271	181	144	100	81	57	46	31	12	14	2,639
08 Simon Fraser	M	40	111	72	75	64	97	95	75	55	48	26	21	12	15	2	2	6	818
	F	41	108	78	61	60	118	111	86	71	53	34	37	18	11	11	6	4	910
	T	81	219	150	136	124	215	206	161	126	101	60	58	30	26	13	10	10	1,728
09 Coast Garibaldi	M	56	194	197	172	167	180	167	215	136	122	76	79	42	37	25	12	32	1,931
	F	49	168	177	143	177	155	209	213	160	116	70	50	30	42	17	10	20	1,805
	T	107	362	374	315	364	335	376	428	296	237	146	129	72	79	42	22	52	3,736
10 Central Vancouver Island	M	199	707	715	609	596	570	517	505	401	312	216	145	123	103	60	41	67	5,986
	F	177	608	655	599	607	641	645	598	532	336	216	173	114	92	64	51	94	6,204
	T	376	1,315	1,370	1,208	1,203	1,211	1,162	1,103	933	650	432	318	237	195	124	92	161	12,090
11 Upper Island/Central Coast	M	99	381	374	380	331	311	360	339	314	243	181	142	118	81	54	30	56	3,794
	F	107	343	384	332	347	307	414	476	375	226	192	128	104	69	67	42	44	3,957
	T	206	724	758	712	678	618	774	815	689	469	373	270	222	150	121	72	100	7,751
12 Cariboo	M	82	291	376	300	291	289	317	281	194	172	132	99	74	70	67	28	43	3,108
	F	97	317	353	314	314	322	314	284	257	173	127	108	75	60	51	33	66	3,267
	T	179	608	729	614	605	611	631	565	451	345	259	207	149	130	118	61	111	6,373
13 North West	M	289	1,026	1,028	931	1,017	975	967	925	766	562	476	325	277	215	153	121	186	10,239
	F	243	878	1,012	783	937	1,023	1,066	1,029	896	607	429	312	229	203	133	120	190	10,090
	T	532	1,904	2,040	1,714	1,954	1,998	2,033	1,954	1,662	1,169	905	637	506	418	286	241	376	20,329
14 Peace Liard	M	50	216	162	146	121	132	132	144	96	86	50	42	27	19	21	10	15	1,459
	F	50	193	170	122	154	178	156	136	119	75	67	43	29	28	22	13	20	1,577
	T	100	409	332	268	275	310	290	280	205	161	117	85	56	47	43	23	35	3,036
15 Northern Interior	M	137	493	519	433	465	462	415	403	315	205	161	125	79	74	58	44	61	4,467
	F	136	474	457	461	451	465	520	428	317	232	163	136	83	80	56	40	64	4,563
	T	273	967	976	894	916	927	935	831	632	437	324	261	162	154	112	84	145	9,030
16 Vancouver	M	158	436	403	357	342	396	537	554	453	296	231	149	101	53	29	13	28	4,538
	F	134	439	349	321	336	456	542	549	470	346	241	146	91	52	36	32	36	4,560
	T	292	877	752	678	680	854	1,079	1,103	923	642	472	295	192	105	67	45	62	9,118
17 Burnaby	M	26	108	126	143	126	91	115	94	93	58	33	20	16	7	4	2	1,092	
	F	31	113	114	128	125	107	141	139	105	74	60	25	21	6	9	3	2	1,203
	T	57	219	242	271	251	198	256	233	198	132	93	45	37	13	13	5	2	2,295
18 North Shore	M	29	128	119	105	90	103	126	112	96	63	51	44	24	22	16	14	9	1,151
	F	18	84	121	103	77	107	129	136	92	68	60	40	40	21	24	16	19	1,156
	T	47	212	240	208	167	210	255	248	188	131	111	84	64	43	40	30	28	2,308
19 Richmond	M	12	37	24	13	23	28	31	18	21	8	13	8	5	4	2	243		
	F	15	28	25	14	23	16	31	32	24	17	21	8	9	5	2	1	2	273
	T	27	65	49	27	46	42	62	50	45	25	34	14	14	9	2	3	2	516
20 Capital	M	82	254	277	263	251	255	238	233	196	165	99	82	44	33	29	15	35	2,531
	F	64	272	251	249	248	314	316	292	260	159	103	77	72	39	24	18	28	2,788
	T	146	526	528	512	499	569	554	525	456	324	202	159	116	72	53	33	63	5,319
Provincial Total	M	1,663	5,805	5,736	5,186	5,149	5,119	5,300	5,144	4,149	3,221	2,376	1,784	1,362	1,012	703	486	764	54,966
	F	1,550	5,310	5,389	4,823	5,030	5,479	6,139	5,794	4,919	3,430	2,446	1,758	1,351	1,066	714	515	894	56,362
	T	3,213	11,115	11,115	10,009	10,179	10,598	11,439	10,938	9,067	6,651	4,824	3,492	2,693	2,078	1,417	990	1,658	111,169

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1992 Other Population Estimates by Health Region and Age Group

Health Region	Gender	Age Group (in years)																	
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	932	4,032	5,656	5,781	5,324	4,437	4,357	5,911	6,544	6,205	4,996	3,876	3,616	3,652	3,127	2,371	3,493	74,309
	F	695	3,847	5,445	5,349	4,840	4,006	4,413	5,781	6,327	5,875	4,502	3,731	3,332	3,278	3,276	2,810	4,501	72,208
	T	1,627	7,879	11,101	11,130	10,164	8,443	8,770	11,692	12,871	12,080	9,497	7,607	6,948	6,930	6,403	5,181	7,994	146,517
03 North Okanagan	M	586	2,553	3,660	3,698	3,366	2,766	2,877	3,621	3,748	3,613	3,048	2,613	2,454	2,675	2,524	2,002	2,671	48,477
	F	552	2,436	3,433	3,478	3,028	2,426	2,852	3,720	3,918	3,612	3,054	2,575	2,406	2,660	2,652	2,304	3,425	48,535
	T	1,140	4,991	7,093	7,176	6,394	5,192	5,729	7,341	7,666	7,225	6,102	5,188	4,862	5,335	5,176	4,306	6,096	97,012
04 South Okanagan Similkameen	M	1,116	4,737	6,267	5,957	5,723	5,485	5,721	7,041	6,960	6,694	5,539	4,656	4,809	5,413	5,495	4,712	6,639	92,963
	F	991	4,414	5,952	5,738	5,403	5,218	5,806	7,265	7,412	6,797	5,785	5,061	5,007	5,749	6,262	5,557	8,274	98,731
	T	2,107	9,151	12,219	11,695	11,126	10,703	11,527	14,326	14,392	13,491	11,324	9,717	9,816	11,162	11,777	10,269	14,912	189,714
05 Thompson	M	691	2,913	4,128	4,126	3,969	3,436	3,379	4,211	4,412	4,381	3,684	3,049	2,742	2,569	2,199	1,500	1,692	53,101
	F	639	2,811	3,785	3,893	3,692	3,278	3,398	4,347	4,431	4,182	3,578	2,899	2,481	2,252	2,164	1,666	2,223	51,701
	T	1,330	5,724	7,913	8,019	7,661	6,714	6,777	8,558	8,843	8,543	7,262	5,948	5,223	4,821	4,363	3,166	3,915	104,802
06 Fraser Valley	M	1,598	6,436	7,951	7,203	6,422	6,333	7,554	8,490	7,836	6,827	5,532	4,272	4,019	4,328	4,141	3,555	4,622	97,123
	F	1,456	6,096	7,445	6,667	5,828	5,834	7,043	8,049	7,471	6,345	5,220	4,223	4,045	4,388	4,823	4,059	6,276	95,268
	T	3,054	12,534	15,396	13,870	12,250	12,167	14,597	16,539	15,309	13,172	10,752	8,495	8,064	8,716	8,964	7,614	10,898	192,391
07 South Fraser Valley	M	3,702	12,502	16,313	16,979	16,506	16,525	18,223	21,010	20,476	19,028	16,461	12,112	9,630	8,696	7,708	6,288	8,051	232,212
	F	3,572	12,289	17,191	16,304	15,563	15,590	17,775	20,894	21,008	19,224	15,464	11,012	9,204	8,876	8,923	7,883	11,896	232,668
	T	7,274	24,791	35,504	33,283	32,069	32,115	35,998	41,904	41,484	38,252	31,925	23,124	18,834	17,574	16,631	14,171	19,947	464,900
08 Simon Fraser	M	2,051	8,356	9,519	8,439	8,061	9,578	11,583	13,437	12,456	10,918	8,666	6,405	5,260	4,603	3,787	2,751	3,666	129,536
	F	1,911	7,822	9,059	7,948	7,537	9,374	11,390	13,301	12,046	10,468	8,267	6,212	4,980	4,684	4,353	3,912	6,519	129,763
	T	3,962	16,178	18,578	16,387	15,598	18,952	22,973	26,738	24,502	21,386	16,933	12,617	10,220	9,287	8,140	6,663	10,185	259,299
09 Coast Garibaldi	M	445	1,696	2,179	1,896	1,811	1,852	2,229	2,721	2,753	2,639	2,173	1,594	1,414	1,520	1,294	975	1,222	30,413
	F	396	1,679	2,144	1,899	1,650	1,604	2,128	2,804	2,605	2,326	1,757	1,495	1,346	1,361	1,319	1,092	1,844	29,049
	T	841	3,375	4,323	3,795	3,461	3,456	4,357	5,525	5,358	4,965	3,930	3,089	2,760	2,881	2,613	2,067	2,866	59,462
10 Central Vancouver Island	M	1,168	5,119	6,708	6,705	6,137	5,323	5,810	7,441	7,982	7,667	6,478	5,234	4,731	5,352	5,301	4,125	4,736	95,956
	F	1,133	5,022	6,495	6,508	5,722	4,995	5,750	7,504	8,159	7,268	6,199	4,945	4,683	5,256	5,530	4,714	6,248	96,151
	T	2,321	10,141	13,203	13,213	11,859	10,318	11,560	14,945	16,041	14,975	12,677	10,179	9,414	10,608	10,831	8,839	10,983	192,107
11 Upper Island/Central Coast	M	640	2,891	4,078	3,851	3,171	2,722	3,423	4,370	4,367	4,154	3,563	2,662	2,433	2,205	1,757	1,275	1,435	49,017
	F	629	2,808	3,747	3,660	2,911	2,530	3,311	4,166	4,230	3,903	3,083	2,346	2,101	1,794	1,905	1,471	1,958	46,553
	T	1,269	5,699	7,825	7,511	6,082	5,252	6,734	8,536	8,597	8,057	6,646	5,028	4,534	3,999	3,662	2,746	3,393	95,570
12 Cariboo	M	378	1,794	2,585	2,720	2,331	1,820	1,914	2,447	2,703	2,645	2,223	1,710	1,485	1,503	1,042	709	778	30,787
	F	344	1,702	2,457	2,576	2,124	1,657	2,003	2,404	2,684	2,468	1,938	1,454	1,313	1,161	918	672	821	28,696
	T	722	3,496	5,042	5,296	4,455	3,477	3,917	4,851	5,387	5,113	4,161	3,164	2,798	2,664	1,960	1,381	1,599	59,483
13 North West	M	520	2,328	3,001	2,860	2,532	2,362	2,762	3,417	3,327	2,988	2,447	1,855	1,420	1,239	736	492	478	34,764
	F	516	2,291	2,877	2,716	2,220	2,087	2,459	3,023	2,800	2,475	2,020	1,437	1,126	896	734	502	622	30,801
	T	1,036	4,619	5,878	5,576	4,752	4,449	5,221	6,440	6,127	5,463	4,467	3,292	2,546	2,135	1,470	994	1,100	65,565
14 Peace Liard	M	489	2,090	2,748	2,457	2,191	2,258	2,704	3,067	2,764	2,099	1,711	1,318	1,220	934	701	435	570	29,764
	F	466	2,009	2,527	2,276	2,045	2,010	2,461	2,798	2,421	1,861	1,526	1,170	1,012	772	566	474	732	27,128
	T	955	4,099	5,275	4,733	4,236	4,268	5,165	5,865	5,185	3,960	3,237	2,488	2,232	1,706	1,267	909	1,302	56,890
15 Northern Interior	M	846	3,791	4,862	4,825	4,418	4,151	4,558	5,288	5,340	4,646	3,833	2,893	2,353	1,980	1,314	794	819	58,711
	F	853	3,455	4,672	4,583	4,205	3,834	4,347	5,028	5,053	4,163	3,416	2,489	1,884	1,506	1,147	871	1,031	52,537
	T	1,699	7,246	9,534	9,408	8,623	7,985	8,905	10,316	10,393	8,829	7,249	5,382	4,217	3,486	2,461	1,665	1,850	109,248
16 Vancouver	M	2,579	10,089	11,500	11,182	12,883	21,024	28,835	26,608	22,199	20,415	15,174	11,896	11,126	11,057	8,820	7,001	11,349	243,737
	F	2,381	9,545	10,938	10,747	12,818	21,740	26,354	24,880	21,483	19,400	14,804	11,673	10,565	10,922	10,023	9,830	20,306	248,409
	T	4,960	19,634	22,438	21,929	25,701	42,764	55,189	51,488	43,682	39,815	29,978	23,569	21,691	21,979	18,843	16,831	31,655	492,146
17 Burnaby	M	982	3,687	4,239	4,300	4,956	7,668	8,904	8,220	6,807	6,135	5,114	4,217	3,929	3,864	3,265	2,540	3,646	82,493
	F	947	3,606	4,219	4,062	4,879	7,567	8,216	7,571	6,685	6,342	5,170	4,313	3,924	3,925	3,784	3,518	6,306	86,026
	T	1,929	7,293	8,458	8,362	9,835	15,245	17,120	15,791	13,492	12,477	10,284	8,530	7,853	7,789	7,049	6,058	9,954	167,519
18 North Shore	M	999	3,954	4,852	4,832	4,964	5,659	5,817	6,753	6,883	6,697	6,435	4,869	4,092	3,867	3,185	2,496	3,223	79,417
	F	923	3,868	4,592	4,511	4,719	5,637	6,056	7,187	7,353	7,275	6,610	4,869	4,127	4,055	3,804	3,271	5,911	84,788
	T	1,922	7,822	9,444	9,143	9,703	11,296	11,873	13,940	14,236	13,972	13,045	9,758	8,219	7,942	6,989	5,767	9,134	164,205
19 Richmond	M	879	3,588	4,660	4,866	4,692	4,887	5,299	5,647	5,751	5,868	4,801	3,617	2,918	2,537	2,010	1,632	2,131	65,783
	F	820	3,387	4,401	4,467	4,321	4,895	5,450	6,023	6,267	6,295	4,936	3,512	2,953	2,651	2,481	2,193	3,440	68,282
	T	1,699	6,975	9,061	9,333	9,013	9,582	10,749	11,670	12,018	12,163	9,737	7,129	5,871	5,188	4,491	3,825	5,571	134,065
20 Capital	M	1,748	7,063	8,896	8,598	8,817	11,294	12,315	12,501	12,125	11,842	9,837	7,133	6,456	6,845	7,167	6,706	9,546	148,931
	F	1,675	6,910	8,536	8,219	8,473	10,787	11,431	12,769	12,860	12,225	9,846	7,563	6,793	7,584	9,103	8,782	16,257	159,775
	T	3,423	13,993	17,434	16,817	17,290	22,081	23,746	25,270	24,985	24,067	19,683	14,696	13,249	14,409	16,270	15,470	25,803	308,706
Provincial Total	M	22,367	89,822	115,793	111,068	106,304	119,610	139,280	152,215	145,350	135,436	111,869	85,874	78,084	74,863	66,586	52,368	78,782	1,675,368
	F	21,094	85,981	109,906	105,585	101,993	114,845	132,639	148,330	145,194	132,488	107,128	82,960	73,231	73,747	73,770	65,551	108,390	1,682,942
	T	43,461	175,813	225,701	216,643	210,297	234,455	270,899	301,545	290,544	267,895	218,786	168,954	149,315	148,600	139,361	117,919	179,182	3,358,141

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1993 Status Indian Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	27	73	66	76	72	66	80	67	52	60	27	25	15	15	11	4	10	772
	F	20	107	83	58	69	74	77	101	71	39	48	23	16	12	9	6	19	832
	T	47	180	171	136	141	142	157	168	123	99	75	48	31	27	20	10	29	1,604
03 North Okanagan	M	39	131	123	119	122	126	131	125	107	96	60	48	49	28	24	20	31	1,379
	F	38	131	124	114	112	127	144	166	129	94	85	59	38	32	32	24	20	1,469
	T	77	262	247	233	234	253	275	291	236	190	145	107	87	60	56	44	51	2,848
04 South Okanagan Similkameen	M	62	170	192	169	180	150	132	152	135	116	86	59	43	46	23	15	23	1,755
	F	52	184	163	163	152	157	201	175	171	139	75	66	45	40	26	9	31	1,851
	T	114	354	355	332	332	307	333	327	306	255	161	127	88	86	49	24	54	3,606
05 Thompson	M	122	524	468	503	494	521	500	496	444	346	265	200	142	117	82	52	96	5,371
	F	112	453	467	449	462	486	539	591	457	381	270	179	141	122	86	55	98	5,370
	T	234	977	955	952	956	1,007	1,039	1,087	901	727	535	379	283	239	170	107	193	10,741
06 Fraser Valley	M	114	392	389	342	331	301	313	345	258	211	184	114	87	69	38	38	43	3,549
	F	98	348	355	343	339	307	358	410	327	264	171	104	90	84	35	40	57	3,730
	T	212	740	724	685	670	608	671	755	585	475	355	218	177	153	73	78	100	7,279
07 South Fraser Valley	M	71	269	160	124	97	123	141	152	105	66	48	35	24	24	18	10	9	1,478
	F	63	223	146	97	113	160	174	180	120	100	72	56	49	24	23	8	6	1,612
	T	134	492	306	221	210	283	315	332	225	166	120	91	73	48	41	18	15	3,089
08 Simon Fraser	M	58	137	94	74	83	99	93	91	53	52	30	23	16	18	2	2	5	930
	F	51	133	82	64	58	132	131	111	70	59	39	36	26	12	11	6	7	1,029
	T	109	270	176	138	141	231	224	202	123	111	69	59	42	30	13	8	12	1,958
09 Coast Garibaldi	M	40	203	205	173	163	179	158	209	133	125	87	66	47	35	29	18	31	1,823
	F	38	170	189	151	166	154	189	222	173	110	79	54	41	35	22	11	20	1,826
	T	78	373	394	324	351	333	347	431	306	235	166	122	88	70	51	29	51	3,749
10 Central Vancouver Island	M	197	737	780	645	599	609	531	524	420	355	236	151	131	106	66	43	66	6,182
	F	165	675	641	623	631	648	654	650	557	380	243	175	131	111	64	59	97	6,504
	T	362	1,412	1,401	1,268	1,230	1,257	1,185	1,174	977	735	479	326	262	219	132	102	165	12,686
11 Upper Island/Central Coast	M	98	366	384	383	360	299	348	358	307	251	196	138	121	90	60	32	54	3,867
	F	95	371	390	331	343	312	381	497	383	273	196	147	107	82	62	53	46	4,049
	T	193	759	774	714	703	611	729	855	670	524	392	285	228	172	122	85	100	7,916
12 Cariboo	M	74	324	373	315	295	297	316	296	214	168	143	104	73	60	63	34	47	3,216
	F	85	330	347	307	342	312	306	323	243	209	132	115	80	62	56	40	69	3,358
	T	159	654	720	622	637	609	622	619	457	377	275	219	153	142	119	74	116	6,574
13 North West	M	244	1,064	1,081	952	1,031	977	937	991	790	590	493	359	290	219	162	121	203	10,504
	F	227	952	1,025	840	925	994	1,066	1,134	909	690	469	337	266	189	167	119	199	10,510
	T	471	2,016	2,106	1,792	1,956	1,971	2,003	2,125	1,699	1,280	962	696	556	408	329	240	402	21,014
14 Peace Liard	M	62	228	182	156	136	128	134	155	101	97	69	43	27	22	18	14	17	1,589
	F	64	215	193	125	167	182	176	154	133	90	67	55	36	30	26	16	20	1,749
	T	126	443	375	281	303	310	310	309	234	187	136	98	63	52	44	30	37	3,338
15 Northern Interior	M	146	533	542	473	466	484	422	439	319	240	167	129	94	75	53	48	61	4,711
	F	114	521	474	493	476	459	548	471	331	271	171	149	99	91	57	40	76	4,841
	T	260	1,054	1,016	966	942	943	970	910	650	511	338	278	193	166	110	88	137	9,552
16 Vancouver	M	124	548	452	398	333	477	583	648	523	351	259	178	110	70	39	18	28	5,119
	F	135	504	400	325	357	506	566	621	515	399	274	188	123	82	42	34	40	5,091
	T	259	1,052	852	723	690	983	1,129	1,269	1,038	750	533	366	233	152	81	52	68	10,210
17 Burnaby	M	37	113	141	113	160	89	123	102	74	65	37	17	15	10	5	2	1,100	
	F	35	110	134	94	171	112	139	166	97	79	68	30	22	10	9	3	3	1,262
	T	72	223	275	207	331	201	262	268	171	144	105	47	37	20	14	3	5	2,366
18 North Shore	M	25	139	123	120	80	128	122	116	95	80	47	53	27	21	16	15	9	1,218
	F	39	87	109	111	95	109	125	146	99	75	62	49	37	25	24	18	20	1,230
	T	64	226	232	231	175	237	247	262	194	155	109	102	64	46	40	33	29	2,448
19 Richmond	M	7	42	21	17	25	27	35	20	16	11	12	7	7	6	2	255		
	F	14	40	25	16	17	19	30	41	23	22	22	10	8	6	3	1	2	299
	T	21	82	46	33	42	46	65	61	39	33	34	17	15	12	5	3	2	554
20 Capital	M	78	307	276	276	271	266	248	280	190	173	114	64	57	33	27	19	32	2,897
	F	83	299	255	273	254	333	328	329	274	190	122	88	68	53	29	19	31	3,029
	T	161	606	533	551	525	601	576	609	464	363	236	152	125	86	56	38	63	5,726
Provincial Total	M	1,626	6,331	6,047	5,436	5,336	5,367	5,333	5,560	4,343	3,490	2,610	1,842	1,369	1,089	747	511	791	57,983
	F	1,530	5,865	5,530	4,989	5,265	5,884	6,137	6,483	5,080	3,919	2,718	1,846	1,439	1,067	786	562	883	59,912
	T	3,156	12,196	11,577	10,427	10,603	10,251	11,470	12,043	9,423	7,409	5,329	3,788	2,807	2,156	1,543	1,073	1,684	117,795

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1993 Other Population Estimates by Health Region and Age Group

Health Region	Gender	Age Group (in years)																Total
		<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	
01/02 East and West Kootenay	M	843	4,086	5,604	5,970	5,262	4,596	4,266	5,799	6,674	6,355	5,404	4,070	3,662	3,672	3,276	2,485	3,527	75,611
	F	818	3,888	5,373	5,564	4,760	4,132	4,267	5,832	6,521	5,975	4,878	3,947	3,447	3,336	3,296	2,879	4,733	73,846
	T	1,661	7,974	10,977	11,534	10,042	8,728	8,553	11,631	13,195	12,330	10,282	8,017	7,129	7,008	6,572	5,364	8,260	149,257
03 North Okanagan	M	601	2,639	3,745	3,846	3,469	2,871	2,880	3,746	3,994	3,774	3,292	2,817	2,526	2,726	2,555	2,082	2,711	50,274
	F	560	2,460	3,531	3,624	3,098	2,542	2,810	3,834	4,153	3,850	3,278	2,790	2,491	2,708	2,681	2,474	3,525	50,409
	T	1,161	5,099	7,276	7,470	6,567	5,413	5,690	7,580	8,147	7,624	6,570	5,607	5,017	5,434	5,236	4,556	6,236	100,683
04 South Okanagan Similkameen	M	1,055	4,929	6,550	6,374	5,937	5,849	5,909	7,407	7,548	7,082	6,060	4,976	5,065	5,507	5,584	4,972	6,845	97,849
	F	1,098	4,548	6,290	5,988	5,634	5,612	5,890	7,676	7,945	7,247	6,304	5,444	5,261	5,869	6,251	5,828	8,774	101,659
	T	2,153	9,477	12,840	12,362	11,571	11,461	11,799	15,083	15,493	14,329	12,364	10,420	10,326	11,376	11,835	10,800	15,619	199,308
05 Thompson	M	644	2,941	4,167	4,243	4,035	3,775	3,351	4,306	4,617	4,462	3,942	3,222	2,771	2,648	2,261	1,583	1,722	51,890
	F	596	2,786	3,862	4,032	3,678	3,501	3,374	4,419	4,623	4,320	3,796	3,043	2,621	2,282	2,170	1,766	2,366	53,257
	T	1,240	5,727	8,029	8,275	7,713	7,276	6,725	8,725	9,240	8,782	7,738	6,265	5,392	4,930	4,431	3,349	4,110	107,947
06 Fraser Valley	M	1,535	6,647	8,263	7,612	6,728	6,626	7,614	8,933	8,404	7,130	5,967	4,620	4,085	4,426	4,188	3,695	4,802	101,295
	F	1,583	6,198	7,782	7,051	6,073	6,142	7,163	8,352	7,962	6,714	5,626	4,565	4,156	4,456	4,878	4,258	6,507	99,468
	T	3,118	12,845	16,045	14,663	12,801	12,768	14,777	17,285	16,366	13,844	11,595	9,185	8,241	8,882	9,066	7,953	11,309	200,763
07 South Fraser Valley	M	3,711	13,894	18,347	17,856	17,076	17,312	18,609	21,774	21,341	19,417	17,646	13,201	10,050	8,938	7,946	6,831	8,468	242,217
	F	3,601	13,693	17,439	17,096	15,856	16,403	17,841	21,574	21,851	19,777	17,023	12,155	9,669	9,017	8,970	8,396	12,434	242,796
	T	7,312	27,587	35,786	34,952	32,932	33,715	36,450	43,348	43,192	39,194	34,669	25,356	19,719	17,955	16,916	15,027	20,902	485,012
08 Simon Fraser	M	2,066	8,446	9,882	8,895	8,316	9,535	11,610	13,878	13,095	11,298	9,379	6,778	5,413	4,725	3,903	2,864	3,725	133,808
	F	1,878	7,921	9,310	8,422	7,686	9,311	11,241	13,718	12,812	10,856	8,959	6,694	5,115	4,838	4,403	4,065	6,713	133,942
	T	3,944	16,367	19,192	17,317	16,002	18,846	22,851	27,596	25,907	22,154	18,338	13,472	10,528	9,563	8,306	6,929	10,438	267,750
09 Coast Garibaldi	M	425	1,779	2,239	1,969	1,845	2,020	2,255	2,795	2,861	2,706	2,358	1,696	1,499	1,516	1,318	1,016	1,220	31,519
	F	384	1,707	2,205	1,991	1,664	1,718	2,116	2,657	2,738	2,459	1,948	1,585	1,344	1,440	1,314	1,110	1,712	30,092
	T	809	3,486	4,444	3,960	3,509	3,738	4,371	5,452	5,599	5,165	4,306	3,283	2,843	2,956	2,632	2,126	2,932	61,611
10 Central Vancouver Island	M	1,171	5,228	6,864	7,044	6,362	5,629	5,871	7,841	8,239	8,012	7,001	5,684	4,944	5,453	5,402	4,374	4,892	99,811
	F	1,120	5,061	6,751	6,839	5,773	5,383	5,824	7,851	8,526	7,666	6,748	5,496	4,866	5,364	5,479	4,982	6,597	100,126
	T	2,291	10,289	13,615	13,883	12,135	11,012	11,695	15,292	16,765	15,680	13,749	11,180	9,810	10,817	10,881	9,356	11,489	199,939
11 Upper Island/Central Coast	M	624	2,917	4,145	4,062	3,280	2,818	3,355	4,474	4,650	4,316	3,774	2,937	2,515	2,291	1,802	1,325	1,516	50,801
	F	649	2,840	3,843	3,819	2,964	2,687	3,239	4,279	4,513	3,995	3,413	2,584	2,150	1,912	1,853	1,580	2,041	48,361
	T	1,273	5,757	7,988	7,881	6,244	5,505	6,594	8,753	9,163	8,311	7,187	5,521	4,665	4,203	3,655	2,905	3,557	99,162
12 Cariboo	M	391	1,760	2,530	2,734	2,406	1,931	1,874	2,487	2,700	2,644	2,419	1,787	1,541	1,493	1,103	715	813	31,328
	F	370	1,599	2,434	2,638	2,133	1,800	1,915	2,361	2,766	2,496	2,105	1,575	1,316	1,193	965	709	855	29,230
	T	761	3,359	4,964	5,372	4,539	3,731	3,789	4,848	5,466	5,140	4,524	3,362	2,857	2,686	2,068	1,424	1,668	60,558
13 North West	M	499	2,238	2,960	2,868	2,507	2,414	2,722	3,278	3,386	3,027	2,480	1,930	1,411	1,229	779	511	470	34,729
	F	499	2,207	2,752	2,737	2,185	2,131	2,330	2,953	2,908	2,477	2,067	1,544	1,085	916	692	533	650	30,664
	T	998	4,445	5,712	5,625	4,692	4,545	5,052	6,231	6,292	5,504	4,547	3,474	2,496	2,145	1,471	1,044	1,120	65,393
14 Peace Liard	M	457	2,076	2,662	2,506	2,203	2,277	2,562	3,051	2,855	2,174	1,740	1,363	1,211	957	723	450	578	29,845
	F	503	1,962	2,519	2,323	2,003	2,008	2,341	2,786	2,448	1,925	1,606	1,176	1,024	802	572	512	725	27,237
	T	960	4,038	5,181	4,829	4,206	4,285	4,903	5,837	5,303	4,099	3,346	2,539	2,235	1,759	1,295	962	1,303	57,082
15 Northern Interior	M	806	3,831	4,945	4,902	4,481	4,321	4,504	5,414	5,437	4,797	4,011	3,070	2,402	2,069	1,396	829	892	57,907
	F	807	3,531	4,628	4,626	4,231	4,022	4,318	5,127	5,166	4,357	3,634	2,545	1,916	1,531	1,199	907	1,113	53,658
	T	1,613	7,162	9,573	9,528	8,712	8,343	8,822	10,541	10,603	9,154	7,645	5,615	4,318	3,600	2,595	1,736	2,005	111,565
16 Vancouver	M	2,759	10,095	11,632	11,291	12,804	20,660	28,298	27,580	22,775	20,554	16,305	12,100	10,910	11,101	8,952	7,130	11,185	246,131
	F	2,554	9,354	11,013	10,870	13,120	21,543	26,482	25,214	21,805	19,681	15,729	11,897	10,651	10,916	9,871	9,774	20,099	250,573
	T	5,313	19,449	22,645	22,161	25,924	42,203	54,780	52,794	44,580	40,235	32,034	23,997	21,561	22,017	18,823	16,904	31,284	496,704
17 Burnaby	M	997	3,826	4,366	4,504	5,157	7,670	8,902	8,591	7,150	6,324	5,366	4,429	3,968	3,880	3,246	2,645	3,710	84,731
	F	890	3,705	4,284	4,357	4,992	7,443	8,191	7,821	7,018	6,592	5,527	4,515	3,950	3,938	3,755	3,561	6,515	87,054
	T	1,887	7,531	8,650	8,861	10,149	15,113	17,093	16,412	14,168	12,916	10,893	8,944	7,918	7,818	7,001	6,206	10,225	171,785
18 North Shore	M	968	4,059	4,837	4,973	5,057	5,807	5,762	6,806	7,047	6,771	6,674	5,122	4,057	3,852	3,232	2,536	3,330	80,892
	F	896	3,856	4,805	4,694	4,708	5,530	5,960	7,266	7,613	7,439	6,873	5,183	4,180	4,027	3,699	3,431	6,019	88,179
	T	1,864	7,915	9,642	9,667	9,765	11,137	11,722	14,074	14,660	14,210	13,547	10,305	8,237	7,879	6,931	5,967	9,349	168,871
19 Richmond	M	870	3,644	4,719	5,051	4,989	4,918	5,309	5,778	5,885	6,051	5,217	3,778	2,963	2,696	2,087	1,771	2,267	67,993
	F	842	3,418	4,459	4,637	4,502	4,719	5,325	6,247	6,523	6,545	5,365	3,732	3,010	2,798	2,589	2,347	3,587	70,625
	T	1,712	7,062	9,178	9,688	9,491	9,637	10,634	12,025	12,408	12,596	10,582	7,508	5,973	5,496	4,656	4,118	5,854	138,618
20 Capital	M	1,745	7,058	8,920	8,925	9,040	11,538	12,270	12,906	12,341	12,155	10,434	7,822	6,448	6,772	6,867	6,931	9,863	151,636
	F	1,581	6,883	8,619	8,506	8,685	11,050	11,459	12,851	13,072	12,519	10,777	7,872	6,920	7,350	8,779	9,037	16,946	162,606
	T	3,326	13,941	17,539	17,431	17,725	22,588	23,729	25,757	25,413	24,674	21,211	15,494	13,368	14,122	15,646	15,968	26,811	314,243
Provincial Total	M	22,186	91,884	117,388	115,639	110,954	122,368	137,937	158,842	150,962	139,012	119,419	91,175	77,437	75,942	66,611	54,539	72,938	1,722,436
	F	21,227	87,606	111,871	109,802	103,731	117,668	132,081	152,613	150,963	136,837	115,867	88,318	75,159	74,886	73,285	68,146	111,838	1,731,322
	T	43,393	179,489	229,257	225,441	214,685	240,026	270,018	309,255	301,955	275,849	235,025	179,493	152,596	150,828	139,896	122,685	183,966	3,453,758

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1994 Status Indian Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	34	96	75	89	83	72	98	68	82	59	30	26	19	16	9	7	10	855
	F	32	110	83	66	66	85	87	109	84	50	59	31	16	15	7	7	19	926
	T	66	206	158	155	149	157	185	177	146	109	89	57	35	31	16	14	29	1,781
03 North Okanagan	M	43	141	141	119	124	124	123	140	95	110	71	48	45	33	27	19	36	1,439
	F	35	138	139	111	111	119	133	175	141	100	92	55	46	30	30	25	22	1,502
	T	78	279	280	230	235	243	256	315	236	210	163	103	91	63	57	44	58	2,941
04 South Okanagan Similkameen	M	56	208	205	195	194	174	142	157	139	122	98	63	46	54	29	15	23	1,918
	F	55	220	176	170	154	172	221	223	163	163	100	71	61	39	30	17	31	2,066
	T	111	428	381	365	348	346	363	380	302	285	198	134	107	93	59	32	54	3,984
05 Thompson	M	135	541	527	525	523	555	509	555	454	382	295	210	147	143	87	58	97	5,743
	F	127	474	511	479	465	539	513	643	502	420	309	194	167	130	104	61	105	5,743
	T	262	1,015	1,038	1,004	988	1,094	1,022	1,198	956	802	604	404	314	273	191	119	202	11,486
06 Fraser Valley	M	91	457	395	347	329	341	305	355	285	234	188	126	90	80	45	37	55	3,760
	F	87	405	360	381	321	344	371	428	356	290	183	128	95	93	47	37	61	3,987
	T	178	862	755	728	650	685	676	783	641	524	371	254	185	173	92	74	116	7,747
07 South Fraser Valley	M	83	316	173	133	112	158	163	151	120	77	62	37	27	25	16	12	9	1,674
	F	81	257	170	122	129	163	190	220	153	110	91	59	54	27	21	13	8	1,868
	T	164	573	343	255	241	321	353	371	273	187	153	96	81	52	37	25	17	3,542
08 Simon Fraser	M	41	169	97	83	95	110	121	113	72	53	35	24	18	17	6	2	6	1,062
	F	49	169	98	72	77	130	157	126	92	68	44	36	38	11	13	7	7	1,194
	T	90	338	195	155	172	240	278	239	164	121	79	60	56	28	19	9	13	2,256
09 Coast Garibaldi	M	50	201	216	196	175	185	162	205	152	125	97	79	53	36	29	23	28	2,014
	F	42	188	205	171	162	158	181	229	186	137	90	65	38	38	28	13	25	1,936
	T	92	389	421	369	337	343	343	434	338	262	187	144	91	74	57	36	53	3,950
10 Central Vancouver Island	M	160	793	832	666	591	636	566	541	430	378	282	171	141	116	79	44	80	6,486
	F	192	707	694	658	630	678	678	663	587	435	284	194	153	105	80	59	95	6,912
	T	352	1,500	1,526	1,324	1,221	1,314	1,246	1,224	1,017	813	546	365	294	221	159	103	175	13,400
11 Upper Island/Central Coast	M	90	395	429	382	369	329	326	367	341	250	214	143	123	99	58	36	43	3,994
	F	101	388	396	358	352	336	367	500	394	312	208	173	120	83	63	58	64	4,273
	T	191	783	825	740	721	665	693	867	735	562	422	316	243	182	121	94	107	8,267
12 Cariboo	M	94	324	365	328	320	317	324	314	227	170	153	120	84	66	75	37	49	3,367
	F	76	369	326	341	342	338	305	358	260	227	146	123	85	65	56	41	75	3,533
	T	170	693	691	669	662	655	629	672	487	397	299	243	169	131	131	78	124	6,900
13 North West	M	258	1,060	1,182	948	1,021	1,010	952	1,017	824	657	499	389	309	233	171	131	210	10,871
	F	250	966	1,047	915	888	1,023	1,057	1,170	981	745	534	378	271	193	192	113	221	10,944
	T	508	2,026	2,229	1,863	1,909	2,033	2,009	2,187	1,805	1,402	1,033	767	580	426	363	244	431	21,815
14 Peace Liard	M	81	247	209	170	138	136	126	169	119	93	84	48	28	25	16	18	17	1,726
	F	50	252	207	124	171	195	190	181	143	110	88	69	43	28	29	18	22	1,900
	T	131	499	416	294	309	331	316	350	262	203	152	117	71	53	45	36	39	3,626
15 Northern Interior	M	123	587	561	527	443	491	449	448	339	271	178	130	95	90	56	50	82	4,930
	F	130	578	474	499	484	489	560	512	367	305	182	160	111	96	56	49	77	5,129
	T	253	1,165	1,035	1,026	927	980	1,009	960	706	576	360	290	206	186	112	99	159	10,059
16 Vancouver	M	154	565	453	409	350	480	563	711	536	389	294	189	133	67	46	19	36	5,396
	F	136	547	437	367	391	522	594	607	569	427	307	209	157	69	55	41	42	5,477
	T	290	1,112	890	776	741	1,002	1,157	1,318	1,107	816	601	398	290	136	101	60	78	10,873
17 Burnaby	M	41	132	142	122	177	95	131	108	96	63	44	23	15	9	8	2	1	1,209
	F	32	117	149	107	177	128	148	176	121	89	75	40	21	14	7	4	4	1,409
	T	73	249	291	229	354	223	279	284	217	152	119	63	36	23	15	6	5	2,618
18 North Shore	M	25	127	128	133	92	121	120	126	108	93	40	53	34	23	18	12	14	1,267
	F	22	108	106	121	93	118	130	158	113	83	62	55	48	22	24	18	24	1,304
	T	47	235	234	254	185	239	250	284	221	176	102	108	80	45	42	31	38	2,571
19 Richmond	M	12	42	20	23	21	21	38	27	17	17	11	10	7	7	-	-	1	274
	F	9	51	27	16	15	28	34	47	28	24	24	7	14	3	3	1	2	333
	T	21	93	47	39	36	49	72	74	45	41	35	17	21	10	3	1	3	607
20 Capital	M	91	338	275	310	295	283	262	286	194	178	137	70	58	35	30	19	30	2,891
	F	79	332	266	280	262	335	354	349	292	216	140	97	73	67	30	21	40	3,233
	T	170	670	541	590	557	618	616	635	486	394	277	167	131	102	60	40	70	6,124
Provincial Total	M	1,894	6,751	6,437	5,713	5,470	5,649	5,489	5,895	4,620	3,748	2,837	1,995	1,496	1,186	816	547	830	61,129
	F	1,886	6,367	5,877	5,372	5,303	5,911	6,277	6,901	5,550	4,368	3,063	2,172	1,627	1,134	885	598	948	63,935
	T	3,780	13,118	12,314	11,085	10,773	11,560	11,766	12,796	10,170	8,102	5,901	4,167	3,123	2,320	1,701	1,185	1,786	125,064

Notes: Health Regions will not sum to BC due to cases with unknown addressees. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1994 Other Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	833	4,024	5,596	6,102	5,467	4,601	4,268	5,841	6,719	6,577	5,771	4,310	3,847	3,866	3,395	2,571	3,615	77,201
	F	810	3,802	5,372	5,780	4,850	4,175	4,184	5,964	6,552	6,241	5,269	4,175	3,844	3,279	3,364	2,979	4,922	75,382
	T	1,643	7,826	10,967	11,882	10,317	8,776	8,452	11,805	13,271	12,818	11,040	8,485	7,491	6,944	6,759	5,550	8,537	152,583
03 North Okanagan	M	617	2,712	3,829	4,069	3,652	2,970	2,882	3,831	4,300	3,967	3,591	2,942	2,707	2,790	2,838	2,234	2,825	52,556
	F	589	2,501	3,586	3,897	3,237	2,849	2,858	3,959	4,347	4,087	3,583	3,018	2,717	2,714	2,708	2,637	3,770	52,857
	T	1,206	5,213	7,415	7,966	6,889	5,819	5,740	7,790	8,647	8,054	7,174	5,960	5,424	5,504	5,546	4,871	6,595	105,413
04 South Okanagan Similkameen	M	1,108	4,903	6,723	6,712	6,147	6,049	5,986	7,663	7,936	7,471	6,497	5,334	5,224	5,593	5,697	5,142	7,070	101,255
	F	1,071	4,652	6,392	6,345	5,937	5,696	5,889	7,873	8,366	7,636	6,684	5,839	5,499	5,905	6,331	6,028	9,298	105,441
	T	2,179	9,555	13,115	13,057	12,084	11,745	11,875	15,536	16,302	15,107	13,181	11,173	10,723	11,498	12,028	11,170	16,368	206,696
05 Thompson	M	648	2,867	4,162	4,372	4,222	3,850	3,481	4,358	4,774	4,632	4,163	3,359	2,904	2,684	2,355	1,863	1,785	56,299
	F	624	2,779	3,894	4,100	3,855	3,542	3,427	4,501	4,772	4,518	3,994	3,203	2,746	2,347	2,233	1,854	2,549	54,936
	T	1,272	5,646	8,056	8,472	8,077	7,392	6,908	8,859	9,546	9,150	8,157	6,562	5,650	5,031	4,588	3,717	4,334	111,237
06 Fraser Valley	M	1,577	6,678	8,533	8,036	7,090	6,846	7,807	9,345	8,909	7,482	6,450	4,937	4,293	4,433	4,353	3,801	4,927	105,497
	F	1,532	6,325	8,040	7,477	6,456	6,295	7,269	8,678	8,352	7,099	6,172	4,941	4,358	4,491	4,881	4,492	6,834	103,712
	T	3,109	13,003	16,573	15,513	13,546	13,141	15,096	18,023	17,261	14,581	12,622	9,878	8,651	8,924	9,234	8,293	11,761	209,209
07 South Fraser Valley	M	3,963	15,086	18,671	18,579	17,579	17,546	18,867	22,460	22,099	20,124	18,343	14,067	10,441	9,124	7,957	7,016	8,977	250,879
	F	3,711	14,816	17,812	17,629	16,434	16,696	17,945	22,059	22,409	20,425	18,209	13,235	10,098	9,098	9,130	8,703	13,198	251,809
	T	7,674	29,882	36,483	36,208	34,013	34,244	36,812	44,519	44,508	40,549	36,552	27,302	20,539	18,222	17,087	15,719	22,175	502,488
08 Simon Fraser	M	2,029	8,403	10,339	9,323	8,843	9,723	11,945	14,444	13,775	11,915	10,018	7,386	5,632	4,950	3,986	2,992	3,869	139,592
	F	1,926	8,008	9,458	8,973	8,168	9,459	11,445	14,166	13,499	11,568	9,731	7,187	5,441	4,916	4,506	4,150	7,007	139,626
	T	3,955	16,411	19,797	18,296	17,011	19,182	23,390	28,610	27,274	23,503	19,749	14,573	11,073	9,866	8,492	7,142	10,896	279,220
09 Coast Garibaldi	M	391	1,811	2,266	2,101	1,919	2,217	2,383	2,941	2,972	2,835	2,532	1,787	1,526	1,544	1,402	1,103	1,258	32,988
	F	403	1,719	2,239	2,100	1,756	1,859	2,187	2,793	2,810	2,648	2,117	1,676	1,436	1,445	1,355	1,164	1,762	31,469
	T	794	3,530	4,505	4,201	3,675	4,076	4,570	5,734	5,782	5,483	4,649	3,463	2,962	2,989	2,757	2,267	3,020	64,457
10 Central Vancouver Island	M	1,258	5,240	7,094	7,349	6,703	5,671	6,028	7,952	8,617	8,542	7,581	6,055	5,170	5,479	5,542	4,627	5,027	103,935
	F	1,058	5,114	6,913	7,126	6,036	5,496	5,805	7,931	8,892	8,261	7,294	5,994	5,166	5,404	5,535	5,262	6,992	104,299
	T	2,316	10,354	14,007	14,475	12,739	11,167	11,833	15,883	17,509	16,823	14,875	12,049	10,336	10,883	11,077	9,889	12,019	208,234
11 Upper Island/Central Coast	M	634	2,937	4,211	4,213	3,529	2,928	3,401	4,706	4,912	4,591	4,097	3,147	2,653	2,356	1,878	1,396	1,618	53,207
	F	559	2,907	3,953	4,019	3,237	2,766	3,248	4,493	4,829	4,226	3,714	2,841	2,278	2,042	1,811	1,675	2,118	50,716
	T	1,193	5,844	8,164	8,232	6,766	5,694	6,649	9,199	9,741	8,817	7,811	5,988	4,931	4,398	3,689	3,071	3,736	103,923
12 Cariboo	M	381	1,754	2,530	2,750	2,465	1,991	1,913	2,532	2,700	2,747	2,527	1,920	1,630	1,517	1,143	760	804	32,064
	F	370	1,585	2,413	2,645	2,225	1,831	1,859	2,434	2,795	2,559	2,307	1,659	1,383	1,226	961	745	913	29,910
	T	751	3,339	4,943	5,395	4,690	3,822	3,772	4,966	5,495	5,306	4,834	3,579	3,013	2,743	2,104	1,505	1,717	61,974
13 North West	M	471	2,183	2,844	2,943	2,549	2,360	2,655	3,203	3,416	3,024	2,579	2,043	1,375	1,266	812	531	498	34,752
	F	453	2,108	2,739	2,761	2,212	2,113	2,292	2,848	2,927	2,515	2,113	1,567	1,132	922	724	553	662	30,661
	T	924	4,291	5,583	5,704	4,761	4,473	4,947	6,051	6,343	5,539	4,692	3,610	2,507	2,188	1,536	1,084	1,160	65,413
14 Peace Liard	M	467	1,996	2,652	2,559	2,280	2,217	2,543	3,022	2,926	2,292	1,831	1,384	1,167	986	757	464	582	30,129
	F	489	1,951	2,533	2,393	1,990	2,037	2,281	2,741	2,567	1,980	1,675	1,239	1,011	835	605	494	757	27,578
	T	956	3,949	5,185	4,952	4,270	4,254	4,824	5,763	5,493	4,272	3,506	2,623	2,178	1,823	1,362	958	1,339	57,707
15 Northern Interior	M	880	3,556	4,887	4,969	4,629	4,392	4,579	5,469	5,438	5,031	4,125	3,215	2,505	2,067	1,440	881	940	59,003
	F	747	3,484	4,569	4,720	4,288	4,123	4,310	5,168	5,198	4,548	3,883	2,727	1,941	1,558	1,217	993	1,182	54,656
	T	1,627	7,040	9,456	9,689	8,917	8,515	8,889	10,637	10,636	9,579	8,008	5,942	4,446	3,625	2,657	1,874	2,122	113,659
16 Vancouver	M	2,787	9,915	11,857	11,514	13,256	20,986	26,566	26,828	23,360	20,891	17,507	12,613	10,956	11,262	9,140	7,378	11,063	251,919
	F	2,501	9,161	11,299	11,108	13,327	21,819	26,895	26,052	22,307	20,234	17,155	12,447	10,959	10,916	9,776	9,917	20,111	255,964
	T	5,288	19,076	23,156	22,622	26,583	42,805	55,461	54,880	45,667	41,125	34,662	25,060	21,915	22,178	18,916	17,295	31,194	507,903
17 Burnaby	M	939	3,795	4,607	4,643	5,482	7,642	8,950	8,865	7,445	6,655	5,695	4,575	4,004	3,898	3,264	2,748	3,748	86,955
	F	914	3,668	4,348	4,620	5,141	7,380	8,216	7,998	7,334	6,766	5,967	4,708	4,092	3,957	3,720	3,600	6,628	89,057
	T	1,853	7,463	8,955	9,263	10,623	15,022	17,166	16,863	14,779	13,421	11,662	9,283	8,096	7,855	6,984	6,348	10,376	176,012
18 North Shore	M	924	4,033	4,969	5,167	5,140	5,543	5,622	6,754	7,150	6,927	6,843	5,489	4,114	3,875	3,247	2,701	3,421	81,919
	F	923	3,822	4,923	4,850	4,916	5,204	5,886	7,150	7,816	7,564	7,171	5,605	4,276	3,977	3,682	3,577	6,140	87,484
	T	1,847	7,855	9,892	10,017	10,056	10,747	11,510	13,904	14,966	14,491	14,014	11,094	8,390	7,852	6,929	6,278	9,561	169,403
19 Richmond	M	827	3,624	4,741	5,193	5,399	5,048	5,299	5,986	6,043	6,186	5,635	4,001	3,096	2,839	2,146	1,848	2,355	70,268
	F	822	3,393	4,471	4,829	4,824	4,735	5,323	6,283	6,797	6,849	5,812	4,051	3,123	2,911	2,599	2,446	3,754	73,022
	T	1,649	7,017	9,212	10,022	10,223	9,783	10,622	12,269	12,840	13,035	11,447	8,052	6,221	5,750	4,745	4,294	6,109	143,290
20 Capital	M	1,650	7,012	8,942	9,099	9,153	11,396	12,052	13,155	12,645	12,387	11,148	8,094	6,822	6,729	6,666	7,001	9,874	153,625
	F	1,573	6,727	8,747	8,785	8,736	10,945	11,348	12,924	13,359	12,892	11,413	8,439	7,108	7,150	8,349	9,259	17,001	164,757
	T	3,223	13,739	17,689	17,884	17,891	22,341	23,400	26,079	26,004	25,279	22,561	16,533	13,730	13,879	15,015	16,260	26,875	318,382
Provincial Total	M	22,382	92,521	119,440	119,687	115,486	123,966	139,222	161,348	156,148	144,251	126,886	96,822	79,844	77,947	67,897	58,851	74,294	1,773,891
	F	21,674	88,511	113,695	114,143	107,614	116,811	132,682	156,008	155,910	142,611	124,228	94,523	78,390	75,987	73,477	70,534	115,616	1,782,894
	T	43,456	181,032	233,136	233,830	223,100	240,776	271,904	317,356	312,058	286,862	251,113	191,345	158,234	153,134	141,284	127,375	189,910	3,556,784

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1995 Status Indian Population Estimates by Health Region and Age Group

		Age Group (in years)																	
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	35	107	89	100	90	82	90	77	78	56	51	28	22	18	10	9	11	953
	F	25	119	107	76	74	90	88	124	94	59	63	35	24	18	8	5	21	1,030
	T	60	226	196	176	164	172	178	201	172	115	114	63	46	36	18	14	32	1,983
03 North Okanagan	M	28	151	143	137	115	138	117	147	118	110	85	46	50	37	20	28	41	1,511
	F	40	141	158	112	108	141	124	186	153	113	91	68	54	39	31	26	27	1,812
	T	68	292	301	249	223	279	241	333	271	223	176	114	104	76	51	54	68	3,123
04 South Okanagan Similkameen	M	70	207	213	225	195	166	163	170	154	148	99	64	61	49	34	20	27	2,085
	F	54	219	214	180	160	176	217	250	177	171	115	68	62	41	34	22	39	2,219
	T	124	426	427	405	355	342	380	420	331	319	214	132	123	90	68	42	66	4,284
05 Thompson	M	123	540	592	562	530	593	533	570	473	410	348	228	146	148	110	59	116	6,061
	F	113	474	557	492	464	554	522	681	582	447	349	220	194	132	116	74	130	6,061
	T	236	1,014	1,149	1,054	994	1,147	1,055	1,251	1,035	857	697	448	340	280	226	133	246	12,162
06 Fraser Valley	M	104	436	431	370	345	339	339	373	294	255	194	128	114	76	56	38	68	3,960
	F	107	397	412	365	354	346	390	454	380	312	210	152	94	92	68	37	65	4,235
	T	211	833	843	735	699	685	729	827	674	567	404	280	208	168	124	75	133	8,195
07 South Fraser Valley	M	89	312	250	150	133	157	179	174	136	99	63	43	31	27	22	10	12	1,887
	F	70	286	214	147	139	169	198	253	181	123	99	63	62	33	23	23	14	2,097
	T	159	598	464	297	272	326	377	427	317	222	162	106	93	60	45	33	26	3,984
08 Simon Fraser	M	54	172	133	93	94	98	141	116	90	72	43	25	14	24	6	3	8	1,186
	F	50	184	130	82	89	130	169	153	105	77	53	37	41	14	13	8	9	1,344
	T	104	356	263	175	183	228	310	269	195	149	96	62	55	38	19	11	17	2,530
09 Coast Garibaldi	M	42	203	237	199	176	194	169	196	184	125	106	74	71	34	34	28	33	2,105
	F	33	182	191	184	150	170	178	248	200	143	104	67	48	38	36	15	34	2,021
	T	75	385	428	383	326	364	347	444	384	268	210	141	119	72	70	43	67	4,126
10 Central Vancouver Island	M	185	776	872	706	596	659	612	559	473	382	294	200	151	125	91	51	91	6,825
	F	188	725	726	678	647	687	686	715	619	512	297	228	166	117	93	68	117	7,269
	T	373	1,501	1,598	1,386	1,243	1,346	1,298	1,274	1,092	894	591	428	317	242	184	119	208	14,094
11 Upper Island/Central Coast	M	100	404	437	402	364	353	347	376	345	277	213	172	123	117	69	39	60	4,198
	F	86	397	421	382	332	365	330	522	443	340	228	196	132	94	70	61	82	4,481
	T	186	801	858	784	696	718	677	898	788	617	441	368	255	211	139	100	142	8,679
12 Cariboo	M	82	334	376	340	303	342	315	326	259	186	161	126	85	78	79	48	64	3,504
	F	76	357	355	353	349	319	328	360	263	254	159	137	79	72	57	50	92	3,660
	T	158	691	731	693	652	661	643	686	522	440	320	263	164	150	136	98	156	7,164
13 North West	M	227	1,073	1,211	1,027	1,006	1,017	1,007	1,011	897	715	511	412	315	247	196	133	262	11,269
	F	207	983	1,119	964	889	1,006	1,131	1,190	1,021	833	566	432	289	216	196	134	266	11,442
	T	434	2,056	2,330	1,991	1,895	2,023	2,138	2,201	1,918	1,548	1,077	844	604	463	394	267	528	22,711
14 Peace Liard	M	74	267	248	174	147	155	144	169	138	99	86	51	36	27	13	18	20	1,866
	F	63	238	239	189	155	202	197	205	160	126	89	76	43	30	32	21	22	2,067
	T	137	505	487	343	302	357	341	374	298	225	175	127	79	57	45	39	42	3,933
15 Northern Interior	M	147	569	596	575	469	502	465	478	381	294	193	156	118	89	58	63	100	5,253
	F	142	552	546	512	488	528	557	541	419	325	215	176	134	99	65	44	98	5,441
	T	289	1,121	1,142	1,087	957	1,030	1,022	1,019	800	619	408	332	252	188	123	107	198	10,694
16 Vancouver	M	123	598	492	418	351	476	599	727	580	436	314	203	144	85	51	25	37	5,661
	F	122	552	499	394	381	532	592	632	619	445	348	234	175	92	67	41	61	5,786
	T	245	1,150	991	812	732	1,008	1,191	1,359	1,199	883	662	437	319	177	118	66	98	11,447
17 Burnaby	M	54	141	125	122	183	107	120	114	105	71	52	28	16	12	7	4	1	1,262
	F	31	126	134	115	183	145	140	166	137	110	85	48	28	18	8	6	4	1,484
	T	85	267	259	237	366	252	260	280	242	181	137	76	44	30	15	10	5	2,746
18 North Shore	M	24	107	148	131	103	115	111	149	105	92	55	49	38	25	19	17	15	1,303
	F	30	100	104	131	105	105	131	178	121	99	68	53	49	28	23	23	28	1,374
	T	54	207	252	262	208	220	242	325	226	191	123	102	87	53	42	40	43	2,677
19 Richmond	M	11	44	33	22	21	30	39	30	21	22	12	12	9	8	-	1	2	317
	F	11	44	31	18	19	28	34	50	36	28	25	7	15	3	3	2	4	356
	T	22	88	64	40	40	58	73	80	57	48	37	19	24	11	3	3	6	673
20 Capital	M	106	353	314	301	296	310	282	282	219	188	155	79	60	38	33	24	39	3,079
	F	88	326	311	287	299	350	376	367	327	246	157	101	87	79	35	20	46	3,502
	T	194	679	625	588	595	660	658	649	546	434	312	180	147	117	68	44	85	6,581
Provincial Total	**M**	**1,882**	**6,803**	**6,948**	**6,064**	**5,537**	**5,842**	**5,782**	**6,048**	**5,068**	**4,063**	**3,083**	**2,161**	**1,630**	**1,280**	**917**	**628**	**1,068**	**64,534**
	F	**1,549**	**6,414**	**6,474**	**5,653**	**5,401**	**6,052**	**6,396**	**7,278**	**6,024**	**4,796**	**3,382**	**2,450**	**1,782**	**1,285**	**987**	**687**	**1,161**	**67,761**
	T	**3,222**	**13,217**	**13,422**	**11,717**	**10,938**	**11,894**	**12,177**	**13,326**	**11,092**	**8,859**	**6,476**	**4,611**	**3,422**	**2,545**	**1,904**	**1,315**	**2,199**	**132,295**

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1995 OTHER POPULATION ESTIMATES BY HEALTH REGION AND AGE GROUP

		Age Group (in years)																	
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	820	3,864	5,851	6,236	5,685	4,562	4,341	5,795	6,839	6,839	6,150	4,478	3,950	3,709	3,443	2,558	3,766	78,686
	F	856	3,735	5,333	5,925	5,101	4,130	4,219	5,887	6,627	6,466	5,717	4,389	3,781	3,332	3,365	2,999	5,138	77,020
	T	1,676	7,599	10,984	12,161	10,786	8,692	8,560	11,682	13,466	13,305	11,867	8,867	7,731	7,041	6,828	5,557	8,904	155,706
03 North Okanagan	M	595	2,716	3,849	4,168	3,858	2,855	2,923	3,860	4,451	4,140	3,792	3,040	2,764	2,814	2,736	2,257	2,999	53,817
	F	525	2,519	3,618	3,996	3,420	2,612	2,797	3,968	4,524	4,238	3,824	3,189	2,804	2,763	2,765	2,635	4,027	54,224
	T	1,120	5,235	7,467	8,164	7,278	5,467	5,720	7,828	8,975	8,378	7,616	6,229	5,568	5,577	5,501	4,892	7,026	108,041
04 South Okanagan Similkameen	M	1,137	4,850	6,822	6,967	6,331	6,036	6,130	7,640	8,178	7,751	6,982	5,461	5,313	5,651	5,868	5,216	7,407	103,738
	F	1,075	4,656	6,447	6,638	6,165	5,650	5,919	7,897	8,609	7,951	7,171	6,008	5,649	5,880	6,352	6,117	9,893	108,077
	T	2,212	9,506	13,269	13,605	12,496	11,686	12,049	15,537	16,785	15,702	14,153	11,469	10,962	11,531	12,220	11,333	17,300	211,815
05 Thompson	M	662	2,886	4,145	4,475	4,344	3,916	3,560	4,389	4,947	4,817	4,442	3,460	3,030	2,716	2,400	1,760	1,884	57,853
	F	647	2,783	3,933	4,153	4,058	3,591	3,425	4,544	4,990	4,679	4,232	3,391	2,837	2,465	2,258	1,880	2,713	56,579
	T	1,309	5,669	8,078	8,628	8,402	7,507	7,005	8,933	9,937	9,496	8,674	6,851	5,867	5,181	4,658	3,640	4,597	114,432
06 Fraser Valley	M	1,848	6,751	8,674	8,396	7,416	6,964	7,780	9,724	9,377	7,860	6,902	5,226	4,342	4,520	4,421	3,814	5,183	109,000
	F	1,484	6,440	8,177	7,877	6,767	6,418	7,389	8,804	8,808	7,507	6,826	5,210	4,619	4,493	4,845	4,611	7,257	107,332
	T	3,132	13,191	16,851	16,273	14,183	13,382	15,169	18,528	18,185	15,367	13,528	10,436	8,961	9,013	9,266	8,425	12,440	216,332
07 South Fraser Valley	M	3,994	15,946	19,199	19,229	18,418	17,823	19,681	23,036	23,115	20,951	19,336	15,011	11,023	9,412	8,220	7,177	9,437	261,008
	F	3,653	15,323	18,373	18,184	17,213	17,165	18,778	22,368	23,083	21,230	19,482	14,400	10,703	9,433	9,272	9,001	14,175	261,836
	T	7,647	31,269	37,572	37,413	35,631	34,988	38,459	45,404	46,198	42,181	38,818	29,411	21,726	18,845	17,492	16,178	23,612	522,844
08 Simon Fraser	M	2,073	8,523	10,512	9,936	9,087	9,749	11,936	14,864	14,550	12,865	10,810	7,716	5,859	4,997	4,107	3,110	4,045	144,539
	F	1,929	8,023	9,738	9,463	8,530	9,171	11,670	14,374	14,258	12,250	10,502	7,597	5,776	5,019	4,607	4,170	7,341	144,418
	T	4,002	16,546	20,250	19,399	17,617	18,920	23,606	29,238	28,808	24,915	21,312	15,313	11,635	10,016	8,714	7,280	11,386	288,957
09 Coast Garibaldi	M	442	1,813	2,280	2,222	1,934	2,291	2,486	3,012	3,066	2,960	2,700	1,943	1,547	1,528	1,429	1,123	1,315	34,091
	F	428	1,694	2,287	2,200	1,827	1,864	2,289	2,830	2,882	2,777	2,293	1,772	1,483	1,474	1,371	1,218	1,835	32,524
	T	870	3,507	4,567	4,422	3,761	4,155	4,775	5,842	5,948	5,737	4,993	3,715	3,030	3,002	2,800	2,341	3,150	66,615
10 Central Vancouver Island	M	1,171	5,265	7,257	7,562	7,072	5,660	5,983	8,077	8,869	8,884	8,119	6,312	5,424	5,482	5,639	4,765	5,486	107,067
	F	1,068	4,948	7,098	7,320	6,440	5,470	5,895	7,928	9,081	8,737	7,819	6,369	5,471	5,383	5,579	5,376	7,529	107,511
	T	2,239	10,213	14,355	14,882	13,512	11,150	11,878	16,005	17,970	17,621	15,936	12,681	10,895	10,865	11,218	10,141	13,015	214,578
11 Upper Island/Central Coast	M	641	2,863	4,242	4,369	3,717	2,943	3,365	4,764	5,100	4,766	4,422	3,303	2,701	2,415	1,957	1,461	1,713	54,742
	F	652	2,794	4,030	4,170	3,463	2,733	3,163	4,529	5,018	4,519	3,930	3,054	2,364	2,156	1,799	1,728	2,224	52,326
	T	1,293	5,657	8,272	8,539	7,180	5,676	6,528	9,293	10,118	9,285	8,352	6,357	5,065	4,571	3,756	3,189	3,937	107,068
12 Cariboo	M	386	1,710	2,579	2,762	2,619	2,055	1,997	2,556	2,774	2,894	2,723	2,026	1,680	1,499	1,201	782	785	33,010
	F	387	1,574	2,430	2,654	2,333	1,886	1,881	2,507	2,856	2,856	2,497	1,744	1,467	1,263	984	740	962	30,821
	T	773	3,284	5,009	5,416	4,952	3,941	3,878	5,063	5,630	5,550	5,220	3,772	3,147	2,762	2,185	1,502	1,747	63,831
13 North West	M	512	2,093	2,856	2,808	2,561	2,367	2,592	3,259	3,331	3,168	2,678	2,139	1,462	1,221	857	560	490	34,954
	F	499	2,007	2,696	2,739	2,313	2,034	2,220	2,765	3,033	2,489	2,292	1,824	1,150	908	790	566	668	30,793
	T	1,011	4,100	5,552	5,547	4,874	4,401	4,812	6,024	6,364	5,657	4,970	3,763	2,612	2,129	1,647	1,126	1,158	65,747
14 Peace Liard	M	491	1,984	2,639	2,593	2,356	2,230	2,543	3,037	2,983	2,459	1,895	1,476	1,139	1,013	766	485	596	30,667
	F	426	2,008	2,486	2,438	2,106	2,040	2,303	2,785	2,830	2,127	1,719	1,327	1,023	849	639	489	779	28,174
	T	917	3,992	5,125	5,031	4,462	4,270	4,846	5,822	5,813	4,586	3,614	2,803	2,162	1,862	1,405	974	1,377	58,861
15 Northern Interior	M	784	3,530	4,866	5,036	4,721	4,352	4,692	5,471	5,599	5,161	4,339	3,408	2,591	2,116	1,516	920	990	60,094
	F	806	3,431	4,497	4,777	4,420	4,114	4,327	5,163	5,269	4,801	4,063	2,911	2,005	1,578	1,285	1,006	1,277	55,728
	T	1,590	6,961	9,365	9,813	9,141	8,466	9,019	10,634	10,868	9,962	8,402	6,319	4,596	3,692	2,801	1,926	2,267	115,822
16 Vancouver	M	2,924	9,802	11,707	11,780	13,775	21,101	29,330	29,844	24,153	21,116	18,986	13,111	11,190	11,174	9,376	7,380	10,987	257,736
	F	2,607	9,153	11,254	11,301	13,324	21,790	27,846	26,748	23,016	21,018	18,466	13,017	11,412	10,868	9,845	9,802	20,215	261,682
	T	5,531	18,955	22,961	23,081	27,099	42,891	57,176	56,592	47,169	42,134	37,452	26,128	22,602	22,042	19,221	17,182	31,202	519,418
17 Burnaby	M	1,017	3,795	4,689	4,883	5,601	7,604	9,065	8,957	7,739	6,995	6,162	4,661	4,064	3,887	3,363	2,749	3,906	89,137
	F	952	3,645	4,443	4,788	5,331	7,350	8,191	8,150	7,564	7,074	6,484	4,854	4,212	3,921	3,724	3,535	6,787	90,985
	T	1,969	7,440	9,132	9,651	10,932	14,954	17,256	17,107	15,303	14,069	12,646	9,515	8,276	7,808	7,087	6,284	10,693	180,122
18 North Shore	M	932	3,950	5,051	5,266	5,118	5,434	5,545	6,833	7,260	7,059	7,006	5,720	4,267	3,867	3,255	2,735	3,845	82,743
	F	883	3,771	5,037	4,952	4,982	5,061	5,706	7,025	7,838	7,757	7,419	5,875	4,407	3,940	3,738	3,581	6,337	88,309
	T	1,815	7,721	10,088	10,218	10,100	10,495	11,251	13,858	15,098	14,816	14,425	11,595	8,674	7,807	6,993	6,316	9,982	171,052
19 Richmond	M	869	3,533	4,786	5,366	5,737	5,204	5,437	6,087	6,218	6,417	6,157	4,292	3,194	2,899	2,287	1,880	2,487	72,850
	F	779	3,388	4,502	4,946	5,196	4,892	5,334	6,419	6,993	7,064	6,436	4,314	3,309	3,000	2,722	2,503	3,968	75,765
	T	1,648	6,921	9,288	10,312	10,933	10,096	10,771	12,506	13,211	13,481	12,593	8,606	6,503	5,899	5,009	4,383	6,455	148,615
20 Capital	M	1,628	6,921	8,810	9,298	9,334	11,280	12,038	13,203	12,887	12,673	11,762	8,565	6,764	6,674	6,585	6,843	10,271	155,536
	F	1,548	6,594	8,756	8,870	8,838	11,003	11,299	12,767	13,440	13,301	12,222	8,921	7,281	7,100	8,046	9,101	17,743	166,830
	T	3,176	13,515	17,566	18,168	18,172	22,283	23,337	25,970	26,327	25,974	23,984	17,486	14,045	13,774	14,631	15,944	28,014	322,366
Provincial Total	M	22,722	92,796	120,808	123,344	119,664	124,437	141,434	164,204	161,446	149,551	135,315	101,315	82,278	77,578	69,419	57,545	77,283	1,821,939
	F	21,200	88,474	115,129	117,359	111,811	119,965	134,844	157,453	160,512	148,606	133,123	99,934	81,737	75,813	73,997	71,861	128,896	1,830,674
	T	43,922	181,269	235,737	240,703	231,475	243,402	276,278	321,657	321,958	298,157	268,437	201,249	164,015	153,391	143,416	129,596	199,259	3,651,712

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1996 Status Indian Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	34	119	96	93	99	87	78	89	76	55	56	26	29	16	11	11	10	969
	F	22	107	132	88	76	87	88	117	111	66	51	51	29	17	8	7	23	1,060
	T	56	226	230	181	175	174	166	206	187	121	107	77	57	33	19	18	33	2,096
03 North Okanagan	M	30	134	160	130	128	141	117	148	123	107	87	52	47	45	24	25	46	1,542
	F	33	140	161	121	113	140	119	175	181	124	98	72	58	35	44	23	31	1,998
	T	63	274	321	251	239	281	236	323	304	231	185	124	103	80	68	48	77	3,298
04 South Okanagan Similkameen	M	48	241	220	218	203	179	158	183	176	151	107	77	65	45	43	18	28	2,148
	F	49	229	210	183	177	186	210	243	192	177	136	89	73	47	33	29	42	2,308
	T	97	470	430	401	380	365	368	406	368	328	243	166	138	92	76	47	70	4,448
05 Thompson	M	141	534	649	552	538	610	533	596	514	422	363	242	183	148	111	66	121	6,323
	F	129	477	566	537	471	568	558	704	573	483	390	253	205	132	137	69	150	6,402
	T	270	1,011	1,215	1,089	1,009	1,178	1,091	1,300	1,087	905	753	495	388	280	248	135	271	12,725
06 Fraser Valley	M	112	425	472	396	325	352	330	373	311	280	195	146	107	89	57	39	72	4,081
	F	118	407	422	384	350	361	386	451	402	344	223	161	102	99	70	33	68	4,381
	T	230	832	894	780	675	713	716	824	713	624	418	307	209	188	127	72	140	8,462
07 South Fraser Valley	M	66	321	276	163	144	135	192	177	161	103	65	50	28	29	22	13	14	1,961
	F	76	293	244	162	145	172	207	255	195	139	100	73	67	43	21	23	18	2,233
	T	142	614	522	325	289	307	399	432	356	242	165	123	95	72	43	36	32	4,194
08 Simon Fraser	M	57	199	146	100	93	95	140	128	92	69	57	24	18	21	8	4	8	1,259
	F	34	200	153	90	86	121	169	154	123	87	54	44	37	20	13	13	8	1,496
	T	91	399	299	190	179	216	309	282	215	156	111	68	55	41	21	17	16	2,855
09 Coast Garibaldi	M	44	204	242	197	189	196	174	195	197	128	116	76	77	36	35	29	33	2,169
	F	55	184	203	178	152	180	180	241	226	154	117	76	51	38	40	20	35	2,130
	T	99	388	445	375	341	376	354	436	423	282	233	152	128	74	75	49	68	4,298
10 Central Vancouver Island	M	185	742	939	748	609	676	630	569	519	409	315	222	155	140	102	53	104	7,117
	F	176	736	781	668	659	717	717	735	656	562	333	250	176	130	95	82	120	7,813
	T	361	1,478	1,720	1,436	1,268	1,393	1,347	1,304	1,175	971	648	472	331	270	197	135	224	14,730
11 Upper Island/Central Coast	M	103	402	441	409	364	358	330	383	341	281	228	180	135	107	73	48	59	4,242
	F	106	389	424	383	331	348	359	519	444	385	235	206	123	100	74	66	84	4,576
	T	209	791	865	792	695	706	689	902	785	666	463	386	258	207	147	114	143	8,818
12 Cariboo	M	76	335	381	370	295	350	310	341	271	194	175	125	92	76	85	51	64	3,591
	F	74	335	403	347	335	336	320	352	298	264	157	144	93	74	60	52	95	3,739
	T	150	670	784	717	630	686	630	693	569	458	332	269	185	150	145	103	159	7,330
13 North West	M	253	1,005	1,305	1,084	957	1,044	975	1,000	940	780	539	447	313	282	221	139	276	11,540
	F	222	945	1,156	1,007	860	1,024	1,142	1,181	1,052	906	625	456	309	228	193	145	289	11,740
	T	475	1,950	2,461	2,091	1,817	2,068	2,117	2,181	1,992	1,686	1,164	903	622	490	414	284	565	23,280
14 Peace Liard	M	70	275	269	179	171	157	156	165	158	95	89	54	39	30	15	21	22	1,965
	F	55	237	267	189	161	195	215	202	168	148	89	79	47	37	31	24	24	2,168
	T	125	512	536	368	332	352	371	367	326	243	178	133	86	67	46	45	46	4,133
15 Northern Interior	M	155	576	647	590	478	536	467	472	424	305	214	161	129	96	66	62	105	5,583
	F	130	545	608	508	514	531	574	577	448	355	249	185	140	94	75	47	96	5,674
	T	285	1,121	1,255	1,098	992	1,067	1,041	1,049	870	660	463	346	269	190	141	109	201	11,177
16 Vancouver	M	131	562	566	428	365	463	610	765	613	494	326	233	142	101	52	27	40	5,918
	F	114	534	544	400	361	518	589	651	627	500	375	252	174	111	73	48	64	5,935
	T	245	1,096	1,110	828	726	981	1,199	1,416	1,240	994	701	485	316	212	125	75	104	11,853
17 Burnaby	M	34	141	126	141	183	103	115	108	98	74	44	34	17	12	6	4	2	1,242
	F	23	124	157	124	166	148	134	153	147	110	82	53	28	21	8	7	5	1,490
	T	57	265	283	265	349	251	249	261	245	184	126	87	45	33	14	11	7	2,732
18 North Shore	M	26	100	169	139	109	106	107	139	109	104	57	56	37	25	22	14	17	1,336
	F	26	102	109	135	107	102	136	170	137	108	69	58	41	36	26	22	29	1,413
	T	52	202	278	274	216	210	243	309	246	212	126	114	78	61	48	36	46	2,751
19 Richmond	M	11	42	44	23	14	29	31	36	20	21	6	14	12	8	3	1	2	317
	F	10	47	34	18	14	26	40	48	34	24	24	13	15	5	1	4	4	361
	T	21	89	78	41	28	55	71	84	54	45	30	27	27	13	4	5	6	678
20 Capital	M	92	366	350	286	299	318	299	277	245	190	155	89	64	41	37	22	42	3,172
	F	96	317	351	279	297	336	374	385	326	277	167	102	99	81	39	23	46	3,697
	T	188	683	701	565	596	654	673	662	571	467	322	191	163	122	76	45	88	6,869
Provincial Total	M	1,673	6,735	7,513	6,257	5,582	5,946	5,783	6,133	5,306	4,276	3,243	2,349	1,715	1,356	1,000	655	1,070	66,677
	F	1,552	6,269	6,936	5,838	5,395	6,166	6,532	7,321	6,346	5,238	3,646	2,659	1,895	1,360	1,047	747	1,236	70,299
	T	3,225	13,004	14,449	12,092	10,977	12,061	12,315	13,454	11,741	9,517	6,889	5,009	3,609	2,716	2,047	1,402	2,306	136,976

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1996 Other Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	869	3,767	5,583	6,334	6,069	4,537	4,474	5,535	6,932	7,069	6,485	4,727	4,091	3,779	3,443	2,602	3,769	80,065
	F	789	3,706	5,279	5,984	5,440	4,128	4,348	5,715	6,826	6,674	6,101	4,526	3,936	3,496	3,342	2,975	5,310	78,577
	T	1,658	7,473	10,862	12,318	11,509	8,665	8,822	11,250	13,760	13,743	12,586	9,253	8,027	7,275	6,785	5,577	9,079	158,642
03 North Okanagan	M	552	2,682	3,873	4,272	4,050	2,945	2,946	3,746	4,589	4,392	3,978	3,193	2,850	2,856	2,820	2,296	3,127	55,167
	F	587	2,487	3,627	4,039	3,730	2,618	2,824	3,952	4,677	4,493	3,993	3,309	2,943	2,794	2,788	2,567	4,277	55,705
	T	1,139	5,169	7,500	8,311	7,780	5,563	5,770	7,698	9,266	8,885	7,971	6,502	5,793	5,650	5,608	4,863	7,404	110,872
04 South Okanagan Similkameen	M	1,168	4,780	6,852	7,178	6,645	6,074	6,267	7,468	8,385	8,032	7,319	5,880	5,271	5,705	5,979	5,303	7,770	105,876
	F	1,125	4,641	6,432	6,859	6,336	5,783	6,058	7,731	8,776	8,165	7,460	6,198	5,834	5,844	6,396	6,194	10,510	110,342
	T	2,293	9,421	13,284	14,037	12,981	11,857	12,325	15,199	17,161	16,197	14,779	11,878	11,105	11,549	12,375	11,497	18,280	216,218
05 Thompson	M	642	2,892	4,120	4,550	4,543	4,075	3,705	4,313	5,104	5,019	4,761	3,569	3,053	2,822	2,504	1,785	2,003	59,460
	F	648	2,791	3,973	4,186	4,247	3,727	3,569	4,484	5,165	4,860	4,448	3,513	2,962	2,591	2,264	1,921	2,856	58,205
	T	1,290	5,683	8,093	8,736	8,790	7,802	7,274	8,797	10,269	9,879	9,209	7,082	6,015	5,413	4,768	3,706	4,859	117,665
06 Fraser Valley	M	1,694	6,805	8,746	8,699	7,866	7,047	8,014	9,779	9,651	8,419	7,209	5,493	4,536	4,528	4,516	3,765	5,423	112,190
	F	1,522	6,523	8,234	8,072	7,242	6,628	7,594	8,979	9,099	7,956	6,939	5,501	4,822	4,530	4,848	4,620	7,584	110,693
	T	3,216	13,328	16,980	16,771	15,108	13,675	15,608	18,758	18,750	16,375	14,148	10,994	9,358	9,058	9,364	8,385	13,007	222,883
07 South Fraser Valley	M	4,097	16,483	19,773	19,812	19,047	18,220	19,814	23,298	23,879	21,700	20,063	15,618	11,886	9,493	8,442	7,243	9,954	268,822
	F	3,798	15,526	19,261	18,260	17,786	17,772	19,267	22,515	23,584	21,881	20,321	15,179	11,441	9,693	9,324	9,046	15,037	269,691
	T	7,895	32,009	39,034	38,072	36,833	35,992	39,081	45,813	47,463	43,581	40,384	30,797	23,327	19,186	17,766	16,289	24,991	538,513
08 Simon Fraser	M	2,121	8,601	10,670	10,355	9,687	9,976	12,124	14,988	15,363	13,408	11,565	8,198	6,186	5,130	4,207	3,176	4,321	150,076
	F	2,038	8,062	9,886	9,751	9,134	9,495	11,908	14,561	14,955	13,008	11,186	8,018	6,190	5,060	4,722	4,159	7,676	149,809
	T	4,159	16,663	20,556	20,106	18,821	19,471	24,032	29,549	30,318	26,416	22,751	16,216	12,376	10,190	8,929	7,335	11,997	299,885
09 Coast Garibaldi	M	443	1,846	2,314	2,325	2,043	2,302	2,644	3,052	3,212	3,044	2,866	2,087	1,615	1,524	1,479	1,157	1,388	35,341
	F	375	1,694	2,338	2,271	1,970	1,890	2,387	2,957	2,977	2,900	2,499	1,843	1,557	1,482	1,435	1,226	1,885	33,684
	T	818	3,540	4,652	4,596	4,013	4,192	5,031	6,009	6,189	5,944	5,365	3,930	3,170	3,006	2,914	2,383	3,273	69,025
10 Central Vancouver Island	M	1,134	5,253	7,178	7,713	7,393	5,846	5,953	7,852	9,100	8,993	8,585	6,552	5,657	5,481	5,721	4,805	5,900	109,116
	F	1,113	4,780	7,059	7,403	6,861	5,477	5,965	7,802	9,055	9,149	8,136	6,605	5,655	5,429	5,670	5,357	8,097	109,613
	T	2,247	10,033	14,237	15,116	14,254	11,323	11,918	15,654	18,155	18,142	16,721	13,157	11,312	10,910	11,391	10,162	13,997	218,729
11 Upper Island/Central Coast	M	647	2,758	4,259	4,456	3,989	3,012	3,379	4,632	5,193	5,026	4,611	3,507	2,729	2,495	2,067	1,511	1,814	56,085
	F	627	2,792	3,983	4,243	3,745	2,807	3,177	4,471	5,115	4,845	4,252	3,201	2,493	2,172	1,827	1,715	2,418	53,683
	T	1,274	5,550	8,242	8,699	7,734	5,819	6,556	9,103	10,308	9,871	8,863	6,708	5,222	4,667	3,894	3,226	4,232	109,768
12 Cariboo	M	436	1,742	2,558	2,825	2,789	2,017	2,141	2,507	2,966	3,041	2,793	2,181	1,717	1,486	1,291	760	851	34,125
	F	411	1,568	2,451	2,661	2,522	1,846	2,085	2,524	2,901	2,812	2,633	1,888	1,476	1,301	1,027	755	1,036	31,897
	T	849	3,310	5,009	5,486	5,311	3,863	4,226	5,031	5,889	5,853	5,426	4,069	3,193	2,787	2,318	1,515	1,887	66,022
13 North West	M	516	2,137	2,741	2,842	2,765	2,370	2,606	3,248	3,387	3,249	2,840	2,186	1,520	1,181	907	562	504	35,563
	F	499	1,971	2,632	2,776	2,469	2,056	2,314	2,711	3,029	2,655	2,277	1,744	1,205	971	769	598	693	31,369
	T	1,015	4,108	5,373	5,618	5,234	4,426	4,922	5,959	6,416	5,904	5,117	3,930	2,725	2,152	1,676	1,160	1,197	66,932
14 Peace Liard	M	487	2,030	2,568	2,718	2,434	2,283	2,623	3,065	3,049	2,627	1,964	1,549	1,169	1,078	777	495	602	31,516
	F	490	1,985	2,539	2,463	2,257	2,109	2,391	2,744	2,744	2,274	1,828	1,374	1,033	871	665	497	808	29,072
	T	977	4,015	5,107	5,181	4,691	4,392	5,014	5,809	5,793	4,901	3,792	2,923	2,202	1,947	1,442	992	1,410	60,588
15 Northern Interior	M	805	3,462	4,875	5,045	4,917	4,403	4,812	5,376	5,778	5,314	4,565	3,477	2,700	2,085	1,586	957	1,013	61,148
	F	799	3,318	4,437	4,821	4,536	4,190	4,416	5,103	5,315	4,972	4,224	3,108	2,191	1,664	1,313	986	1,392	56,787
	T	1,604	6,780	9,312	9,866	9,453	8,593	9,230	10,479	11,091	10,286	8,789	6,585	4,891	3,749	2,879	1,943	2,405	117,935
16 Vancouver	M	2,703	9,946	11,579	12,285	14,506	21,500	31,019	30,403	24,852	21,423	20,278	13,866	11,436	10,964	9,729	7,547	11,068	265,122
	F	2,762	9,115	11,179	11,567	13,970	22,632	29,519	27,275	23,596	21,666	19,708	13,821	11,761	10,543	10,121	9,606	20,395	269,236
	T	5,465	19,061	22,758	23,852	28,476	44,132	60,538	57,678	48,448	43,089	39,984	27,687	23,197	21,507	19,850	17,153	31,483	534,358
17 Burnaby	M	1,098	3,868	4,720	5,040	5,878	7,603	9,241	8,911	8,072	7,329	6,639	4,785	4,090	3,892	3,478	2,771	3,985	91,400
	F	1,018	3,565	4,534	4,920	5,501	7,473	8,266	8,215	7,803	7,341	6,942	4,919	4,323	3,982	3,756	3,526	6,870	92,954
	T	2,116	7,433	9,254	9,960	11,379	15,076	17,507	17,126	15,875	14,670	13,581	9,704	8,413	7,874	7,234	6,297	10,855	184,354
18 North Shore	M	942	3,893	5,136	5,335	5,423	5,503	5,464	6,490	7,416	7,310	7,197	5,974	4,412	3,771	3,385	2,781	3,773	84,212
	F	868	3,806	4,959	5,093	5,192	5,204	5,652	6,912	7,974	7,933	7,741	6,073	4,616	3,882	3,772	3,559	6,573	89,809
	T	1,810	7,699	10,097	10,428	10,615	10,712	11,116	13,402	15,390	15,243	14,938	12,047	9,028	7,653	7,157	6,340	10,346	174,021
19 Richmond	M	916	3,531	4,696	5,497	6,125	5,571	5,728	6,020	6,339	6,703	6,685	4,527	3,369	2,988	2,453	1,923	2,575	78,646
	F	829	3,317	4,505	4,996	5,587	5,247	5,515	6,393	7,111	7,434	6,928	4,685	3,471	3,026	2,856	2,544	4,237	78,681
	T	1,745	6,848	9,201	10,493	11,712	10,818	11,243	12,413	13,450	14,137	13,613	9,212	6,840	6,014	5,309	4,467	6,812	154,327
20 Capital	M	1,648	6,830	8,821	9,304	9,339	10,878	12,196	12,875	12,989	12,892	12,505	8,965	6,975	6,565	6,553	6,895	10,737	158,760
	F	1,458	6,439	8,682	8,834	9,049	11,092	11,419	12,388	13,574	13,667	12,910	9,419	7,525	7,046	7,732	8,821	18,168	168,223
	T	3,106	13,269	17,503	18,138	18,388	21,970	23,617	25,263	26,563	26,559	25,415	18,384	14,500	13,611	14,285	15,716	28,905	324,992
Provincial Total	M	22,915	93,294	121,053	128,574	125,467	128,159	145,143	163,549	166,269	154,973	142,857	106,093	85,235	77,798	71,310	58,126	80,982	1,867,427
	F	21,752	88,075	116,979	119,185	117,554	122,166	138,881	157,424	164,270	154,460	140,454	104,882	85,412	76,365	74,621	70,882	125,817	1,877,739
	T	44,667	181,369	237,032	245,759	243,041	248,325	283,804	320,973	330,539	309,433	283,311	210,974	170,647	154,163	145,931	128,788	206,799	3,745,166

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1997 STATUS INDIAN POPULATION ESTIMATES BY HEALTH REGION AND AGE GROUP

		Age Group (in years)																	
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	24	130	104	106	85	103	88	84	79	58	65	27	35	17	10	9	10	1,034
	F	20	104	144	90	88	90	104	120	104	95	53	52	31	21	11	6	20	1,153
	T	44	234	248	196	173	193	192	204	183	153	118	79	66	38	21	15	30	2,187
03 North Okanagan	M	33	139	162	130	117	139	127	140	123	106	86	67	45	42	31	19	44	1,552
	F	29	146	168	113	114	123	124	174	175	138	97	73	61	36	41	22	37	1,671
	T	62	285	330	243	231	262	251	314	298	244	185	140	106	78	72	41	81	3,223
04 South Okanagan Similkameen	M	62	234	226	222	207	186	166	176	176	155	115	84	64	45	45	21	26	2,210
	F	51	218	238	186	162	197	210	233	201	198	155	86	86	48	42	29	45	2,389
	T	113	452	464	408	369	383	376	409	377	353	270	172	152	93	87	50	71	4,599
05 Thompson	M	148	535	691	539	549	578	564	561	512	457	377	260	199	141	126	67	118	6,422
	F	121	497	599	515	506	532	572	708	590	522	402	289	198	142	134	78	138	6,543
	T	269	1,032	1,290	1,054	1,055	1,110	1,136	1,269	1,102	979	779	549	397	283	260	145	256	12,965
06 Fraser Valley	M	118	429	517	398	337	353	334	348	356	270	196	166	115	95	57	35	66	4,194
	F	96	426	454	396	356	389	387	437	432	360	236	176	116	103	76	28	71	4,539
	T	214	855	971	794	693	742	721	785	788	630	434	342	231	198	133	63	139	8,733
07 South Fraser Valley	M	71	308	317	178	147	138	190	195	181	112	77	60	34	27	21	16	14	2,096
	F	76	300	297	172	159	163	214	264	211	157	117	81	60	48	27	28	15	2,309
	T	147	608	614	350	306	301	404	459	392	269	194	141	94	75	48	44	29	4,475
08 Simon Fraser	M	49	206	186	96	92	98	140	125	116	67	59	30	17	15	16	3	8	1,323
	F	58	179	174	106	81	114	178	159	141	91	60	46	42	24	13	14	8	1,428
	T	107	385	360	202	173	212	318	284	257	158	119	76	59	39	29	17	16	2,811
09 Coast Garibaldi	M	48	189	257	205	187	203	179	188	215	132	117	78	76	36	29	23	31	2,195
	F	47	184	225	180	161	188	176	218	233	174	138	80	55	36	36	23	36	2,192
	T	95	373	482	385	348	391	355	406	448	306	255	158	131	76	65	46	67	4,387
10 Central Vancouver Island	M	152	709	940	769	640	641	640	559	536	413	332	231	160	135	100	63	90	7,112
	F	176	724	820	688	654	703	727	750	677	560	370	263	185	127	102	70	121	7,717
	T	328	1,433	1,760	1,457	1,294	1,344	1,367	1,309	1,215	973	702	494	345	262	202	133	211	14,829
11 Upper Island/Central Coast	M	96	409	491	394	373	374	328	378	349	308	251	171	134	124	71	46	52	4,349
	F	71	387	467	377	346	342	360	478	506	405	262	210	148	102	74	66	77	4,678
	T	167	796	958	771	719	716	688	856	855	713	513	381	282	226	145	112	129	9,027
12 Cariboo	M	95	338	379	380	305	336	312	343	295	211	179	124	93	78	77	61	51	3,657
	F	69	318	433	367	326	332	342	345	311	279	178	136	114	61	57	55	84	3,825
	T	164	656	812	747	631	668	654	688	606	490	355	260	207	139	134	116	135	7,482
13 North West	M	228	985	1,340	1,090	1,004	1,025	993	979	961	803	566	471	331	268	225	136	254	11,659
	F	228	910	1,163	1,075	874	995	1,129	1,166	1,113	973	673	476	332	249	197	136	270	11,959
	T	456	1,895	2,503	2,165	1,878	2,020	2,122	2,145	2,074	1,776	1,239	947	663	517	422	272	524	23,618
14 Peace Liard	M	80	293	281	196	168	151	169	150	172	106	88	59	43	26	19	21	24	2,046
	F	58	238	271	215	154	187	237	208	180	154	89	88	58	36	31	26	27	2,257
	T	138	531	552	411	322	338	406	358	352	260	177	147	101	62	50	47	51	4,303
15 Northern Interior	M	131	586	689	570	498	516	519	457	443	334	231	162	134	82	74	51	108	5,587
	F	129	530	654	503	501	548	585	606	482	359	278	196	149	86	80	47	88	5,801
	T	260	1,116	1,343	1,073	999	1,064	1,084	1,063	925	693	509	358	283	168	154	98	196	11,388
16 Vancouver	M	112	525	620	434	370	441	581	706	646	501	321	237	157	98	59	27	42	5,877
	F	109	511	594	413	360	482	616	625	603	528	405	280	188	110	78	43	82	6,007
	T	221	1,036	1,214	847	730	923	1,197	1,331	1,249	1,029	726	517	345	208	137	70	104	11,884
17 Burnaby	M	41	145	148	149	151	154	120	111	95	81	45	33	25	11	8	4	3	1,324
	F	42	119	154	144	133	163	162	147	149	128	83	61	33	23	13	7	6	1,565
	T	83	264	302	293	284	317	282	258	244	207	128	94	58	34	21	11	9	2,889
18 North Shore	M	36	97	168	136	118	105	105	134	114	104	67	48	41	23	21	16	15	1,350
	F	21	103	114	129	112	109	127	158	156	106	81	61	43	42	26	24	25	1,437
	T	57	200	282	267	230	214	232	292	270	210	148	109	84	65	47	40	40	2,787
19 Richmond	M	7	39	48	30	11	24	26	39	26	16	8	14	9	8	4	-	1	310
	F	10	46	43	19	9	24	40	41	43	25	22	17	12	12	-	3	3	389
	T	17	85	91	49	20	48	66	80	69	41	30	31	21	20	4	3	4	679
20 Capital	M	95	376	372	297	305	314	313	275	278	197	166	100	60	51	37	23	37	3,296
	F	87	352	347	286	286	339	389	373	347	312	193	117	97	79	51	22	47	3,726
	T	182	728	719	585	591	653	702	648	625	509	359	217	157	130	88	45	84	7,022
Provincial Total	**M**	**1,628**	**6,884**	**7,947**	**6,331**	**5,682**	**5,889**	**5,901**	**5,956**	**5,683**	**4,441**	**3,304**	**2,496**	**1,801**	**1,349**	**1,037**	**648**	**1,002**	**67,840**
	F	**1,500**	**6,302**	**7,373**	**5,988**	**5,399**	**6,034**	**6,674**	**7,218**	**6,659**	**5,586**	**3,956**	**2,836**	**2,032**	**1,421**	**1,092**	**740**	**1,185**	**71,997**
	T	**3,128**	**12,986**	**15,320**	**12,319**	**11,081**	**11,923**	**12,575**	**13,174**	**12,342**	**10,027**	**7,260**	**5,305**	**3,833**	**2,770**	**2,129**	**1,389**	**2,187**	**139,838**

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1997 OTHER POPULATION ESTIMATES BY HEALTH REGION AND AGE GROUP

		Age Group (in years)																	
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	807	3,672	5,591	6,325	6,239	4,692	4,393	5,308	6,826	7,235	6,639	5,240	4,121	3,801	3,589	2,693	3,785	80,956
	F	701	3,574	5,222	5,941	5,703	4,228	4,307	5,464	6,825	6,938	6,257	4,835	4,115	3,525	3,420	3,061	5,446	79,562
	T	1,508	7,246	10,813	12,266	11,942	8,920	8,700	10,772	13,651	14,173	12,896	10,075	8,236	7,326	7,009	5,754	9,231	160,518
03 North Okanagan	M	600	2,594	3,902	4,385	4,180	3,117	2,889	3,657	4,656	4,578	4,130	3,422	2,981	2,828	2,965	2,363	3,206	56,453
	F	525	2,482	3,670	4,014	4,044	2,752	2,740	3,861	4,628	4,703	4,157	3,533	3,051	2,883	2,942	2,542	4,399	57,126
	T	1,125	5,076	7,572	8,399	8,224	5,869	5,629	7,518	9,484	9,281	8,287	6,955	6,032	5,711	5,907	4,905	7,605	113,579
04 South Okanagan Similkameen	M	1,040	4,824	6,908	7,392	6,874	6,188	6,352	7,266	8,683	8,418	7,531	6,174	5,377	5,666	6,235	5,376	8,119	108,423
	F	1,035	4,676	6,554	6,993	6,680	5,935	6,113	7,576	9,011	8,623	7,677	6,674	5,972	5,911	6,511	6,229	11,029	113,199
	T	2,075	9,500	13,462	14,385	13,554	12,123	12,465	14,842	17,694	17,041	15,208	12,848	11,349	11,577	12,746	11,605	19,148	221,622
05 Thompson	M	646	2,891	4,124	4,625	4,661	4,145	3,757	4,283	5,202	5,204	4,851	3,897	3,125	2,808	2,608	1,919	2,092	60,838
	F	582	2,783	4,017	4,269	4,328	3,877	3,664	4,339	5,262	5,017	4,544	3,856	3,074	2,649	2,355	1,997	3,011	59,644
	T	1,228	5,674	8,141	8,914	8,989	8,022	7,421	8,622	10,464	10,221	9,395	7,753	6,199	5,457	4,963	3,916	5,103	120,482
06 Fraser Valley	M	1,495	6,858	8,933	8,915	8,120	7,194	7,931	9,529	9,920	8,926	7,402	5,983	4,669	4,421	4,638	3,845	5,595	114,374
	F	1,454	6,475	8,381	8,229	7,664	6,663	7,550	8,852	9,337	8,400	7,091	5,895	4,923	4,641	4,841	4,741	7,875	113,012
	T	2,949	13,333	17,314	17,144	15,784	13,857	15,481	18,381	19,257	17,326	14,493	11,878	9,592	9,062	9,479	8,586	13,470	227,386
07 South Fraser Valley	M	3,769	16,535	20,406	20,142	19,377	18,391	19,384	22,999	24,892	22,587	20,320	17,005	12,590	9,766	8,976	7,340	10,505	274,966
	F	3,496	15,605	19,877	18,581	18,191	17,831	19,404	22,325	24,088	23,064	20,570	16,649	12,095	10,011	9,704	9,063	15,862	276,416
	T	7,265	32,140	40,285	38,723	37,568	36,222	38,788	45,324	48,980	45,651	40,890	33,654	24,685	19,777	18,680	16,403	26,367	551,402
08 Simon Fraser	M	1,955	8,705	10,902	10,607	10,027	9,966	11,841	14,735	15,809	14,072	11,998	9,000	6,523	5,215	4,335	3,343	4,459	153,492
	F	1,851	8,140	10,178	9,923	9,459	9,409	11,909	14,252	15,627	13,571	11,495	8,850	6,520	5,190	4,712	4,255	8,153	153,494
	T	3,806	16,845	21,080	20,530	19,486	19,375	23,750	28,987	31,436	27,643	23,493	17,850	13,043	10,405	9,047	7,598	12,612	306,986
09 Coast Garibaldi	M	358	1,783	2,388	2,435	2,340	2,626	2,786	2,945	3,352	3,162	2,943	2,367	1,713	1,507	1,532	1,167	1,469	36,873
	F	375	1,673	2,336	2,336	2,287	2,187	2,492	2,883	3,070	3,046	2,819	2,026	1,655	1,446	1,454	1,227	2,029	35,141
	T	733	3,456	4,724	4,771	4,627	4,813	5,278	5,828	6,422	6,208	5,562	4,393	3,368	2,953	2,986	2,394	3,498	72,014
10 Central Vancouver Island	M	1,068	5,172	7,385	7,878	7,711	6,075	6,015	7,551	9,360	9,373	8,778	7,196	5,911	5,504	5,845	4,955	6,221	112,018
	F	1,027	4,784	7,114	7,506	7,324	5,731	5,928	7,573	9,288	9,537	8,345	7,203	5,936	5,549	5,820	5,372	8,643	112,680
	T	2,115	9,956	14,499	15,384	15,035	11,806	11,943	15,124	18,648	18,910	17,123	14,399	11,847	11,053	11,665	10,327	14,864	224,698
11 Upper Island/Central Coast	M	619	2,748	4,192	4,537	4,258	3,149	3,268	4,481	5,282	5,225	4,722	3,833	2,884	2,507	2,171	1,586	1,928	57,390
	F	582	2,736	4,040	4,345	3,995	2,844	3,174	4,334	5,207	4,894	4,368	3,459	2,629	2,216	1,859	1,758	2,631	55,073
	T	1,201	5,486	8,232	8,882	8,253	5,993	6,442	8,815	10,489	10,119	9,090	7,292	5,513	4,723	4,030	3,344	4,559	112,463
12 Cariboo	M	429	1,813	2,672	2,693	2,815	2,137	2,189	2,525	3,084	3,173	2,889	2,364	1,820	1,494	1,321	826	906	35,350
	F	470	1,716	2,421	2,717	2,654	1,921	2,129	2,591	2,909	2,995	2,628	2,142	1,540	1,339	1,089	761	1,063	33,105
	T	899	3,529	5,093	5,610	5,469	4,058	4,318	5,116	5,993	6,168	5,517	4,506	3,360	2,833	2,410	1,587	1,969	68,455
13 North West	M	462	2,132	2,804	2,882	2,816	2,398	2,624	3,182	3,472	3,318	2,930	2,315	1,635	1,141	979	600	548	36,236
	F	432	2,029	2,600	2,797	2,558	2,122	2,306	2,716	3,028	2,738	2,298	1,864	1,312	987	791	607	784	31,969
	T	894	4,161	5,404	5,679	5,374	4,520	4,930	5,898	6,500	6,056	5,228	4,179	2,947	2,128	1,770	1,207	1,332	68,207
14 Peace Liard	M	419	2,017	2,613	2,659	2,514	2,243	2,536	2,958	3,150	2,773	2,032	1,634	1,183	1,108	771	552	618	31,780
	F	407	2,017	2,533	2,503	2,296	2,068	2,353	2,676	2,813	2,370	1,828	1,501	1,053	899	718	480	845	29,360
	T	826	4,034	5,146	5,162	4,810	4,311	4,889	5,634	5,963	5,143	3,860	3,135	2,236	2,007	1,489	1,032	1,463	61,140
15 Northern Interior	M	778	3,463	4,828	5,101	5,022	4,535	4,816	5,399	5,795	5,559	4,747	3,779	2,877	2,146	1,648	1,056	1,039	62,586
	F	763	3,381	4,537	4,816	4,655	4,256	4,592	5,085	5,498	5,162	4,246	3,387	2,296	1,637	1,397	1,012	1,490	58,210
	T	1,539	6,844	9,365	9,917	9,677	8,791	9,408	10,484	11,293	10,721	8,993	7,166	5,173	3,783	3,045	2,068	2,529	120,796
16 Vancouver	M	2,976	10,206	11,623	12,370	14,538	21,918	31,469	30,847	25,535	21,691	20,722	14,927	11,518	10,824	9,589	7,463	11,789	270,005
	F	2,756	9,605	10,988	11,723	14,168	22,873	30,550	27,861	24,106	22,089	20,228	14,871	11,905	10,564	9,669	9,337	21,228	274,521
	T	5,732	19,811	22,611	24,093	28,706	44,791	62,019	58,708	49,641	43,780	40,950	29,798	23,423	21,388	19,258	16,800	33,017	544,526
17 Burnaby	M	1,032	4,049	4,733	5,036	5,749	7,154	9,238	8,924	8,387	7,441	6,831	5,210	4,194	3,858	3,472	2,788	4,107	92,203
	F	918	3,733	4,509	4,896	5,472	7,156	8,443	8,260	7,940	7,581	7,127	5,368	4,361	4,072	3,588	3,428	7,113	93,965
	T	1,950	7,782	9,242	9,932	11,221	14,310	17,681	17,184	16,327	15,022	13,958	10,578	8,555	7,930	7,060	6,216	11,220	186,168
18 North Shore	M	830	3,883	5,197	5,331	5,519	5,472	5,427	6,192	7,339	7,542	7,120	6,434	4,621	3,806	3,362	2,800	4,000	84,937
	F	854	3,688	5,024	5,249	5,211	5,241	5,518	6,692	8,000	8,132	7,728	6,623	4,766	3,884	3,792	3,498	6,849	90,747
	T	1,744	7,571	10,221	10,580	10,730	10,713	10,945	12,884	15,339	15,674	14,846	13,057	9,387	7,692	7,154	6,298	10,849	175,684
19 Richmond	M	891	3,586	4,749	5,307	6,157	5,956	5,861	6,127	6,516	6,719	6,817	5,059	3,656	3,050	2,291	1,847	2,928	77,517
	F	737	3,351	4,393	5,009	5,622	5,577	5,718	6,482	7,163	7,479	7,175	5,395	3,691	3,189	2,574	2,494	4,720	80,769
	T	1,628	6,937	9,142	10,316	11,779	11,533	11,579	12,609	13,679	14,198	13,992	10,454	7,347	6,239	4,865	4,341	7,648	158,286
20 Capital	M	1,426	6,794	8,969	9,365	9,451	10,564	11,934	12,691	13,099	13,131	12,539	9,991	7,328	6,485	6,713	6,434	11,021	157,935
	F	1,498	6,241	8,805	8,911	9,229	10,862	11,257	12,066	13,660	13,851	13,042	10,393	7,956	7,033	7,727	8,664	18,548	169,765
	T	2,924	13,035	17,774	18,276	18,680	21,426	23,191	24,779	26,759	26,982	25,581	20,384	15,284	13,518	14,440	15,098	29,569	327,700
Provincial Total	M	21,676	93,715	122,910	128,175	128,350	127,910	144,763	161,591	170,361	160,117	145,897	115,788	88,897	77,912	73,033	58,946	84,329	1,904,897
	F	20,461	88,881	117,185	120,766	121,523	123,519	140,132	165,902	167,655	160,198	143,365	114,476	88,828	77,811	74,980	70,513	131,733	1,917,496
	T	42,137	182,396	240,095	248,941	249,873	251,429	284,895	317,493	338,006	320,283	289,252	230,261	177,525	155,723	147,993	129,458	216,062	3,821,982

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1998 STATUS INDIAN POPULATION ESTIMATES BY HEALTH REGION AND AGE GROUP

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	34	128	116	111	86	109	81	97	81	58	66	35	35	15	14	8	13	1,067
	F	27	102	135	106	74	97	111	110	134	97	50	57	36	22	13	5	21	1,197
	T	61	230	251	217	160	206	192	207	215	155	116	92	71	37	27	13	34	2,264
03 North Okanagan	M	43	140	185	120	119	144	134	130	126	110	102	64	45	51	27	19	48	1,807
	F	34	134	173	127	118	115	134	165	187	147	101	84	68	38	35	28	40	1,728
	T	77	274	358	247	237	259	268	295	313	257	203	148	113	89	62	47	88	3,335
04 South Okanagan Similkameen	M	62	221	246	228	206	200	187	170	180	160	132	93	63	50	44	23	32	2,297
	F	48	213	250	185	175	192	205	239	224	200	170	97	81	54	49	34	51	2,467
	T	110	434	496	413	381	392	392	409	404	360	302	190	144	104	93	57	83	4,764
05 Thompson	M	105	564	712	564	573	559	580	558	543	489	367	283	216	140	125	77	127	6,582
	F	160	500	632	540	518	534	585	666	692	509	433	312	200	161	137	87	154	6,820
	T	265	1,064	1,344	1,104	1,091	1,093	1,165	1,224	1,235	998	800	595	416	301	262	164	281	13,402
06 Fraser Valley	M	121	423	568	404	359	354	341	357	369	279	211	182	119	93	66	38	71	4,355
	F	104	420	476	412	364	397	384	444	482	364	275	187	136	98	92	33	72	4,740
	T	225	843	1,044	816	723	751	725	801	851	643	486	369	255	191	158	71	143	9,095
07 South Fraser Valley	M	107	314	343	185	173	141	171	206	187	114	81	71	46	26	27	16	13	2,221
	F	107	308	325	189	158	168	225	237	260	157	126	90	69	59	31	30	18	2,557
	T	214	622	668	374	331	309	396	443	447	271	207	161	115	85	58	46	31	4,778
08 Simon Fraser	M	49	201	201	110	86	106	151	124	134	70	59	31	21	13	19	3	7	1,385
	F	49	201	189	109	80	114	186	164	139	91	73	54	41	28	17	13	7	1,555
	T	98	402	390	219	166	220	337	288	273	161	132	85	62	41	36	16	14	2,940
09 Coast Garibaldi	M	38	194	254	225	191	212	187	166	220	139	127	86	70	47	27	24	34	2,241
	F	52	192	220	196	169	183	180	210	248	190	139	89	56	45	32	25	39	2,267
	T	90	386	474	421	360	395	367	376	468	329	266	175	126	92	59	49	73	4,508
10 Central Vancouver Island	M	161	677	960	808	668	645	667	563	552	428	374	249	164	131	102	65	96	7,310
	F	166	723	871	701	655	705	739	742	721	589	409	289	191	140	115	67	132	7,955
	T	327	1,400	1,831	1,509	1,323	1,350	1,406	1,305	1,273	1,017	783	538	355	271	217	132	228	15,265
11 Upper Island/Central Coast	M	92	405	504	415	384	380	323	359	368	307	265	187	138	123	81	47	53	4,431
	F	105	361	483	397	345	356	363	448	552	397	298	221	165	110	85	59	86	4,831
	T	197	766	987	812	729	736	686	807	920	704	563	408	303	233	166	106	139	9,262
12 Cariboo	M	80	344	398	381	321	330	330	336	308	223	176	136	102	74	88	63	60	3,750
	F	68	299	440	377	329	344	345	343	339	270	207	144	114	87	82	55	88	3,911
	T	148	643	838	758	650	674	675	679	647	493	383	280	216	161	150	118	148	7,661
13 North West	M	225	955	1,331	1,132	1,000	1,033	991	935	1,014	823	602	491	353	281	227	140	277	11,810
	F	208	892	1,185	1,069	903	963	1,086	1,170	1,207	948	747	512	357	276	184	170	275	12,152
	T	433	1,847	2,516	2,201	1,903	1,996	2,077	2,105	2,221	1,771	1,349	1,003	710	557	411	310	552	23,962
14 Peace Liard	M	64	309	305	210	173	164	160	155	174	118	95	73	43	26	18	17	30	2,134
	F	45	235	296	226	149	204	237	215	185	164	107	82	66	39	35	26	33	2,346
	T	109	544	601	436	322	368	397	370	359	282	202	155	111	65	53	43	63	4,480
15 Northern Interior	M	150	558	719	579	517	511	515	453	467	350	256	174	136	102	72	51	109	5,719
	F	135	542	675	514	518	542	557	614	533	378	306	204	153	97	89	47	95	5,999
	T	285	1,100	1,394	1,093	1,035	1,053	1,072	1,067	1,000	728	562	378	289	199	161	98	204	11,718
16 Vancouver	M	105	507	637	442	388	388	589	686	678	520	349	254	163	102	72	30	48	5,956
	F	119	485	630	421	359	475	586	600	628	538	421	292	204	126	65	52	64	6,065
	T	224	992	1,267	863	747	863	1,175	1,286	1,306	1,058	770	546	367	228	137	82	110	12,021
17 Burnaby	M	29	150	155	146	116	186	109	110	101	71	53	34	23	13	9	5	3	1,313
	F	36	121	164	147	98	200	155	150	167	119	83	78	36	26	13	8	8	1,609
	T	65	271	319	293	214	386	264	260	268	190	136	112	59	39	22	13	11	2,922
18 North Shore	M	20	105	170	136	136	85	119	115	129	91	81	44	47	25	19	16	18	1,356
	F	27	94	129	114	121	114	120	150	174	109	84	67	50	40	28	23	31	1,475
	T	47	199	299	250	257	199	239	265	303	200	165	111	97	65	47	39	49	2,831
19 Richmond	M	7	37	51	32	16	26	25	45	24	17	11	13	6	10	6	-	1	327
	F	6	38	53	24	12	18	35	42	44	32	28	18	12	13	1	2	3	381
	T	13	75	104	56	28	44	60	87	68	49	39	31	18	23	7	2	4	708
20 Capital	M	95	387	398	305	302	332	321	274	283	195	170	123	82	55	41	23	37	3,403
	F	69	345	395	268	306	349	380	369	388	330	207	126	105	73	60	25	50	3,845
	T	164	732	793	573	608	681	701	643	671	525	377	249	187	128	101	48	87	7,248
Provincial Total	M	1,589	6,631	8,261	6,547	5,821	5,925	5,989	5,846	5,947	4,574	3,612	2,670	1,879	1,403	1,094	673	1,082	68,543
	F	1,568	6,217	7,735	6,137	5,466	6,094	6,826	7,085	7,311	5,649	4,322	3,057	2,169	1,546	1,149	801	1,272	74,396
	T	3,157	12,848	15,996	12,684	11,287	12,019	12,815	12,931	13,258	10,223	7,934	5,728	4,048	2,951	2,243	1,474	2,354	143,790

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1998 Other Population Estimates by Health Region and Age Group

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	726	3,508	5,505	6,148	6,395	4,948	4,332	4,912	6,621	7,318	6,758	5,683	4,255	3,816	3,645	2,787	3,891	81,248
	F	685	3,385	5,137	5,730	6,008	4 389	4,190	5,107	6,768	7,090	6,321	5,197	4,248	3,653	3,412	3,071	5,630	80,021
	T	1,411	6,893	10,642	11,878	12,403	9,337	8,522	10,019	13,389	14,408	13,079	10,880	8,503	7,469	7,057	5,858	9,521	161,269
03 North Okanagan	M	513	2,528	3,882	4,330	4,291	3,322	2,775	3,437	4,649	4,720	4,224	3,605	3,118	2,628	2,914	2,403	3,359	56,906
	F	494	2,380	3,609	4,050	4,120	2,937	2,626	3,603	4,819	4,881	4,319	3,661	3,196	2,903	2,952	2,556	4,602	57,710
	T	1,007	4,908	7,491	8,380	8,411	6,259	5,403	7,040	9,468	9,601	8,543	7,266	6,314	5,731	5,866	4,959	7,961	114,616
04 South Okanagan Similkameen	M	1,019	4,737	6,557	7,436	7,234	6,277	6,283	6,963	8,775	8,701	7,806	6,567	5,477	5,694	6,185	5,528	8,341	109,884
	F	965	4,555	6,541	7,146	6,826	6,139	6,145	7,218	9,130	8,960	7,941	7,000	6,165	5,954	6,519	6,213	11,556	114,973
	T	1,984	9,292	13,398	14,584	14,060	12,416	12,428	14,181	17,905	17,661	15,749	13,567	11,642	11,648	12,704	11,741	19,897	224,857
05 Thompson	M	617	2,820	4,058	4,618	4,695	4,239	3,825	3,999	5,158	5,362	4,905	4,178	3,271	2,848	2,681	2,015	2,187	61,476
	F	555	2,711	3,906	4,345	4,406	3,914	3,713	4,114	5,234	5,170	4,670	4,009	3,200	2,743	2,412	2,013	3,191	60,306
	T	1,172	5,531	7,964	8,963	9,101	8,153	7,538	8,113	10,392	10,532	9,575	8,187	6,471	5,591	5,093	4,028	5,378	121,782
06 Fraser Valley	M	1,532	6,662	8,948	9,028	8,347	7,287	7,543	8,998	10,181	9,242	7,610	6,297	4,914	4,343	4,732	3,889	5,787	115,340
	F	1,441	6,194	8,518	8,382	7,847	6,716	7,274	8,560	9,448	8,662	7,290	6,190	5,079	4,636	4,822	4,808	8,303	114,170
	T	2,973	12,856	17,466	17,410	16,194	14,003	14,817	17,558	19,629	17,904	14,900	12,487	9,993	8,979	9,554	8,697	14,090	229,510
07 South Fraser Valley	M	3,803	16,418	20,697	20,352	19,655	18,423	18,706	22,164	25,056	23,453	20,556	18,143	13,433	10,060	9,242	7,492	11,005	278,658
	F	3,605	15,339	20,198	18,891	18,535	17,390	18,988	21,706	24,538	23,670	20,867	17,906	12,904	10,269	9,873	9,166	16,831	280,676
	T	7,408	31,757	40,895	39,243	38,190	35,813	37,694	43,870	49,594	47,123	41,423	36,049	26,337	20,329	19,115	16,658	27,836	559,334
08 Simon Fraser	M	1,901	8,440	11,098	10,786	10,355	9,991	11,338	14,147	16,147	14,660	12,409	9,848	6,900	5,420	4,412	3,453	4,657	155,962
	F	1,850	7,921	10,365	10,020	9,839	9,480	11,414	13,824	15,954	14,317	11,830	9,604	7,034	5,278	4,757	4,297	8,523	156,307
	T	3,751	16,361	21,463	20,806	20,194	19,471	22,752	27,971	32,101	28,977	24,239	19,452	13,934	10,698	9,169	7,750	13,180	312,269
09 Coast Garibaldi	M	366	1,666	2,415	2,417	2,458	2,798	2,912	2,814	3,330	3,249	3,030	2,561	1,797	1,563	1,538	1,192	1,585	37,691
	F	355	1,607	2,304	2,331	2,461	2,469	2,509	2,698	3,090	3,112	2,752	2,204	1,730	1,448	1,484	1,255	2,133	35,942
	T	721	3,273	4,719	4,748	4,919	5,267	5,421	5,512	6,420	6,361	5,782	4,765	3,527	3,011	3,022	2,447	3,718	73,633
10 Central Vancouver Island	M	1,016	4,972	7,333	7,841	7,881	6,321	5,794	7,089	9,267	9,533	8,984	7,647	6,179	5,522	5,883	5,082	6,567	112,871
	F	1,013	4,556	7,027	7,526	7,523	5,844	5,809	7,202	9,189	9,731	8,507	7,636	6,227	5,809	5,834	5,329	9,213	113,775
	T	2,029	9,528	14,360	15,367	15,404	12,165	11,603	14,271	18,456	19,264	17,471	15,283	12,406	11,131	11,717	10,411	15,780	226,646
11 Upper Island/Central Coast	M	555	2,716	4,043	4,556	4,396	3,235	3,065	4,175	5,326	5,356	4,812	4,001	3,063	2,564	2,251	1,641	2,041	57,816
	F	540	2,600	3,999	4,318	4,165	2,907	3,074	4,066	5,179	5,063	4,369	3,728	2,825	2,233	1,960	1,738	2,812	55,576
	T	1,095	5,316	8,042	8,874	8,561	6,142	6,159	8,241	10,505	10,419	9,181	7,729	5,888	4,797	4,211	3,379	4,853	113,392
12 Cariboo	M	408	1,782	2,651	2,843	2,844	2,269	2,060	2,398	3,092	3,185	2,892	2,578	1,864	1,573	1,301	877	953	35,570
	F	348	1,765	2,329	2,697	2,765	1,999	2,078	2,435	2,907	3,069	2,664	2,273	1,668	1,332	1,125	803	1,137	33,394
	T	756	3,547	4,980	5,540	5,609	4,268	4,138	4,833	5,999	6,254	5,556	4,851	3,532	2,905	2,426	1,680	2,090	68,964
13 North West	M	427	2,039	2,745	2,800	2,808	2,395	2,518	3,064	3,371	3,360	2,978	2,359	1,705	1,100	982	651	578	33,880
	F	419	1,941	2,632	2,630	2,622	2,118	2,186	2,547	2,979	2,829	2,263	1,923	1,393	952	837	582	820	31,673
	T	846	3,980	5,377	5,430	5,430	4,513	4,704	5,611	6,350	6,189	5,241	4,282	3,098	2,052	1,819	1,233	1,398	67,553
14 Peace Liard	M	453	1,954	2,617	2,600	2,558	2,316	2,503	2,797	3,180	2,875	2,134	1,674	1,245	1,075	787	571	622	31,961
	F	397	1,923	2,575	2,519	2,326	2,101	2,273	2,608	2,873	2,410	1,913	1,580	1,072	926	722	506	865	29,589
	T	850	3,877	5,192	5,119	4,884	4,417	4,776	5,405	6,053	5,285	4,047	3,254	2,317	2,001	1,509	1,077	1,487	61,550
15 Northern Interior	M	693	3,344	4,716	5,178	5,104	4,559	4,635	5,184	5,921	5,638	4,913	3,989	3,005	2,232	1,729	1,074	1,080	62,994
	F	718	3,240	4,561	4,725	4,722	4,261	4,473	4,917	5,503	5,259	4,435	3,636	2,422	1,696	1,464	1,052	1,575	58,659
	T	1,411	6,584	9,277	9,903	9,826	8,820	9,108	10,101	11,424	10,897	9,348	7,625	5,427	3,928	3,193	2,126	2,655	121,653
16 Vancouver	M	2,820	10,669	11,766	12,316	14,460	21,153	30,962	30,999	26,649	22,263	21,045	16,026	11,725	10,635	9,722	7,678	12,001	272,889
	F	2,675	9,962	11,040	11,663	14,063	22,179	30,588	28,430	24,903	22,582	20,784	15,836	12,054	10,763	9,704	9,306	21,356	277,888
	T	5,495	20,631	22,806	23,979	28,523	43,332	61,550	59,429	51,552	44,845	41,829	31,862	23,779	21,398	19,426	16,984	33,357	550,777
17 Burnaby	M	1,022	4,159	4,727	4,966	5,532	6,626	8,928	8,803	8,577	7,820	6,930	5,508	4,406	3,878	3,435	2,783	4,275	92,175
	F	918	3,757	4,494	4,768	5,374	6,638	8,231	8,278	8,018	7,736	7,277	5,740	4,545	4,055	3,579	3,429	7,249	94,086
	T	1,940	7,916	9,221	9,734	10,906	13,264	17,159	17,081	16,595	15,356	14,207	11,248	8,951	7,933	7,014	6,212	11,524	186,261
18 North Shore	M	807	3,780	5,194	5,262	5,722	5,521	5,309	5,803	7,299	7,658	7,145	6,732	4,947	3,848	3,327	2,850	4,166	85,370
	F	769	3,576	4,993	5,311	5,339	5,285	5,283	6,417	7,950	8,312	7,879	6,940	5,054	3,998	3,786	3,396	7,102	91,370
	T	1,576	7,356	10,187	10,573	11,061	10,806	10,592	12,220	15,249	15,970	15,024	13,672	10,001	7,846	7,093	6,246	11,268	176,740
19 Richmond	M	890	3,591	4,714	5,196	6,127	6,191	5,896	6,061	6,821	6,709	6,921	5,605	3,929	3,075	2,412	1,851	3,089	78,878
	F	790	3,259	4,370	4,908	5,641	5,826	5,782	6,238	7,284	7,600	7,450	5,960	4,017	3,286	2,581	2,468	4,909	82,371
	T	1,680	6,850	9,084	10,104	11,768	12,017	11,678	12,299	13,905	14,309	14,371	11,565	7,946	6,363	4,993	4,319	7,998	161,249
20 Capital	M	1,449	6,516	8,917	9,236	9,550	9,875	11,699	12,106	13,271	13,083	12,777	10,604	7,735	6,450	6,660	6,312	11,458	157,698
	F	1,410	6,143	8,635	8,963	9,173	10,303	11,332	11,589	13,547	13,943	13,203	11,279	8,197	7,115	7,543	8,340	19,125	189,840
	T	2,859	12,659	17,552	18,199	18,723	20,178	23,031	23,695	26,818	27,026	25,980	21,883	15,932	13,565	14,203	14,652	30,583	327,538
Provincial Total	**M**	**21,015**	**92,289**	**122,875**	**127,905**	**130,405**	**127,726**	**141,095**	**155,896**	**172,482**	**163,973**	**148,776**	**123,558**	**92,941**	**78,498**	**73,828**	**60,121**	**87,836**	**1,921,098**
	F	**19,944**	**86,802**	**117,219**	**120,908**	**123,740**	**122,871**	**137,957**	**151,550**	**169,306**	**164,376**	**146,676**	**122,248**	**93,005**	**79,835**	**75,340**	**70,216**	**138,927**	**1,938,039**
	T	**40,959**	**179,091**	**240,094**	**248,813**	**254,145**	**250,597**	**279,052**	**307,436**	**341,788**	**328,349**	**295,452**	**245,805**	**185,946**	**157,333**	**149,168**	**130,437**	**224,562**	**3,859,027**

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1999 STATUS INDIAN POPULATION ESTIMATES BY HEALTH REGION AND AGE GROUP

		Age Group (in years)																
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	24	131	141	95	94	106	87	100	85	68	64	36	36	21	15	7	15	1,127
	F	34	97	147	102	87	80	113	113	129	109	61	66	36	23	20	5	20	1,242
	T	58	228	288	197	181	186	200	213	214	177	125	102	72	44	35	12	35	2,369
03 North Okanagan	M	29	140	190	137	121	135	131	128	140	112	105	71	48	48	34	19	48	1,636
	F	33	139	164	151	116	121	142	145	207	162	109	94	67	47	34	30	45	1,806
	T	62	279	354	288	237	256	273	273	347	274	214	165	115	95	68	49	93	3,442
04 South Okanagan Similkameen	M	47	236	262	221	212	206	197	165	186	167	142	101	62	56	50	24	31	2,365
	F	67	215	285	182	184	183	223	243	258	188	192	114	81	66	50	37	59	2,627
	T	114	451	547	403	396	389	420	408	444	355	334	215	143	122	100	61	90	4,992
05 Thompson	M	121	531	747	617	575	583	580	552	583	490	400	303	221	147	146	82	130	6,808
	F	108	523	683	557	531	529	611	628	735	573	443	344	208	185	132	102	158	7,050
	T	229	1,054	1,430	1,174	1,106	1,112	1,191	1,180	1,318	1,063	843	647	429	332	278	184	288	13,858
06 Fraser Valley	M	113	451	578	416	366	352	388	341	375	291	236	189	129	96	76	38	74	4,511
	F	89	426	503	393	398	385	404	439	485	385	306	192	148	107	96	46	70	4,874
	T	202	877	1,081	809	764	737	792	780	860	676	542	381	277	203	176	84	144	9,385
07 South Fraser Valley	M	82	346	407	193	164	151	168	200	169	140	90	73	45	33	28	14	17	2,340
	F	76	331	379	191	165	169	232	240	278	187	134	115	64	68	36	27	28	2,718
	T	158	677	786	384	329	320	400	440	447	327	224	188	109	101	64	41	43	5,058
08 Simon Fraser	M	45	203	219	115	93	117	144	145	139	87	61	43	20	13	15	7	6	1,472
	F	52	209	212	108	87	120	164	198	144	107	73	56	39	38	15	15	10	1,649
	T	97	412	431	223	180	237	308	343	283	194	134	101	59	51	30	22	16	3,121
09 Coast Garibaldi	M	49	179	260	230	211	196	191	171	208	155	130	92	80	50	33	22	36	2,295
	F	41	193	234	206	179	176	177	206	249	203	166	96	70	40	37	26	44	2,343
	T	90	372	494	436	390	372	368	377	457	358	296	188	150	90	70	48	82	4,638
10 Central Vancouver Island	M	170	690	950	850	700	622	670	592	567	444	384	271	178	130	115	71	104	7,508
	F	153	706	915	739	695	687	755	751	749	637	454	318	202	157	116	75	139	8,248
	T	323	1,396	1,865	1,589	1,395	1,309	1,425	1,343	1,316	1,081	838	589	380	287	231	146	243	15,756
11 Upper Island/Central Coast	M	100	405	493	460	377	367	339	340	376	334	263	209	143	126	84	50	54	4,520
	F	82	363	509	401	360	358	375	414	541	419	332	227	183	118	86	62	96	4,926
	T	182	768	1,002	861	737	725	714	754	917	753	595	436	326	244	170	112	150	9,446
12 Cariboo	M	80	332	416	359	340	350	336	328	317	230	176	153	117	80	74	73	64	3,625
	F	79	304	444	350	350	350	352	324	362	278	237	152	120	91	64	53	96	4,006
	T	159	636	860	709	690	700	688	652	679	508	413	305	237	171	138	126	160	7,631
13 North West	M	203	910	1,337	1,203	996	994	1,005	953	1,021	834	656	500	381	292	235	150	291	11,961
	F	214	856	1,209	1,079	943	927	1,098	1,160	1,233	1,013	778	566	400	275	186	191	283	12,411
	T	417	1,766	2,546	2,282	1,939	1,921	2,103	2,113	2,254	1,847	1,434	1,066	781	567	421	341	574	24,372
14 Peace Liard	M	54	296	334	232	192	162	160	168	184	127	90	86	48	26	20	15	33	2,227
	F	61	227	316	242	152	207	234	226	207	167	125	83	77	46	34	28	39	2,473
	T	115	523	652	474	344	369	394	394	391	294	215	169	125	72	54	43	72	4,700
15 Northern Interior	M	109	582	732	592	541	495	524	471	476	365	280	186	139	107	82	49	113	5,343
	F	99	546	712	514	525	545	566	608	585	414	352	207	172	110	90	50	96	6,193
	T	208	1,128	1,444	1,106	1,066	1,040	1,090	1,079	1,061	779	632	393	311	217	172	99	211	12,038
16 Vancouver	M	119	474	692	444	399	399	585	673	696	547	377	270	173	118	77	37	45	6,127
	F	100	460	672	440	373	458	590	607	615	559	452	318	213	153	75	60	64	6,209
	T	219	934	1,364	884	772	857	1,175	1,280	1,313	1,106	829	588	386	271	152	97	109	12,336
17 Burnaby	M	26	139	157	141	122	189	105	114	106	70	62	37	23	16	8	5	4	1,324
	F	27	121	151	152	117	180	164	148	172	122	89	79	45	24	13	9	9	1,622
	T	53	260	308	293	239	369	269	262	278	192	151	116	68	40	21	14	13	2,946
18 North Shore	M	31	99	158	146	143	95	112	116	126	100	95	42	50	29	20	18	16	1,396
	F	29	108	125	115	129	110	129	149	175	121	89	67	52	47	24	23	34	1,526
	T	60	207	283	261	272	205	241	265	301	221	184	109	102	76	44	41	50	2,922
19 Richmond	M	8	30	55	23	27	21	24	37	26	19	15	11	10	8	7	-	1	322
	F	6	42	52	27	12	19	35	38	45	32	25	24	11	15	1	2	3	389
	T	14	72	107	50	39	40	59	75	71	51	40	35	21	23	8	2	4	711
20 Capital	M	85	385	434	292	320	342	322	295	297	202	172	143	88	57	42	28	38	3,522
	F	84	336	423	274	315	340	378	397	401	334	240	141	110	75	64	28	56	3,996
	T	169	721	857	566	635	682	700	692	698	536	412	284	178	132	106	56	94	7,518
Provincial Total	M	1,496	6,568	8,570	6,780	6,003	5,904	6,078	5,895	6,109	4,798	3,823	2,862	2,006	1,479	1,174	719	1,129	71,291
	F	1,438	6,213	8,151	6,230	5,731	5,966	6,755	7,943	7,575	6,029	4,705	3,314	2,327	1,705	1,183	879	1,357	76,891
	T	2,934	12,781	16,721	13,010	11,734	11,870	12,831	12,938	13,684	10,827	8,528	6,176	4,333	3,184	2,357	1,598	2,486	147,992

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

1999 Other Population Estimates by Health Region and Age Group

		Age Group (in years)																	
Health Region	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Total
01/02 East and West Kootenay	M	740	3,318	5,335	6,037	6,500	5,291	4,176	4,650	6,543	7,254	6,944	6,016	4,453	3,937	3,553	2,896	4,010	81,653
	F	673	3,154	5,010	5,629	6,162	4,746	4,043	4,779	6,774	7,070	6,571	5,541	4,409	3,822	3,300	3,085	5,815	80,583
	T	1,413	6,472	10,345	11,666	12,662	10,037	8,219	9,429	13,317	14,324	13,515	11,557	8,862	7,759	6,853	5,981	9,825	162,236
03 North Okanagan	M	517	2,376	3,785	4,292	4,406	3,541	2,705	3,189	4,502	4,835	4,313	3,819	3,128	2,887	2,926	2,418	3,449	57,088
	F	506	2,209	3,521	3,946	4,252	3,137	2,546	3,379	4,728	4,894	4,434	3,862	3,287	2,975	2,959	2,549	4,797	57,981
	T	1,023	4,585	7,306	8,238	8,658	6,678	5,251	6,568	9,230	9,729	8,747	7,681	6,415	5,862	5,885	4,967	8,246	115,069
04 South Okanagan Similkameen	M	990	4,541	6,681	7,474	7,392	6,397	6,087	6,693	8,653	8,864	8,067	6,867	5,672	5,612	6,169	5,640	8,620	110,419
	F	980	4,336	6,397	7,070	7,017	6,424	5,942	6,797	9,051	9,183	8,231	7,184	6,353	5,952	6,435	6,256	12,106	115,714
	T	1,970	8,877	13,078	14,544	14,409	12,821	12,029	13,490	17,704	18,047	16,298	14,051	12,025	11,564	12,604	11,896	20,726	226,133
05 Thompson	M	550	2,685	3,908	4,550	4,764	4,354	3,750	3,824	5,014	5,417	4,986	4,347	3,389	2,900	2,690	2,072	2,325	61,525
	F	581	2,575	3,777	4,273	4,426	4,021	3,598	3,902	5,182	5,216	4,823	4,149	3,289	2,819	2,424	2,054	3,398	60,507
	T	1,131	5,260	7,685	8,823	9,190	8,375	7,348	7,726	10,196	10,633	9,809	8,496	6,678	5,719	5,114	4,126	5,723	122,032
06 Fraser Valley	M	1,466	6,490	8,888	9,041	8,601	7,380	7,102	8,600	10,247	9,530	7,866	6,668	5,105	4,395	4,642	3,966	6,018	116,005
	F	1,420	6,016	8,402	8,467	8,069	6,958	6,871	8,199	9,581	8,892	7,542	6,597	5,292	4,657	4,772	4,717	8,669	115,121
	T	2,886	12,506	17,290	17,508	16,670	14,338	13,973	16,799	19,828	18,422	15,408	13,265	10,397	9,052	9,414	8,683	14,687	231,126
07 South Fraser Valley	M	3,737	15,953	20,855	20,442	19,900	18,429	17,976	21,106	25,028	23,846	21,088	18,851	14,189	10,464	9,433	7,573	11,571	280,441
	F	3,536	14,995	20,232	19,129	18,598	17,444	18,103	20,898	24,794	23,902	21,376	18,895	13,765	10,520	9,912	9,350	17,652	283,101
	T	7,273	30,948	41,087	39,571	38,498	35,873	36,079	42,004	49,822	47,748	42,464	37,746	27,954	20,984	19,345	16,923	29,223	563,542
08 Simon Fraser	M	1,917	8,141	11,059	11,033	10,543	10,048	10,740	13,479	16,386	15,159	12,845	10,442	7,435	5,519	4,525	3,529	4,784	157,584
	F	1,787	7,733	10,450	9,977	10,130	9,618	10,816	13,312	16,086	14,791	12,451	10,229	7,430	5,559	4,776	4,388	8,758	158,291
	T	3,704	15,874	21,509	21,010	20,673	19,666	21,556	26,791	32,472	29,950	25,296	20,671	14,865	11,078	9,301	7,917	13,542	315,875
09 Coast Garibaldi	M	386	1,615	2,363	2,386	2,503	2,836	2,952	2,685	3,303	3,321	3,106	2,722	1,879	1,554	1,575	1,250	1,814	38,052
	F	376	1,542	2,236	2,322	2,500	2,579	2,520	2,543	3,113	3,074	2,897	2,353	1,784	1,515	1,488	1,256	2,237	36,335
	T	762	3,157	4,599	4,710	5,003	5,415	5,472	5,228	6,416	6,395	6,003	5,075	3,663	3,069	3,063	2,506	3,851	74,387
10 Central Vancouver Island	M	973	4,594	7,214	7,823	8,006	6,713	5,474	6,707	9,093	9,596	9,196	8,036	6,396	5,495	5,850	5,242	6,902	113,312
	F	925	4,385	6,791	7,424	7,661	6,233	5,633	6,721	9,119	9,720	8,928	7,889	6,521	5,662	5,757	5,356	9,676	114,421
	T	1,898	8,979	14,005	15,247	15,667	12,946	11,107	13,428	18,212	19,318	18,124	15,925	12,917	11,177	11,607	10,598	16,578	227,733
11 Upper Island/Central Coast	M	558	2,547	3,917	4,479	4,409	3,446	2,839	3,830	5,243	5,308	4,868	4,205	3,190	2,619	2,302	1,662	2,168	57,590
	F	563	2,524	3,771	4,191	4,147	3,154	2,890	3,852	5,108	5,117	4,410	3,852	2,930	2,291	2,034	1,679	2,998	55,509
	T	1,121	5,071	7,688	8,670	8,556	6,600	5,729	7,682	10,351	10,425	9,278	8,057	6,120	4,910	4,336	3,341	5,164	113,099
12 Cariboo	M	377	1,751	2,516	2,833	2,847	2,317	1,941	2,297	3,039	3,133	2,980	2,660	1,968	1,624	1,339	910	998	35,530
	F	360	1,666	2,274	2,639	2,769	2,132	1,917	2,265	2,912	3,051	2,682	2,445	1,733	1,374	1,134	827	1,235	33,415
	T	737	3,417	4,790	5,472	5,616	4,449	3,858	4,562	5,951	6,184	5,662	5,105	3,701	2,998	2,473	1,737	2,233	68,945
13 North West	M	390	1,966	2,685	2,725	2,804	2,481	2,344	2,913	3,369	3,401	2,979	2,425	1,829	1,082	1,025	655	627	35,700
	F	355	1,871	2,559	2,606	2,665	2,147	2,096	2,474	2,895	2,817	2,319	1,963	1,391	960	838	630	866	31,472
	T	745	3,837	5,244	5,331	5,469	4,628	4,440	5,387	6,264	6,218	5,298	4,388	3,220	2,062	1,863	1,285	1,493	67,172
14 Peace Liard	M	443	1,874	2,602	2,615	2,564	2,334	2,338	2,723	3,154	2,960	2,261	1,776	1,263	1,083	845	578	639	32,052
	F	387	1,797	2,574	2,517	2,405	2,092	2,225	2,516	2,867	2,543	1,972	1,628	1,139	898	744	526	875	29,707
	T	830	3,671	5,176	5,132	4,969	4,426	4,563	5,239	6,021	5,503	4,233	3,404	2,422	1,981	1,589	1,106	1,514	61,759
15 Northern Interior	M	746	3,093	4,663	5,045	5,141	4,614	4,417	4,991	5,853	5,614	5,097	4,110	3,108	2,328	1,757	1,129	1,120	62,826
	F	686	3,142	4,470	4,614	4,742	4,278	4,260	4,713	5,484	5,218	4,548	3,836	2,572	1,742	1,499	1,062	1,662	58,586
	T	1,432	6,235	9,133	9,659	9,883	8,892	8,697	9,704	11,337	10,832	9,645	7,946	5,680	4,070	3,256	2,191	2,802	121,394
16 Vancouver	M	2,783	10,922	11,753	12,308	14,292	20,893	30,216	31,400	27,636	22,777	21,239	17,152	12,079	10,517	9,747	7,807	12,284	275,805
	F	2,739	10,190	10,898	11,815	13,928	21,903	30,432	29,146	25,647	22,971	21,077	16,998	12,322	10,944	9,649	9,137	21,653	281,449
	T	5,522	21,112	22,651	24,123	28,220	42,796	60,648	60,546	53,283	45,748	42,316	34,150	24,401	21,461	19,396	16,944	33,937	557,254
17 Burnaby	M	070	4,200	4,711	5,000	5,356	6,409	8,385	8,759	8,866	7,823	7,109	5,866	4,552	3,873	3,377	2,841	4,416	92,593
	F	941	3,778	4,495	4,661	5,405	6,338	8,003	8,260	8,233	7,887	7,388	6,243	4,692	4,167	3,473	3,382	7,387	94,733
	T	2,011	7,978	9,206	9,661	10,761	12,747	16,388	17,019	17,099	15,710	14,497	12,109	9,244	8,040	6,850	6,223	11,803	187,326
18 North Shore	M	892	3,588	5,073	5,228	5,678	5,448	5,219	5,489	7,080	7,573	7,245	6,910	5,312	3,885	3,315	2,859	4,424	85,198
	F	812	3,363	4,894	5,228	5,354	5,349	4,928	6,123	7,749	8,373	7,978	7,245	5,499	4,118	3,634	3,406	7,335	91,388
	T	1,704	6,951	9,967	10,456	11,032	10,797	10,147	11,612	14,809	15,946	15,223	14,155	10,811	8,003	6,949	6,265	11,759	176,586
19 Richmond	M	816	3,599	4,664	5,075	6,034	6,394	5,825	5,977	6,756	6,693	6,905	6,099	4,189	3,195	2,439	1,917	3,216	79,793
	F	794	3,161	4,333	4,746	5,635	6,030	5,686	6,208	7,133	7,633	7,695	6,413	4,365	3,419	2,599	2,449	5,204	83,505
	T	1,610	6,760	8,997	9,821	11,669	12,424	11,513	12,185	13,889	14,326	14,600	12,512	8,554	6,614	5,038	4,366	8,420	163,298
20 Capital	M	1,414	6,285	8,797	9,119	9,518	9,425	11,166	11,618	13,422	13,162	12,828	11,270	8,126	6,530	6,552	6,199	11,780	157,211
	F	1,329	5,958	8,414	8,954	9,219	9,786	11,186	11,206	13,464	13,993	13,499	11,837	8,666	7,259	7,264	7,913	19,672	169,639
	T	2,743	12,243	17,211	18,073	18,737	19,211	22,352	22,824	26,886	27,155	26,327	23,107	16,812	13,789	13,816	14,112	31,452	326,850
Provincial Total	M	20,764	89,529	121,461	127,483	131,248	128,730	135,624	150,924	173,157	166,252	151,897	130,186	97,247	79,453	74,050	61,133	98,968	1,930,115
	F	19,746	84,384	115,484	120,201	125,071	124,347	133,704	147,284	169,915	166,326	150,773	129,106	97,430	80,673	74,863	70,014	142,096	1,951,146
	T	40,510	173,913	236,945	247,684	256,319	253,077	269,328	298,208	343,072	332,578	302,670	259,301	194,677	160,126	148,733	131,147	232,983	3,881,261

Notes: Health Regions will not sum to BC due to cases with unknown addresses. Data Source: British Columbia Vital Statistics Agency, as of April 2001.

Appendix 2

Life Expectancy by Health Region and Gender

Life Expectancy by Health Region and Gender, Status Indian and Other Residents

British Columbia, 1995 - 1999

		Status Indians					Other Residents				
Health Region	Gender	Deaths	Rate	Live Births	Rate	L-EXP	Deaths	Rate	Live Births	Rate	L-EXP
01/02 East and West Kootenay	M	44	8.5	142	27.4	64.2	3,273	8.1	3,766	9.4	76.9
	F	30	5.3	127	22.3	72.3	2,663	6.7	3,440	8.7	81.3
	T	74	6.8	269	24.7	67.9	5,936	7.4	7,206	9.0	79.1
03 North Okanagan	M	49	6.2	167	21.3	71.5	2,632	9.4	2,629	9.4	76.7
	F	43	5.1	166	19.6	74.3	2,121	7.5	2,517	8.9	81.3
	T	92	5.6	333	20.4	73.3	4,753	8.5	5,146	9.2	79.0
04 South Okanagan Similkameen	M	69	6.2	269	24.3	69.4	5,471	10.2	5,121	9.5	78.0
	F	36	3.0	258	21.5	78.5	4,522	8.0	5,056	9.0	82.3
	T	105	4.5	527	22.8	73.9	9,993	9.1	10,177	9.2	80.2
05 Thompson	M	168	5.2	593	18.4	72.4	2,287	7.6	3,024	10.0	75.7
	F	139	4.2	571	17.4	76.0	1,757	6.0	2,837	9.8	80.7
	T	307	4.7	1,164	17.9	74.3	4,044	6.8	5,861	9.8	78.1
06 Fraser Valley	M	127	6.0	559	26.5	69.5	4,516	8.0	7,544	13.3	76.9
	F	79	3.5	501	22.0	76.2	4,004	7.1	7,131	12.7	81.1
	T	206	4.7	1,060	24.2	72.8	8,520	7.6	14,675	13.0	79.0
07 South Fraser Valley	M	62	5.9	401	38.2	65.7	8,542	6.3	18,804	13.8	77.8
	F	50	4.2	389	32.4	73.3	7,572	5.5	17,629	12.9	81.7
	T	112	5.0	790	35.1	69.7	16,116	5.9	36,436	13.3	79.8
08 Simon Fraser	M	66	10.3	245	37.0	59.4	4,529	5.9	9,711	12.7	76.9
	F	69	9.3	240	32.2	66.1	4,318	5.7	9,078	11.9	81.1
	T	137	9.7	485	34.5	62.8	8,847	5.8	18,789	12.3	79.1
09 Coast Garibaldi	M	70	6.4	203	18.4	68.7	1,321	7.3	1,884	10.3	76.9
	F	38	3.5	210	19.2	75.9	1,079	6.2	1,832	10.6	81.3
	T	108	4.9	413	18.8	72.0	2,400	6.7	3,716	10.4	79.0
10 Central Vancouver Island	M	175	4.9	801	22.3	70.8	4,962	9.0	5,133	9.3	77.1
	F	159	4.1	823	21.2	74.0	4,203	7.5	4,877	8.7	81.5
	T	334	4.5	1,624	21.7	72.5	9,185	8.3	10,011	9.0	79.2
11 Upper Island/Central Coast	M	148	6.8	459	21.1	67.7	1,875	6.6	2,855	10.1	76.8
	F	103	4.4	430	18.3	75.1	1,510	5.5	2,766	10.2	80.8
	T	251	5.5	889	19.7	71.5	3,386	6.1	5,621	10.1	78.7
12 Cariboo	M	125	6.8	426	23.2	68.4	1,094	6.3	1,908	11.0	75.8
	F	89	4.6	384	20.1	74.5	771	4.7	1,882	11.6	79.9
	T	214	5.7	810	21.6	71.4	1,865	5.5	3,790	11.3	77.7
13 North West	M	286	4.9	1,085	18.6	74.0	862	4.8	2,162	12.1	75.8
	F	220	3.7	1,038	17.4	77.4	573	3.6	2,039	13.0	80.5
	T	506	4.3	2,123	18.0	75.7	1,435	4.3	4,201	12.5	78.0
14 Peace Liard	M	33	3.2	319	31.2	74.4	782	4.9	2,171	13.7	76.4
	F	32	2.8	272	24.0	78.0	523	3.6	1,988	13.8	81.0
	T	65	3.0	591	27.4	76.5	1,305	4.3	4,159	13.7	78.5
15 Northern Interior	M	145	5.2	666	23.9	71.1	1,813	5.2	3,868	11.8	75.4
	F	105	3.8	601	20.6	76.1	1,070	3.7	3,525	12.2	80.2
	T	250	4.4	1,267	22.2	73.5	2,883	4.5	7,194	12.0	77.6
16 Vancouver	M	289	9.8	579	19.6	61.9	10,643	7.9	14,671	10.9	75.9
	F	198	6.6	559	18.6	70.0	9,182	6.7	14,048	10.3	82.2
	T	487	8.2	1,138	19.1	65.8	19,825	7.3	28,719	10.6	79.0
17 Burnaby	M	27	4.2	164	25.4	68.2	3,496	7.6	5,186	11.3	77.5
	F	22	2.8	144	18.5	75.9	3,213	6.9	4,663	10.0	82.1
	T	49	3.4	308	21.6	72.1	6,709	7.3	9,849	10.7	79.9
18 North Shore	M	44	6.5	126	18.7	67.4	2,883	6.8	4,326	10.2	79.2
	F	36	5.0	126	17.4	74.2	3,273	7.2	4,053	9.0	82.8
	T	80	5.7	252	18.0	71.1	6,156	7.0	8,379	9.6	81.0
19 Richmond	M	9	5.6	46	28.9	65.1	2,038	5.3	4,307	11.2	79.4
	F	15	8.1	43	23.2	67.7	1,814	4.5	3,891	9.7	83.5
	T	24	7.0	89	25.8	66.3	3,852	4.9	8,198	10.4	81.5
20 Capital	M	95	5.8	452	27.4	67.3	7,490	9.5	7,258	9.2	78.0
	F	77	4.1	411	22.0	74.7	8,335	9.9	7,036	8.3	81.9
	T	172	4.9	863	24.6	71.2	15,825	9.7	14,296	8.8	80.0
Provincial Total	**M**	**2,037**	**6.0**	**7,729**	**22.7**	**68.3**	**70,377**	**7.5**	**106,228**	**11.2**	**77.2**
	F	**1,541**	**4.3**	**7,306**	**20.3**	**75.0**	**62,508**	**6.6**	**100,379**	**10.5**	**81.7**
	T	**3,578**	**5.1**	**15,035**	**21.5**	**72.1**	**132,886**	**7.0**	**206,612**	**10.9**	**79.5**

Notes: Crude rate per 1,000 population. L-EXP=Life Expectancy (Abridged Table).

Appendix 3

Birth and Death-Related Statistical Summaries by Health Region

The tables that follow provide birth and death-related statistics for Status Indians and Other Residents in each Health Region for the years 1991 - 1999. This information is provided for each year individually, as well as for the nine year aggregate.
The categories presented are listed below.

Birth-Related and Infant Mortality

Indicator	Definition
Low Birth Weight	<2,500 grams
Premature	<37 weeks gestation
Teenage Mother	<20 years old
Elderly Gravida	35 years or older
Stillbirth	see glossary
Early Neonatal Death	Age at death <7 days
Neonatal Death	Age at death <28 days
Post Neonatal Death	Age at death 28-364 days
Infant Death	Age at death <1 year

Death-Related

Cause of Death	ICD-9 Code
Infectious/Parasitic Diseases	001-139
Cancer	140-208
Lung	162
Female Breast	174
Endocrine/Nutritional/Metabolic Diseases	240-279
Circulatory System Diseases	390-459
Ischemic Heart Disease	410-414, 429.2
Cerebrovascular Disease/Stroke	430-434, 436-438
Respiratory System Diseases	460-519
Pneumonia/Influenza	480-487
Chronic Pulmonary	491, 492, 496
Digestive System Diseases	520-579
External Causes	E800-E999
Motor Vehicle Traffic Accidents (MVTA)	E810-E819
Suicide	E950-E959
Alcohol-Related Deaths	See glossary
Medical Treatable Diseases	See glossary
Drug-Induced Deaths	See glossary
Smoking Attributable Mortality (SAM)	See glossary

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1991 - 1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	109,135		111,159		117,765		125,046		132,296		136,878		139,838		143,750		147,992		1,163,859		
Live Births[1]: Male	1,587		1,539		1,535		1,570		1,585		1,610		1,565		1,538		1,431		13,960		
Female	1,439		1,446		1,457		1,499		1,471		1,493		1,446		1,500		1,396		13,147		
Total	3,026	27.7	2,985	26.9	2,992	25.4	3,070	24.6	3,056	23.1	3,103	22.7	3,011	21.5	3,038	21.1	2,827	19.1	27,108	23.3	2.0
Low Birth Weight[2]	177	58.5	171	57.3	167	55.8	166	54.1	185	60.5	173	55.8	166	55.1	159	52.3	148	52.4	1,512	55.8	1.1
Premature[2]	265	87.6	257	86.1	268	89.6	261	85.0	287	93.9	293	94.4	262	87.0	262	86.2	252	89.1	2,407	88.8	1.5
Cesarean Section[2]	478	158.0	484	162.1	494	165.1	500	162.9	465	152.2	529	170.5	489	162.4	515	169.5	474	167.7	4,428	163.3	0.8
Teenage Mother[2]	627	207.2	633	212.1	579	193.5	612	199.3	609	199.3	537	173.1	570	189.3	538	177.1	526	186.1	5,231	193.0	4.6
Elderly Gravida[2]	152	50.2	167	55.9	172	57.5	193	62.9	204	66.8	229	73.8	228	75.7	234	77.0	247	87.4	1,826	67.4	0.5
Stillbirths[3]:	19	6.2	30	10.0	17	5.6	19	6.2	24	7.8	20	6.4	25	8.2	23	7.5	24	8.4	201	7.4	1.1
Early Neonatal	9	3.0	14	4.7	8	2.7	14	4.6	9	2.9	11	3.5	11	3.7	3	1.0	2	0.7	81	3.0	1.0
Neonatal	11	3.6	16	5.4	10	3.3	15	4.9	11	3.6	16	5.2	13	4.3	5	1.6	3	1.1	100	3.7	1.1
Post Neonatal	33	10.9	30	10.1	25	8.4	16	5.2	34	11.1	16	5.2	14	4.6	9	3.0	9	3.2	186	6.9	4.6
Infant Deaths	44	14.5	46	15.4	35	11.7	31	10.1	45	14.7	32	10.3	27	9.0	14	4.6	12	4.2	286	10.6	2.2

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	14	2.9	19	2.6	16	2.5	21	2.0	34	3.3	29	2.7	32	3.0	28	2.7	36	3.4	229	2.8	2.5
Cancer	96	23.6	101	23.6	95	20.2	90	16.9	90	14.3	96	14.6	126	19.6	121	18.8	121	16.8	936	18.3	1.1
Lung	12	2.8	23	5.8	28	6.1	17	3.2	18	3.0	19	3.4	26	4.3	28	4.5	28	4.2	199	4.1	0.9
Female Breast	4	1.8	7	3.2	6	2.5	10	3.4	10	2.5	6	1.6	13	2.7	9	2.1	9	2.0	74	2.4	1.0
Endo/Nut/Met	24	5.8	12	2.8	16	3.4	12	2.4	21	3.2	20	2.7	17	2.6	21	3.2	31	4.1	174	3.3	1.9
Circulatory System	151	37.4	180	45.2	192	46.1	164	35.5	133	22.6	155	25.6	187	31.5	183	30.1	162	24.8	1,507	32.0	1.4
Ischemic Heart	67	16.3	84	22.0	86	21.1	83	18.3	65	11.6	70	11.8	85	14.7	75	12.9	67	10.3	682	14.8	1.3
Cerebrovascular/Stroke	34	8.7	47	11.1	42	9.7	30	6.8	30	5.0	26	4.5	38	6.9	41	6.9	38	5.9	326	7.0	1.4
Respiratory System	53	12.7	68	15.9	70	16.3	42	8.7	39	6.3	41	6.5	60	10.6	68	10.8	63	9.8	504	10.5	1.7
Pneumonia/Influenza	32	7.3	34	7.5	41	8.9	23	4.6	20	3.1	20	3.3	32	5.8	38	5.9	35	5.2	275	5.5	2.0
Chronic Pulmonary	9	2.7	22	5.8	14	3.7	12	2.8	6	1.3	8	1.5	18	3.4	16	3.0	10	1.6	115	2.7	1.1
Digestive System	41	7.9	64	12.4	44	7.7	44	7.7	42	6.0	39	5.1	51	6.6	52	6.6	50	6.4	427	7.1	3.2
External Causes	205	22.3	186	19.3	228	21.6	206	18.9	193	17.4	186	15.7	220	18.4	194	16.0	134	10.6	1,752	17.5	3.4
MVTA	54	5.6	42	4.0	48	4.5	60	5.8	53	4.3	47	3.6	40	3.0	47	3.7	35	2.5	426	4.0	3.6
Suicide	45	3.9	44	4.2	45	3.7	31	2.3	37	2.7	38	3.0	48	3.5	35	2.5	23	1.7	346	3.0	2.5
All Causes Male	*406*	*144.5*	*452*	*165.2*	420	147.4	393	126.0	366	95.9	392	98.4	462	124.5	448	121.4	369	94.3	3,708	121.3	1.6
Female	278	108.8	293	111.8	332	114.6	277	84.4	285	71.9	281	72.2	335	85.1	316	80.0	324	76.7	2,721	87.0	1.7
Total	684	126.2	745	137.6	752	130.4	670	104.3	651	83.3	673	84.7	797	103.8	764	99.3	693	84.9	6,429	103.3	1.7
Alcohol-Related	77	12.0	115	15.6	168	22.9	171	23.4	171	20.4	210	22.6	215	23.0	219	23.0	182	20.0	1,528	20.7	5.9
Medically Treatable	13	1.6	12	1.5	12	1.3	12	1.3	14	1.2	13	1.1	14	1.1	18	1.4	14	1.1	122	1.3	4.3
Drug-Induced	21	2.1	28	3.0	68	6.1	54	4.3	35	3.0	45	3.5	48	4.0	61	4.5	31	2.3	391	3.7	3.4
SAM	76	18.9	99	24.5	96	22.2	80	16.4	66	11.1	72	11.7	99	16.6	99	16.0	88	12.8	776	16.1	1.3

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
OTHER RESIDENTS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1991 - 1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	3,264,264		3,359,141		3,453,759		3,556,704		3,651,712		3,745,165		3,821,562		3,859,027		3,881,261		32,592,595		
Live Births[1]: Male	21,666		22,000		22,068		22,621		22,548		22,092		21,140		20,339		20,109		194,583		
Female	20,633		21,021		20,871		21,158		21,102		20,759		20,238		19,477		18,803		184,062		
Total	**42,301**	**13.0**	**43,021**	**12.8**	**42,939**	**12.4**	**43,780**	**12.3**	**43,651**	**12.0**	**42,851**	**11.4**	**41,380**	**10.8**	**39,818**	**10.3**	**38,912**	**10.0**	**378,653**	**11.6**	**2.0**
Low Birth Weight[2]	2,008	47.5	2,038	47.4	2,134	49.7	2,202	50.3	2,271	52.0	2,181	50.9	2,157	52.1	1,992	50.0	1,833	47.1	18,816	49.7	1.1
Premature[2]	2,472	58.4	2,542	59.1	2,499	58.2	2,577	58.9	2,751	63.0	2,696	62.9	2,619	63.3	2,462	61.8	2,420	62.2	23,038	60.8	1.5
Cesarean Section[2]	9,229	218.2	9,158	212.9	9,063	211.1	8,761	200.1	8,800	201.6	8,900	207.7	8,590	207.6	8,500	213.5	8,808	226.4	79,809	210.8	0.8
Teenage Mother[2]	1,990	47.0	1,910	44.4	1,887	43.9	1,917	43.8	1,953	44.7	1,739	40.6	1,608	38.9	1,529	38.4	1,479	38.0	16,012	42.3	4.6
Elderly Gravida[2]	4,913	116.1	5,296	123.1	5,735	133.6	6,139	140.2	6,433	147.4	6,812	159.0	7,053	170.4	7,065	177.4	7,234	185.9	56,680	149.7	0.5
Stillbirths[3]:	**289**	**6.8**	**269**	**6.2**	**269**	**6.2**	**293**	**6.6**	**326**	**7.4**	**272**	**6.3**	**311**	**7.5**	**255**	**6.4**	**270**	**6.9**	**2,554**	**6.7**	**1.1**
Early Neonatal	129	3.0	135	3.1	114	2.7	161	3.7	149	3.4	122	2.8	114	2.8	91	2.3	81	2.1	1,096	2.9	1.0
Neonatal	153	3.6	153	3.6	129	3.0	183	4.2	170	3.9	144	3.4	133	3.2	109	2.7	102	2.6	1,276	3.4	1.1
Post Neonatal	91	2.2	74	1.7	86	2.0	74	1.7	61	1.4	52	1.2	42	1.0	51	1.3	42	1.1	573	1.5	4.6
Infant Deaths	**244**	**5.8**	**227**	**5.3**	**215**	**5.0**	**257**	**5.9**	**231**	**5.3**	**196**	**4.6**	**175**	**4.2**	**160**	**4.0**	**144**	**3.7**	**1,849**	**4.9**	**2.2**

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	360	1.0	438	1.2	506	1.4	549	1.4	488	1.2	480	1.2	332	0.8	388	0.9	410	0.9	3,953	1.1	2.5
Cancer	6,264	17.3	6,301	16.8	6,658	17.3	6,848	17.3	6,878	16.8	7,133	17.0	7,275	16.8	7,332	16.5	7,449	16.3	62,138	16.9	1.1
Lung	1,726	4.8	1,771	4.7	1,826	4.8	1,778	4.5	1,756	4.3	1,941	4.6	1,937	4.5	1,992	4.5	1,969	4.4	16,696	4.6	0.9
Female Breast	498	2.6	550	2.8	503	2.4	554	2.6	526	2.4	585	2.6	582	2.5	585	2.4	566	2.3	4,949	2.5	1.0
Endo/Nut/Met	583	1.6	599	1.6	676	1.7	706	1.8	774	1.9	736	1.7	784	1.8	817	1.8	771	1.6	6,446	1.7	1.9
Circulatory System	9,096	24.5	9,086	23.8	9,343	23.8	9,410	23.2	9,556	22.8	10,013	23.1	9,680	21.5	9,890	21.2	9,813	20.4	85,887	22.6	1.4
Ischemic Heart	4,845	13.1	4,820	12.6	4,879	12.4	4,849	12.0	4,933	11.8	5,167	12.0	4,967	11.1	4,868	10.5	4,867	10.2	44,195	11.7	1.3
Cerebrovascular/Stroke	1,944	5.2	1,906	5.0	2,028	5.1	2,073	5.1	2,109	5.0	2,192	5.0	2,184	4.8	2,254	4.8	2,235	4.6	18,925	4.9	1.4
Respiratory System	2,126	5.7	2,356	6.1	2,523	6.4	2,400	5.9	2,565	6.1	2,799	6.4	2,844	6.2	2,888	6.2	3,062	6.3	23,563	6.2	1.7
Pneumonia/Influenza	987	2.6	1,098	2.8	1,174	3.0	1,083	2.6	1,142	2.7	1,202	2.7	1,269	2.8	1,384	2.9	1,419	2.9	10,758	2.8	2.0
Chronic Pulmonary	811	2.2	877	2.3	996	2.5	932	2.3	1,052	2.5	1,161	2.7	1,139	2.5	1,088	2.3	1,188	2.5	9,244	2.4	1.1
Digestive System	857	2.4	907	2.4	929	2.4	954	2.4	921	2.2	943	2.2	917	2.1	991	2.2	924	2.0	8,343	2.2	3.2
External Causes	1,827	5.4	1,772	5.1	1,948	5.5	1,953	5.4	1,917	5.1	2,031	5.2	2,052	5.1	2,033	4.9	1,646	3.9	17,179	5.1	3.4
MVTA	440	1.4	378	1.1	414	1.2	435	1.2	404	1.1	381	1.0	367	1.0	358	0.9	311	0.8	3,488	1.1	3.6
Suicide	416	1.2	426	1.2	405	1.2	452	1.2	473	1.3	492	1.3	502	1.3	450	1.1	398	1.0	4,014	1.2	2.5
All Causes Male	12,567	79.2	12,852	78.5	13,439	80.1	13,379	77.5	13,705	76.9	14,282	77.6	14,006	73.7	14,058	71.9	14,326	71.4	122,614	76.2	1.6
Female	10,558	50.7	10,812	50.2	11,409	51.5	11,775	51.5	11,862	49.9	12,434	50.6	12,455	48.9	12,982	49.4	12,775	47.1	107,062	49.9	1.7
Total	**23,125**	**63.5**	**23,664**	**63.1**	**24,848**	**64.5**	**25,154**	**63.3**	**25,567**	**62.2**	**26,716**	**62.9**	**26,461**	**60.2**	**27,040**	**59.6**	**27,101**	**58.1**	**229,676**	**61.8**	**1.7**
Alcohol-Related	699	2.0	769	2.1	1,282	3.4	1,442	3.7	1,538	3.9	1,714	4.2	1,699	4.0	1,720	4.0	1,648	3.7	12,511	3.5	5.9
Medically Treatable	93	0.3	92	0.3	109	0.3	104	0.3	106	0.3	100	0.3	105	0.3	95	0.2	139	0.3	943	0.3	4.3
Drug-Induced	276	0.8	271	0.8	463	1.3	416	1.2	361	1.0	444	1.2	474	1.2	564	1.4	354	0.9	3,623	1.1	3.4
SAM	4,839	13.2	4,995	13.2	5,219	13.4	5,104	12.7	5,218	12.6	5,612	13.1	5,557	12.6	5,578	12.2	5,673	12.1	47,795	12.8	1.3

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 01/02 East and West Kootenay
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	1,438		1,492		1,604		1,781		1,983		2,066		2,187		2,284		2,369		17,204		
Live Births[1]: Male	19		20		27		33		33		32		21		33		23		241		
Female	27		27		20		32		24		21		21		27		34		233		
Total	46	32.0	47	31.5	47	29.3	65	36.5	57	28.7	53	25.7	42	19.2	60	26.3	57	24.1	474	27.6	2.8
Low Birth Weight[2]	1	21.7	2	42.6	3	63.8	2	30.8	3	52.6	2	37.7	1	23.8	4	66.7	1	17.5	19	40.1	0.9
Premature[2]	2	43.5	1	21.3	4	85.1	4	61.5	3	52.6	3	56.6	2	47.6	7	116.7	2	35.1	28	59.1	1.3
Cesarean Section[2]	7	152.2	5	106.4	14	297.9	12	184.6	11	193.0	12	226.4	5	119.0	10	166.7	13	228.1	89	187.8	1.0
Teenage Mother[2]	12	260.9	10	212.8	7	148.9	12	184.6	8	140.4	7	132.1	4	95.2	8	133.3	12	210.5	80	168.8	2.3
Elderly Gravida[2]	2	43.5	3	63.8	3	63.8	4	61.5	2	35.1	6	113.2	6	142.9	6	100.0	5	97.7	37	78.1	0.7
Stillbirths[3]:	3	61.2	1	20.8	-	-	-	-	-	-	-	-	1	23.3	-	-	-	-	5	10.4	1.8
Early Neonatal	-	-	-	-	-	-	-	-	-	-	1	18.9	-	-	-	-	-	-	1	2.1	0.6
Neonatal	1	21.7	-	-	-	-	-	-	-	-	1	18.9	-	-	-	-	-	-	2	4.2	1.2
Post Neonatal	-	-	-	-	-	-	-	-	2	35.1	-	-	-	-	1	16.7	-	-	3	6.3	2.9
Infant Deaths	1	21.7	-	-	-	-	-	-	2	35.1	1	18.9	-	-	1	16.7	-	-	5	10.5	1.9

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	-	-	-	-	-	-	-	-	1	5.0	-	-	-	-	1	0.7	1.2
Cancer	3	60.5	2	26.6	1	19.3	1	21.2	2	21.3	2	33.1	7	87.7	10	143.1	2	19.2	30	48.2	2.6
Lung	1	26.5	1	17.0	-	-	-	-	1	11.8	1	12.8	-	-	5	73.5	1	6.1	10	16.5	3.4
Female Breast	-	-	-	-	-	-	1	42.4	-	-	-	-	2	20.4	2	34.1	-	-	5	13.0	5.2
Endo/Nut/Met	1	26.5	-	-	-	-	-	-	-	-	-	-	-	-	2	15.9	1	13.1	4	5.1	2.2
Circulatory System	1	10.8	3	41.8	3	73.5	5	73.2	-	-	4	54.3	6	57.8	7	114.0	4	48.3	33	53.3	2.0
Ischemic Heart	-	-	2	34.0	1	29.7	4	59.6	-	-	2	20.1	3	16.0	4	64.1	2	22.0	18	29.1	2.1
Cerebrovascular/Stroke	1	10.8	-	-	1	29.7	-	-	-	-	1	20.3	1	11.1	1	22.8	1	13.1	6	11.1	2.0
Respiratory System	-	-	1	17.0	2	31.7	1	15.8	-	-	-	-	2	38.1	2	18.2	1	11.0	9	15.8	2.4
Pneumonia/Influenza	-	-	1	17.0	1	15.8	1	15.8	-	-	-	-	1	18.4	2	18.2	-	-	6	9.6	3.6
Chronic Pulmonary	-	-	-	-	1	15.8	-	-	-	-	-	-	1	19.8	-	-	1	11.0	3	6.3	2.2
Digestive System	1	10.8	2	21.6	1	15.7	-	-	-	-	-	-	1	15.3	-	-	-	-	5	5.4	2.1
External Causes	6	68.5	2	15.2	2	10.1	1	7.0	2	33.2	3	38.5	4	17.7	1	4.5	4	17.1	25	22.8	3.6
MVTA	1	5.6	-	-	1	4.9	-	-	-	-	1	5.6	1	4.5	1	4.5	2	8.1	7	3.8	2.1
Suicide	1	5.2	1	9.6	-	-	-	-	-	-	-	-	2	8.6	-	-	-	-	4	2.2	1.5
All Causes Male	9	273.4	8	270.6	1	11.0	7	217.8	2	58.6	8	183.7	14	397.5	13	351.1	7	126.9	69	203.8	1.3
Female	5	97.3	3	72.9	8	262.8	4	124.1	4	58.5	3	59.9	7	105.1	10	282.2	6	114.7	50	134.6	2.4
Total	14	200.1	11	139.3	9	150.3	11	150.4	6	59.3	11	142.5	21	221.7	23	301.8	13	121.9	119	163.7	2.3
Alcohol-Related	2	37.3	3	21.2	3	35.2	3	42.1	3	35.6	5	57.5	3	15.3	3	14.5	5	35.3	30	33.2	8.1
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3.9	-	-	1	0.6	3.0
Drug-Induced	-	-	-	-	-	-	1	7.0	-	-	-	-	2	9.2	-	-	1	4.7	4	2.6	4.3
SAM	2	41.0	2	28.9	2	31.8	2	20.5	1	9.0	2	23.6	4	43.6	7	102.2	2	21.2	23	36.8	2.5

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 01/02 East and West Kootenay
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	143,729		146,517		149,257		152,583		155,706		158,642		160,518		161,269		162,236		1,360,457		
Live Births[1]: Male	884		842		806		815		795		769		758		724		720		7,113		
Female	873		759		788		799		722		693		710		665		650		6,659		
Total	1,757	12.2	1,601	10.9	1,594	10.7	1,614	10.6	1,517	9.7	1,462	9.2	1,468	9.1	1,389	8.6	1,370	8.4	13,772	9.9	2.8
Low Birth Weight[2]	82	46.7	70	43.7	80	50.2	68	42.1	74	48.8	74	50.6	63	42.9	50	36.0	49	35.8	610	44.3	0.9
Premature[2]	72	41.0	82	51.2	80	50.2	73	45.2	67	44.2	73	49.9	75	51.1	57	41.0	62	45.3	641	46.5	1.3
Cesarean Section[2]	346	196.9	288	179.9	291	182.6	314	194.5	255	168.1	256	175.1	249	169.6	259	186.5	277	202.2	2,535	184.1	1.0
Teenage Mother[2]	118	67.2	110	68.7	130	81.6	130	80.5	107	70.5	109	74.6	109	74.3	100	72.0	98	71.5	1,011	73.4	2.3
Elderly Gravida[2]	162	92.2	145	90.6	182	114.2	181	112.1	159	104.8	194	132.7	181	123.3	182	131.0	174	127.0	1,560	113.3	0.7
Stillbirths[3]:	12	6.8	6	3.7	13	8.1	10	6.2	12	7.8	11	7.5	12	8.1	9	6.4	5	3.6	90	6.5	1.8
Early Neonatal	5	2.8	5	3.1	3	1.9	11	6.8	4	2.6	6	4.1	9	6.1	2	1.4	1	0.7	46	3.3	0.6
Neonatal	5	2.8	5	3.1	3	1.9	11	6.8	4	2.6	6	4.1	9	6.1	2	1.4	2	1.5	47	3.4	1.2
Post Neonatal	3	1.7	5	3.1	3	1.9	6	3.7	5	3.3	-	-	2	1.4	5	3.6	1	0.7	30	2.2	2.9
Infant Deaths	8	4.6	10	6.2	6	3.8	17	10.5	9	5.9	6	4.1	11	7.5	7	5.0	3	2.2	77	5.6	1.9

Death-Related Causes of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	3	0.3	7	0.7	10	1.0	9	0.5	11	0.6	8	0.4	10	0.5	14	0.7	10	0.5	82	0.6	1.2
Cancer	289	28.5	284	27.8	316	27.2	317	17.6	294	16.0	327	17.4	307	16.1	322	16.3	359	17.9	2,815	18.6	2.6
Lung	76	6.9	78	7.4	77	6.0	80	4.4	76	4.1	86	4.6	74	3.9	100	5.0	88	4.4	735	4.8	3.4
Female Breast	21	3.6	28	5.2	22	3.3	18	1.9	19	2.1	26	2.7	24	2.4	19	1.9	25	2.4	202	2.5	5.2
Endo/Nut/Met	26	2.9	34	3.7	18	1.9	42	2.4	31	1.6	41	2.1	54	2.8	42	2.1	48	2.4	336	2.3	2.2
Circulatory System	443	51.1	415	47.6	450	48.1	457	25.1	454	24.1	466	24.2	459	23.3	426	21.1	401	19.4	3,971	27.0	2.0
Ischemic Heart	235	25.9	219	24.1	228	23.3	251	13.8	248	13.2	230	12.0	244	12.4	207	10.2	211	10.2	2,073	14.0	2.1
Cerebrovascular/Stroke	85	10.5	83	10.5	103	11.8	96	5.2	89	4.7	106	5.5	86	4.4	85	4.2	77	3.7	810	5.6	2.0
Respiratory System	66	7.6	101	11.9	96	11.4	115	6.3	106	5.6	103	5.3	129	6.5	122	6.1	108	5.1	946	6.5	2.4
Pneumonia/Influenza	26	3.3	43	5.4	40	4.8	48	2.6	39	2.0	49	2.5	51	2.6	54	2.7	39	1.8	389	2.7	3.6
Chronic Pulmonary	29	3.1	44	5.0	41	4.9	54	2.9	47	2.5	45	2.3	68	3.4	48	2.4	51	2.4	427	2.9	2.2
Digestive System	45	4.9	42	4.3	40	3.9	64	3.5	37	2.0	48	2.5	43	2.2	39	2.0	35	1.7	393	2.6	2.1
External Causes	94	8.1	99	8.1	95	7.4	92	6.0	86	5.3	110	6.8	93	5.7	104	6.4	87	5.1	860	6.3	3.6
MVTA	28	2.3	31	2.4	29	2.1	28	1.8	19	1.3	27	1.8	21	1.4	29	1.8	30	1.9	242	1.8	2.1
Suicide	28	2.3	22	1.6	28	2.0	21	1.4	19	1.1	24	1.6	23	1.4	22	1.2	19	1.1	206	1.5	1.5
All Causes Male	587	164.3	607	165.8	645	163.6	677	171.9	652	154.8	684	157.2	663	150.5	632	131.0	642	135.8	5,789	151.7	1.3
Female	466	95.6	472	98.3	479	89.7	528	53.6	493	48.7	547	52.1	546	51.6	548	49.9	529	47.0	4,808	57.2	2.4
Total	1,053	113.5	1,079	115.5	1,124	112.0	1,205	67.8	1,145	62.2	1,231	65.7	1,209	63.5	1,180	60.6	1,171	58.2	10,397	70.9	2.3
Alcohol-Related	39	3.3	28	2.0	60	4.7	71	4.1	77	4.3	80	4.4	85	4.9	87	4.8	81	4.2	607	4.1	8.1
Medically Treatable	2	0.1	5	0.3	6	0.4	3	0.2	3	0.2	3	0.2	3	0.2	5	0.3	6	0.3	36	0.2	3.0
Drug-Induced	8	0.6	7	0.5	10	0.7	4	0.3	9	0.6	9	0.5	11	0.7	16	1.0	6	0.4	80	0.6	4.3
SAM	225	23.1	230	23.7	232	22.6	248	13.7	235	12.6	252	13.3	259	13.3	252	12.6	237	11.5	2,171	14.5	2.5

Notes
[1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 03 NORTH OKANAGAN
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	2,704		2,707		2,848		2,941		3,123		3,208		3,223		3,335		3,442		27,531		
Live Births[1]: Male	43		24		30		41		30		30		31		46		30		305		
Female	36		25		39		36		38		33		30		32		33		302		
Total	**79**	**29.2**	**49**	**18.1**	**69**	**24.2**	**77**	**26.2**	**68**	**21.8**	**63**	**19.6**	**61**	**18.9**	**78**	**23.4**	**63**	**18.3**	**607**	**22.0**	**2.2**
Low Birth Weight[2]	-	-	-	-	2	29.0	1	13.0	8	117.6	2	31.7	1	16.4	4	51.3	3	47.6	21	34.6	0.8
Premature[2]	2	25.3	1	20.4	3	43.5	3	39.0	9	132.4	4	63.5	2	32.8	7	89.7	2	31.7	33	54.4	1.1
Cesarean Section[2]	14	177.2	4	81.6	13	188.4	13	168.8	15	220.6	7	111.1	17	278.7	17	217.9	16	254.0	116	191.1	0.8
Teenage Mother[2]	15	189.9	10	204.1	11	159.4	13	168.8	11	161.8	9	142.9	6	98.4	5	64.1	14	222.2	94	154.9	2.2
Elderly Gravida[2]	3	38.0	4	81.6	4	58.0	2	26.0	5	73.5	7	111.1	5	82.0	9	115.4	5	79.4	44	72.5	0.6
Stillbirths[3]:	-	-	-	-	1	14.3	-	-	1	14.5	-	-	-	-	-	-	-	-	2	3.3	0.5
Early Neonatal	-	-	-	-	1	14.5	-	-	-	-	-	-	-	-	-	-	-	-	1	1.6	0.7
Neonatal	-	-	-	-	1	14.5	-	-	-	-	-	-	-	-	-	-	-	-	1	1.6	0.5
Post Neonatal	1	12.7	-	-	-	-	1	13.0	-	-	-	-	-	-	-	-	1	15.9	3	4.9	2.9
Infant Deaths	**1**	**12.7**	**-**	**-**	**1**	**14.5**	**1**	**13.0**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**15.9**	**4**	**6.6**	**1.4**

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	1	7.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2.4	2	1.1	1.8
Cancer	1	6.0	1	6.3	2	8.6	1	6.7	2	10.2	2	10.2	2	11.1	6	28.5	4	14.6	21	12.4	0.7
Lung	1	6.0	-	-	-	-	-	-	-	-	1	6.0	-	-	2	10.2	1	4.9	5	3.3	0.8
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Endo/Nut/Met	-	-	-	-	2	12.5	-	-	1	5.5	-	-	2	11.0	1	5.2	-	-	6	4.1	2.3
Circulatory System	1	8.5	5	46.1	1	9.0	3	15.2	3	15.3	2	12.1	6	29.8	3	16.8	7	29.8	31	20.5	0.9
Ischemic Heart	-	-	4	38.4	1	9.0	2	8.5	2	8.6	1	6.0	3	16.5	2	11.5	3	11.7	18	11.7	1.0
Cerebrovascular/Stroke	-	-	-	-	-	-	-	-	-	-	-	-	1	5.7	-	-	2	8.8	3	2.0	0.4
Respiratory System	1	1.7	3	15.7	3	24.9	3	19.5	2	12.3	2	6.7	1	7.2	3	13.4	3	12.9	21	12.7	2.2
Pneumonia/Influenza	1	1.7	2	9.4	2	18.0	1	4.8	-	-	1	3.8	-	-	3	13.4	1	2.3	11	5.9	2.6
Chronic Pulmonary	-	-	-	-	1	6.9	2	14.7	-	-	-	-	1	7.2	-	-	1	4.9	5	3.7	1.5
Digestive System	2	18.1	1	4.5	-	-	-	-	2	8.0	1	2.7	3	14.9	2	10.0	-	-	11	6.3	3.0
External Causes	6	27.7	2	10.2	5	30.6	9	35.9	7	25.9	4	12.6	7	27.8	3	9.0	2	9.0	45	20.0	3.3
MVTA	2	6.3	1	7.1	1	2.9	4	17.4	4	11.5	3	9.8	2	5.8	1	2.9	-	-	18	7.0	3.3
Suicide	-	-	1	3.1	-	-	1	3.1	-	-	-	-	3	9.5	1	3.1	-	-	6	2.1	1.6
All Causes Male	**8**	**85.9**	**6**	**75.6**	**5**	**52.1**	**12**	**108.1**	**7**	**56.8**	**7**	**58.6**	**14**	**136.2**	**12**	**115.7**	**9**	**73.2**	**80**	**86.3**	**1.1**
Female	5	77.7	8	132.6	9	134.9	6	62.1	12	110.7	5	44.5	9	91.0	8	86.6	9	69.8	71	87.2	1.7
Total	**13**	**76.0**	**14**	**95.4**	**14**	**87.5**	**18**	**85.9**	**19**	**87.3**	**12**	**50.4**	**23**	**110.5**	**20**	**94.4**	**18**	**71.7**	**151**	**86.9**	**1.4**
Alcohol-Related	4	24.0	3	10.7	3	14.7	4	21.7	6	22.9	4	12.6	8	40.7	6	23.0	3	16.3	41	21.1	5.4
Medically Treatable	-	-	1	3.1	-	-	1	6.7	1	3.4	-	-	-	-	1	2.9	-	-	4	1.8	9.0
Drug-Induced	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3.3	1	0.4	0.5
SAM	1	6.9	1	11.3	2	12.1	3	21.4	1	7.0	2	8.7	3	18.0	4	21.9	4	18.0	22	14.4	1.1

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 03 North Okanagan
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	94,133		97,012		100,583		105,413		108,041		110,872		113,579		114,616		115,069		959,418		
Live Births[1]: Male	544		544		592		573		561		563		516		491		498		4,882		
Female	519		519		537		543		538		551		469		515		444		4,635		
Total	1,063	11.3	1,063	11.0	1,129	11.2	1,116	10.6	1,099	10.2	1,114	10.0	985	8.7	1,006	8.8	942	8.2	9,517	9.9	2.2
Low Birth Weight[2]	51	48.0	49	46.1	32	28.3	43	38.5	46	41.9	39	35.0	43	43.7	58	57.7	42	44.6	403	42.3	0.8
Premature[2]	66	62.1	55	51.7	50	44.3	53	47.5	61	55.5	48	43.1	56	56.9	54	53.7	44	46.7	487	51.2	1.1
Cesarean Section[2]	262	246.5	260	244.6	296	262.2	269	241.0	256	232.9	298	267.5	251	254.8	241	239.6	266	282.4	2,399	252.1	0.8
Teenage Mother[2]	76	71.5	76	71.5	84	74.4	87	78.0	90	81.9	76	68.2	61	61.9	63	62.6	46	48.8	659	69.2	2.2
Elderly Gravida[2]	105	98.8	114	107.2	106	93.9	123	110.2	137	124.7	132	118.5	131	133.0	131	130.2	135	143.3	1,114	117.1	0.6
Stillbirths[3]:	11	10.2	7	6.5	5	4.4	8	7.1	14	12.6	2	1.8	3	3.0	8	7.9	7	7.4	65	6.8	0.5
Early Neonatal	4	3.8	3	2.8	4	3.5	2	1.8	4	3.6	2	1.8	3	3.0	1	1.0	-	-	23	2.4	0.7
Neonatal	5	4.7	4	3.8	4	3.5	3	2.7	5	4.5	3	2.7	3	3.0	2	2.0	1	1.1	30	3.2	0.5
Post Neonatal	2	1.9	1	0.9	3	2.7	2	1.8	3	2.7	2	1.8	1	1.0	1	1.0	1	1.1	16	1.7	2.9
Infant Deaths	7	6.6	5	4.7	7	6.2	5	4.5	8	7.3	5	4.5	4	4.1	3	3.0	2	2.1	46	4.8	1.4

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	4	0.3	6	0.5	11	1.1	4	0.3	6	0.5	8	0.5	8	0.6	10	0.7	14	0.8	71	0.6	1.8
Cancer	185	15.1	227	17.8	237	17.8	245	17.9	244	16.8	231	15.5	257	16.6	275	17.3	282	17.3	2,183	16.9	0.7
Lung	45	3.7	51	4.0	55	4.1	56	4.1	73	4.9	57	3.8	78	5.0	77	4.9	77	4.7	569	4.4	0.8
Female Breast	14	2.4	29	4.7	19	2.9	20	2.8	14	1.9	10	1.3	24	3.0	25	3.2	19	2.4	174	2.7	-
Endo/Nut/Met	22	1.8	18	1.4	25	1.9	33	2.3	18	1.2	31	2.0	27	1.7	20	1.2	38	2.3	232	1.8	2.3
Circulatory System	318	25.2	342	25.9	339	25.0	327	22.7	370	24.7	373	23.9	368	23.0	391	23.5	370	21.5	3,198	23.9	0.9
Ischemic Heart	168	13.2	178	13.6	159	11.8	172	11.8	198	13.2	188	12.1	186	11.6	184	11.1	174	10.1	1,607	12.0	1.0
Cerebrovascular/Stroke	60	4.8	69	5.2	66	4.9	56	4.0	75	5.0	95	6.0	75	4.7	87	5.1	87	5.0	670	5.0	0.4
Respiratory System	71	5.6	84	6.3	82	6.0	74	5.1	85	5.6	88	5.6	89	5.5	95	5.6	98	5.7	766	5.7	2.2
Pneumonia/Influenza	33	2.7	36	2.7	28	2.1	32	2.3	31	2.1	31	2.0	34	2.1	43	2.5	45	2.6	313	2.3	2.6
Chronic Pulmonary	27	2.1	31	2.3	39	2.8	32	2.2	35	2.3	42	2.6	44	2.7	44	2.6	39	2.3	333	2.5	1.5
Digestive System	20	1.6	29	2.3	34	2.7	37	2.6	40	2.7	23	1.5	26	1.7	37	2.3	30	1.8	276	2.1	3.0
External Causes	41	4.3	47	4.6	72	7.5	66	6.5	75	7.0	69	6.1	73	5.9	84	7.3	61	4.5	588	6.0	3.3
MVTA	16	1.9	12	1.2	29	3.5	23	2.3	21	2.1	14	1.2	18	1.7	26	2.5	24	2.0	183	2.1	3.3
Suicide	8	0.8	14	1.4	8	0.8	10	1.1	24	2.1	20	1.8	16	1.4	13	1.2	10	0.7	123	1.3	1.6
All Causes Male	413	72.9	460	79.0	487	82.4	482	78.0	495	76.7	485	72.0	525	75.8	561	79.7	566	76.7	4,474	77.1	1.1
Female	304	46.2	358	51.5	377	53.5	381	50.8	433	55.0	412	49.9	408	47.9	445	49.8	423	45.2	3,541	50.0	1.7
Total	717	58.8	818	64.4	864	67.1	863	63.4	928	65.2	897	60.2	933	60.8	1,006	63.9	989	59.7	8,015	62.7	1.4
Alcohol-Related	24	2.1	21	1.9	56	4.5	49	3.8	47	3.7	55	4.2	81	5.9	66	4.7	58	3.8	457	3.9	5.4
Medically Treatable	-	-	1	0.1	1	0.1	2	0.3	3	0.3	1	0.1	3	0.3	2	0.1	3	0.2	16	0.2	9.0
Drug-Induced	1	0.1	8	0.7	7	0.7	10	1.3	11	1.0	8	0.9	9	0.7	12	1.3	4	0.3	70	0.8	0.5
SAM	157	12.6	181	13.9	185	13.7	173	12.1	195	13.1	190	12.4	217	13.8	220	13.5	210	12.6	1,727	13.1	1.1

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 04 SOUTH OKANAGAN SIMILKAMEEN
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	3,234		3,340		3,606		3,984		4,284		4,445		4,599		4,764		4,992		37,248		
Live Births[1]: Male	34		48		62		55		62		44		59		59		45		468		
Female	36		54		51		50		52		49		49		48		60		451		
Total	72	22.3	102	30.5	113	31.3	105	26.4	114	26.6	93	20.9	108	23.5	107	22.5	105	21.0	919	24.7	2.5
Low Birth Weight[2]	3	41.7	7	68.6	3	26.5	7	66.7	3	26.3	8	86.0	2	18.5	5	46.7	5	47.6	43	46.8	0.9
Premature[2]	2	27.8	7	68.6	8	70.8	12	114.3	4	35.1	7	75.3	4	37.0	5	46.7	10	95.2	59	64.2	1.0
Cesarean Section[2]	12	166.7	26	254.9	24	212.4	21	200.0	17	149.1	20	215.1	15	138.9	12	112.1	12	114.3	159	173.0	0.8
Teenage Mother[2]	10	138.9	18	176.5	22	194.7	15	142.9	20	175.4	12	129.0	10	92.6	14	[illegible]	21	200.0	142	154.5	2.7
Elderly Gravida[2]	3	41.7	5	49.0	7	61.9	8	76.2	4	35.1	5	53.8	12	111.1	9	84.1	8	76.2	61	66.4	0.5
Stillbirths[3]:	1	13.7	1	9.7	-	-	1	9.4	1	8.7	1	10.6	-	-	-	-	2	18.7	7	7.6	1.5
Early Neonatal	-	-	-	-	-	-	-	-	-	-	1	10.8	-	-	-	-	-	-	1	1.1	0.3
Neonatal	-	-	-	-	-	-	-	-	-	-	2	21.5	-	-	-	-	-	-	2	2.2	0.6
Post Neonatal	2	27.8	-	-	2	17.7	1	9.5	-	-	-	-	-	-	-	-	-	-	5	5.4	3.2
Infant Deaths	2	27.8	-	-	2	17.7	1	9.5	-	-	2	21.5	-	-	-	-	-	-	7	7.6	1.4

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	1	10.0	-	-	1	3.7	1	3.6	1	2.8	-	-	-	-	1	5.5	-	-	5	2.5	4.2
Cancer	3	31.5	1	9.4	6	38.4	2	12.8	3	14.2	1	6.3	4	17.7	4	19.7	2	5.2	26	15.7	1.0
Lung	-	-	-	-	2	17.0	1	9.3	1	4.7	-	-	-	-	2	8.6	-	-	6	4.1	1.0
Female Breast	-	-	-	-	1	5.5	1	6.7	1	4.7	-	-	-	-	-	-	-	-	3	1.6	0.7
Endo/Nut/Met	-	-	-	-	-	-	-	-	-	-	-	-	1	2.2	-	-	4	15.1	5	2.5	1.8
Circulatory System	7	58.3	7	53.8	6	43.3	9	67.4	3	16.4	2	7.5	4	25.9	12	59.9	8	29.5	58	38.3	1.9
Ischemic Heart	4	33.5	4	31.8	1	8.5	6	41.1	1	2.5	1	2.9	1	6.5	8	39.5	3	10.4	29	18.8	1.9
Cerebrovascular/Stroke	2	16.2	2	12.6	2	13.3	2	17.0	1	7.0	-	-	1	6.5	3	14.9	3	8.9	16	10.4	2.5
Respiratory System	3	14.8	4	36.3	7	58.4	2	17.8	1	5.7	1	2.3	-	-	6	24.4	2	5.3	26	15.9	2.7
Pneumonia/Influenza	2	13.0	1	9.4	2	13.3	1	8.5	-	-	1	2.3	-	-	2	5.0	1	3.5	10	5.4	2.0
Chronic Pulmonary	-	-	3	27.0	3	28.7	1	9.3	1	5.7	-	-	-	-	3	16.3	1	1.8	12	8.6	4.1
Digestive System	2	13.1	1	4.2	2	11.5	1	3.6	2	5.2	3	14.4	1	4.4	3	12.4	3	11.3	18	9.2	4.6
External Causes	2	12.8	6	22.9	9	25.5	4	8.9	5	16.5	3	9.8	4	8.3	5	16.4	5	10.6	43	14.1	2.8
MVTA	-	-	2	5.9	4	11.1	2	4.3	3	6.8	1	2.3	1	2.3	1	2.3	3	5.6	17	4.4	3.4
Suicide	-	-	1	8.2	2	5.3	1	2.4	-	-	1	5.1	-	-	1	2.1	2	5.0	8	3.0	2.3
All Causes Male	11	171.9	16	228.9	22	284.5	14	211.1	13	134.7	11	86.3	8	63.1	23	232.9	14	105.2	132	161.8	2.3
Female	10	149.1	5	69.2	11	113.4	7	64.9	4	24.1	4	28.0	8	56.0	10	76.4	10	55.4	69	64.7	1.5
Total	21	157.1	21	142.6	33	188.8	21	131.0	17	70.9	15	53.7	16	56.8	33	142.2	24	76.9	201	107.2	1.9
Alcohol-Related	2	18.6	2	6.4	10	44.6	4	12.6	5	20.2	10	40.2	7	17.1	10	30.2	10	30.6	60	25.2	7.4
Medically Treatable	2	9.3	1	4.2	-	-	-	-	1	2.8	1	2.3	-	-	-	-	-	-	5	1.7	5.7
Drug-Induced	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2.3	1	3.1	2	0.7	1.2
SAM	2	17.7	5	36.0	7	56.3	4	34.7	3	14.5	1	2.7	2	10.1	8	37.2	4	12.6	36	22.7	2.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 04 South Okanagan Similkameen
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	179,719		189,714		199,308		206,696		211,815		216,218		221,622		224,857		226,133		1,876,062		
Live Births[1]: Male	1,022		1,032		1,055		1,090		1,139		1,059		1,013		946		964		9,320		
Female	900		1,034		1,060		1,059		1,121		1,017		996		946		976		9,109		
Total	1,922	10.7	2,066	10.9	2,115	10.6	2,150	10.4	2,260	10.7	2,076	9.6	2,009	9.1	1,892	8.4	1,940	8.6	18,430	9.8	2.5
Low Birth Weight[2]	88	45.8	115	55.7	112	53.0	103	47.9	128	56.6	133	64.1	97	48.3	100	52.9	94	48.5	970	52.6	0.9
Premature[2]	114	59.3	125	60.5	128	60.5	127	59.1	137	60.6	147	70.8	130	64.7	116	61.3	132	68.0	1,156	62.7	1.0
Cesarean Section[2]	490	254.9	462	223.6	473	223.6	420	195.3	428	189.4	412	198.5	393	195.6	315	166.5	430	221.6	3,823	207.4	0.8
Teenage Mother[2]	99	51.5	102	49.4	127	60.0	141	65.6	132	58.4	134	64.5	104	51.8	113	59.7	101	52.1	1,053	57.1	2.7
Elderly Gravida[2]	171	89.0	210	101.6	232	109.7	270	125.6	273	120.8	303	146.0	288	143.4	289	152.7	311	160.3	2,347	127.3	0.5
Stillbirths[3]:	15	7.7	3	1.4	11	5.2	12	5.6	12	5.3	11	5.3	11	5.4	9	4.7	11	5.6	95	5.1	1.5
Early Neonatal	7	3.6	6	2.9	4	1.9	8	3.7	10	4.4	8	3.9	4	2.0	3	1.6	9	4.6	59	3.2	0.3
Neonatal	8	4.2	8	3.9	5	2.4	8	3.7	10	4.4	10	4.8	4	2.0	3	1.6	9	4.6	65	3.5	0.6
Post Neonatal	6	3.1	2	1.0	9	4.3	2	0.9	3	1.3	3	1.4	3	1.5	2	1.1	2	1.0	32	1.7	3.2
Infant Deaths	14	7.3	10	4.8	14	6.6	10	4.7	13	5.8	13	6.3	7	3.5	5	2.6	11	5.7	97	5.3	1.4

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	14	0.6	19	0.9	26	1.0	16	0.6	17	0.6	21	0.8	12	0.3	15	0.5	12	0.3	152	0.6	4.2
Cancer	420	15.0	464	16.0	498	16.3	517	16.3	479	14.4	565	16.5	570	16.2	583	16.4	595	16.0	4,691	15.9	1.0
Lung	85	3.1	124	4.2	134	4.5	137	4.4	117	3.5	147	4.3	133	3.7	170	4.8	145	4.0	1,192	4.1	1.0
Female Breast	35	2.5	30	2.1	35	2.1	32	2.0	37	2.4	37	2.2	45	2.5	38	2.0	41	2.3	330	2.2	0.7
Endo/Nut/Met	53	2.0	23	0.8	40	1.3	47	1.5	49	1.4	44	1.3	62	1.7	45	1.2	58	1.5	421	1.4	1.8
Circulatory System	623	20.7	638	20.6	659	20.2	697	20.6	735	20.6	729	19.8	734	19.0	810	20.3	797	19.2	6,422	20.1	1.9
Ischemic Heart	333	11.0	338	10.9	337	10.4	332	9.9	365	10.3	347	9.5	382	10.0	394	9.8	382	9.3	3,210	10.1	1.9
Cerebrovascular/Stroke	122	4.0	136	4.3	136	4.1	162	4.8	169	4.6	170	4.5	147	3.8	178	4.5	158	3.7	1,378	4.2	2.5
Respiratory System	146	4.8	198	6.3	181	5.5	186	5.4	199	5.4	236	6.3	214	5.5	265	6.5	250	6.1	1,877	5.8	2.7
Pneumonia/Influenza	69	2.3	103	3.2	76	2.3	81	2.3	94	2.6	115	3.0	112	2.9	128	3.1	123	2.9	901	2.7	2.0
Chronic Pulmonary	49	1.6	62	1.9	71	2.2	73	2.1	75	2.0	84	2.2	73	1.8	105	2.6	90	2.1	682	2.1	4.1
Digestive System	59	2.1	60	2.0	68	2.3	64	2.0	61	1.8	62	1.8	73	1.9	89	2.3	79	2.1	615	2.0	4.6
External Causes	104	5.6	107	5.1	118	5.7	131	5.8	134	5.9	118	4.6	121	4.5	102	3.7	115	4.2	1,050	5.0	2.8
MVTA	31	2.0	32	1.6	27	1.5	29	1.4	30	1.5	24	1.1	23	0.9	17	0.8	22	0.8	235	1.3	3.4
Suicide	17	1.0	28	1.5	24	1.2	43	1.9	35	1.8	30	1.2	31	1.4	21	0.9	29	1.3	258	1.3	2.3
All Causes Male	881	69.8	943	71.0	1,002	73.3	1,006	71.0	1,015	68.8	1,093	70.8	1,095	67.8	1,116	68.0	1,152	68.6	9,303	69.9	2.3
Female	689	44.5	702	44.0	752	44.4	819	45.7	823	43.9	870	44.8	854	41.8	979	45.7	996	45.5	7,484	44.5	1.5
Total	1,570	56.5	1,645	56.8	1,754	57.8	1,825	57.4	1,838	55.4	1,963	56.7	1,949	53.7	2,095	56.0	2,148	56.0	16,787	56.2	1.9
Alcohol-Related	33	1.4	37	1.5	95	3.7	113	4.0	109	3.9	119	4.2	120	3.9	129	4.1	119	3.7	874	3.4	7.4
Medically Treatable	7	0.4	8	0.5	7	0.3	7	0.3	5	0.2	10	0.5	4	0.2	3	0.1	4	0.2	55	0.3	5.7
Drug-Induced	6	0.3	9	0.4	12	0.6	16	0.8	8	0.4	13	0.6	15	0.7	19	0.8	16	0.7	114	0.6	1.2
SAM	298	10.2	360	12.0	370	11.8	386	11.8	374	10.8	426	12.0	407	11.0	473	12.5	438	11.1	3,532	11.5	2.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 05 Thompson
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	10,126		10,187		10,741		11,486		12,162		12,725		12,985		13,402		13,888		107,852		
Live Births[1]: Male	111		117		107		128		114		132		134		102		111		1,056		
Female	98		98		103		110		97		117		113		143		101		990		
Total	209	20.6	215	21.1	210	19.6	238	20.7	211	17.3	249	19.6	247	19.1	245	18.3	212	15.3	2,046	18.9	1.8
Low Birth Weight[2]	13	62.2	23	107.0	11	52.4	10	42.0	17	80.6	19	76.3	13	52.6	12	49.0	10	47.2	125	62.9	1.2
Premature[2]	13	62.2	31	144.2	19	90.5	14	58.8	21	99.5	24	96.4	25	101.2	19	77.6	14	66.0	180	88.4	1.4
Cesarean Section[2]	43	205.7	37	172.1	40	190.5	42	176.5	45	213.3	48	192.8	44	178.1	46	187.8	36	169.8	381	187.1	0.8
Teenage Mother[2]	40	191.4	46	214.0	42	200.0	39	163.9	45	213.3	38	152.6	42	170.0	35	142.9	34	160.4	361	177.3	2.5
Elderly Gravida[2]	18	86.1	7	32.6	11	52.4	20	84.0	13	61.6	15	60.2	13	52.6	14	57.1	18	84.9	129	63.4	0.6
Stillbirths[3]:	2	9.5	-	-	-	-	1	4.2	4	18.6	2	8.0	4	15.9	1	4.1	1	4.7	15	7.3	1.3
Early Neonatal	1	4.8	1	4.7	-	-	-	-	-	-	-	-	1	4.0	1	4.1	-	-	4	2.0	0.9
Neonatal	1	4.8	1	4.7	-	-	-	-	-	-	-	-	1	4.0	1	4.1	-	-	4	2.0	0.8
Post Neonatal	1	4.8	1	4.7	-	-	-	-	1	4.7	3	12.0	-	-	-	-	-	-	6	2.9	1.5
Infant Deaths	2	9.6	2	9.3	-	-	-	-	1	4.7	3	12.0	1	4.0	1	4.1	-	-	10	4.9	0.9

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	-	-	1	0.9	-	-	-	-	2	1.5	1	0.7	2	2.0	6	0.7	0.8
Cancer	4	9.1	8	19.3	7	15.8	2	3.5	12	20.6	9	12.5	10	14.0	6	8.0	6	9.9	66	12.2	0.7
Lung	-	-	2	5.1	1	2.4	1	1.2	2	2.8	1	2.2	3	5.0	2	2.8	2	3.0	14	2.7	0.5
Female Breast	-	-	1	4.9	1	5.4	-	-	2	4.9	-	-	1	3.3	-	-	2	3.5	7	2.3	0.9
Endo/Nut/Met	3	6.3	2	5.1	-	-	1	2.0	1	0.9	2	3.7	-	-	2	3.1	7	9.4	18	3.4	1.8
Circulatory System	20	42.3	13	28.0	17	36.6	13	27.8	12	20.0	17	27.9	11	18.0	19	26.6	13	17.5	135	28.0	1.1
Ischemic Heart	7	17.3	7	15.5	6	13.3	7	15.1	8	13.3	6	10.4	5	7.6	10	15.4	6	7.9	62	12.3	1.0
Cerebrovascular/Stroke	3	5.7	5	10.8	6	11.6	5	11.6	1	0.9	3	4.8	2	3.3	3	4.1	2	2.4	30	5.6	1.2
Respiratory System	5	10.8	4	8.6	8	17.2	2	4.8	3	4.2	5	7.8	10	13.4	5	6.6	9	14.2	51	9.8	1.3
Pneumonia/Influenza	5	10.8	1	1.3	6	13.9	2	4.8	2	3.6	2	3.4	2	3.6	5	6.6	3	4.8	28	5.6	2.0
Chronic Pulmonary	-	-	2	4.3	-	-	-	-	-	-	1	1.6	2	3.3	-	-	1	1.6	6	1.2	0.3
Digestive System	4	7.6	8	15.1	7	9.1	5	10.1	6	8.9	2	2.1	6	8.5	4	4.6	4	4.1	46	7.3	2.6
External Causes	22	28.7	24	23.7	20	19.9	17	17.4	19	16.4	12	10.5	24	19.5	14	11.9	12	9.4	164	16.9	2.3
MVTA	8	6.4	9	8.8	3	2.6	8	7.7	5	4.1	4	3.7	8	4.2	5	5.3	8	4.8	54	5.3	2.4
Suicide	2	1.7	4	3.6	5	3.8	3	2.3	6	5.1	2	1.5	5	5.0	1	0.6	1	0.6	29	2.7	1.7
All Causes Male	43	152.7	35	105.7	37	125.0	24	80.5	41	111.4	29	71.9	41	97.6	32	77.8	25	57.9	307	94.3	1.1
Female	25	86.7	26	101.9	26	90.2	20	61.3	18	48.5	30	65.5	29	71.6	28	67.9	34	81.5	236	75.7	1.4
Total	68	118.8	61	103.1	63	106.9	44	70.6	59	78.0	59	78.5	70	84.1	60	72.3	59	70.8	543	84.6	1.2
Alcohol-Related	12	21.0	15	19.3	22	32.3	17	23.8	21	24.6	18	21.6	24	25.0	18	18.2	16	16.5	161	22.3	4.5
Medically Treatable	1	1.4	1	1.3	1	0.9	1	0.9	-	-	3	2.4	2	1.4	2	1.4	1	0.7	12	1.1	3.7
Drug-Induced	-	-	-	-	1	1.3	2	1.6	1	0.9	2	1.6	1	2.0	1	0.7	2	1.7	10	1.2	0.9
SAM	6	14.3	8	17.2	8	17.9	5	10.1	6	10.0	7	11.1	8	12.9	8	9.7	8	10.5	65	12.2	0.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region

Other Residents - 05 Thompson

British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	103,010		104,802		107,947		111,237		114,432		117,685		120,462		121,782		122,032		1,023,369		
Live Births[1]: Male	635		619		658		628		634		677		621		561		531		5,564		
Female	615		599		576		592		646		570		562		578		481		5,219		
Total	1,250	12.1	1,218	11.6	1,234	11.4	1,220	11.0	1,280	11.2	1,247	10.6	1,183	9.8	1,139	9.4	1,012	8.3	10,783	10.5	1.8
Low Birth Weight[2]	53	42.4	59	48.4	77	62.4	58	47.5	62	48.4	69	55.3	57	48.2	66	57.9	44	43.5	545	50.5	1.2
Premature[2]	69	55.2	62	50.9	89	72.1	60	49.2	81	63.3	81	65.0	71	60.0	85	74.6	60	59.3	658	61.0	1.4
Cesarean Section[2]	297	237.6	265	217.6	325	263.4	292	239.3	315	246.1	348	279.1	291	246.0	286	251.1	227	224.3	2,646	245.4	0.8
Teenage Mother[2]	93	74.4	105	86.2	105	85.1	73	59.8	104	81.3	78	62.6	70	59.2	76	66.7	48	47.4	752	69.7	2.5
Elderly Gravida[2]	114	91.2	96	78.8	117	94.8	121	99.2	132	103.1	119	95.4	133	112.4	124	108.9	149	147.2	1,105	102.5	0.6
Stillbirths[3]:	6	4.8	2	1.6	6	4.8	6	4.9	9	7.0	6	4.8	13	10.9	5	4.4	7	6.9	60	5.5	1.3
Early Neonatal	3	2.4	3	2.5	5	4.1	1	0.8	3	2.3	3	2.4	2	1.7	3	2.6	2	2.0	25	2.3	0.9
Neonatal	3	2.4	3	2.5	8	6.5	1	0.8	5	3.9	5	4.0	4	3.4	5	4.4	2	2.0	36	3.3	0.6
Post Neonatal	7	5.6	-	-	4	3.2	3	2.5	3	2.3	1	0.8	-	-	1	0.9	2	2.0	21	1.9	1.5
Infant Deaths	10	8.0	3	2.5	12	9.7	4	3.3	8	6.3	6	4.8	4	3.4	6	5.3	4	4.0	57	5.3	0.9
Death-Related Cause of Death	**1991**		**1992**		**1993**		**1994**		**1995**		**1996**		**1997**		**1998**		**1999**		**1991-1999**		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	6	0.6	6	0.6	9	0.9	5	0.5	9	0.8	9	0.8	14	1.1	11	0.9	17	1.3	86	0.9	0.8
Cancer	183	18.6	193	19.0	204	19.1	202	18.2	208	18.2	226	18.9	202	16.3	213	16.2	226	16.6	1,857	17.8	0.7
Lung	65	6.6	62	6.0	71	6.5	66	5.8	53	4.7	65	5.4	66	5.2	67	5.0	66	4.9	581	5.5	0.5
Female Breast	14	2.8	17	3.1	12	2.1	21	3.6	17	2.8	18	2.8	16	2.4	16	2.2	18	2.4	149	2.7	0.9
Endo/Nut/Met	17	1.8	17	1.7	23	2.3	17	1.6	20	1.8	20	1.7	29	2.5	25	2.0	21	1.7	189	1.9	1.8
Circulatory System	232	25.5	253	26.3	247	24.5	273	26.2	269	24.6	260	22.6	303	25.2	266	21.6	271	21.0	2,374	24.0	1.1
Ischemic Heart	120	12.8	126	12.9	143	13.9	147	13.8	142	12.7	139	12.0	152	12.4	139	11.2	126	9.6	1,234	12.3	1.0
Cerebrovascular/Stroke	46	5.3	50	5.2	38	3.9	55	5.4	53	4.9	42	3.7	58	4.9	38	3.0	55	4.3	435	4.5	1.2
Respiratory System	59	6.4	69	7.4	72	7.4	84	8.2	73	6.7	73	6.6	89	7.5	89	7.2	109	8.5	717	7.4	1.3
Pneumonia/Influenza	20	2.3	25	2.7	32	3.5	36	3.5	25	2.3	22	2.0	27	2.3	34	2.8	43	3.4	264	2.8	2.0
Chronic Pulmonary	28	2.9	30	3.3	26	2.5	31	3.1	40	3.7	42	3.8	48	4.0	42	3.4	50	3.9	337	3.5	0.3
Digestive System	26	2.7	25	2.6	33	3.2	26	2.5	39	3.4	37	3.1	37	3.0	34	2.6	26	2.0	283	2.8	2.6
External Causes	90	9.2	59	5.8	76	7.7	72	6.8	77	7.0	81	7.2	103	8.9	88	7.3	69	5.7	715	7.3	2.3
MVTA	34	3.5	18	1.7	27	2.8	25	2.4	27	2.4	28	2.5	20	1.8	17	1.4	22	1.8	218	2.2	2.4
Suicide	18	1.8	17	1.6	17	1.6	17	1.7	21	1.8	16	1.4	24	2.1	25	2.0	12	0.9	167	1.6	1.7
All Causes Male	419	92.0	425	91.9	443	93.9	458	93.0	440	86.1	437	82.5	477	85.4	455	79.8	478	80.7	4,032	66.6	1.1
Female	243	49.6	256	49.7	282	52.0	301	53.0	324	54.3	342	54.9	384	59.2	364	53.5	343	48.3	2,839	52.9	1.4
Total	662	70.0	681	68.6	725	71.5	759	71.7	764	69.2	779	67.6	861	71.7	819	65.8	821	63.4	6,871	58.8	1.2
Alcohol-Related	23	2.3	31	2.9	51	4.7	64	5.9	80	6.8	69	5.8	83	6.6	60	4.7	62	4.7	523	5.0	4.5
Medically Treatable	3	0.3	2	0.2	4	0.3	1	0.1	4	0.3	1	0.1	3	0.2	7	0.5	4	0.3	29	0.3	3.7
Drug-Induced	8	0.8	4	0.4	13	1.2	16	1.4	15	1.4	19	1.6	19	1.6	21	1.8	12	1.0	127	1.3	0.9
SAM	153	16.0	161	16.2	170	16.2	168	15.5	162	14.4	177	15.1	186	15.1	176	13.8	186	14.3	1,538	15.1	0.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 06 Fraser Valley
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	6,588		6,719		7,279		7,747		8,196		8,482		8,723		9,096		9,385		72,223		
Live Births[1]: Male	99		97		106		87		100		111		120		116		112		948		
Female	91		94		92		82		101		113		93		101		93		860		
Total	190	28.8	191	28.4	198	27.2	169	21.8	201	24.5	224	26.5	213	24.4	217	23.9	205	21.8	1,808	25.0	1.8
Low Birth Weight[2]	22	115.8	9	47.1	10	50.5	12	71.0	12	59.7	10	44.6	13	61.0	15	69.1	8	39.0	111	61.4	1.3
Premature[2]	26	136.8	16	83.8	19	96.0	17	100.6	17	84.6	13	58.0	13	61.0	17	78.3	14	68.3	152	84.1	1.6
Cesarean Section[2]	21	110.5	23	120.4	31	156.6	33	195.3	24	119.4	39	174.1	32	150.2	30	138.2	33	161.0	266	147.1	0.7
Teenage Mother[2]	48	252.6	43	225.1	56	282.8	42	248.5	38	189.1	53	236.6	47	220.7	42	193.5	47	229.3	416	230.1	4.2
Elderly Gravida[2]	8	42.1	12	62.8	12	60.6	12	71.0	10	49.8	12	53.6	13	61.0	13	59.9	14	68.3	106	58.6	0.6
Stillbirths[3]:	1	5.2	3	15.5	1	5.0	1	5.9	2	9.9	2	8.8	-	-	2	9.1	-	-	12	6.6	0.9
Early Neonatal	1	5.3	-	-	-	-	1	5.9	2	10.0	-	-	-	-	-	-	-	-	4	2.2	0.9
Neonatal	1	5.3	-	-	-	-	1	5.9	2	10.0	-	-	1	4.7	1	4.6	-	-	6	3.3	1.1
Post Neonatal	4	21.1	4	20.9	3	15.2	1	5.9	1	5.0	1	4.5	-	-	1	4.6	-	-	15	8.3	4.0
Infant Deaths	5	26.3	4	20.9	3	15.2	2	11.8	3	14.9	1	4.5	1	4.7	2	9.2	-	-	21	11.6	2.3

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	2	7.8	1	3.3	1	4.6	-	-	-	-	3	3.8	-	-	1	1.2	1	1.1	9	2.3	2.9
Cancer	5	20.3	5	20.9	8	29.3	6	16.4	9	22.5	2	5.5	7	19.2	6	13.3	7	12.4	55	17.0	1.0
Lung	1	2.2	2	5.3	4	15.4	-	-	1	2.1	-	-	3	7.6	-	-	2	2.1	13	3.5	0.7
Female Breast	-	-	-	-	-	-	1	7.5	2	15.1	1	2.7	-	-	1	3.2	1	6.6	6	4.1	1.7
Endo/Nut/Met	3	12.8	1	1.3	2	4.8	-	-	2	6.2	2	3.7	-	-	1	1.3	1	3.5	12	3.6	2.1
Circulatory System	7	28.7	14	58.9	10	37.8	14	50.3	9	24.4	9	24.8	9	21.0	16	51.3	10	24.8	98	34.6	1.4
Ischemic Heart	4	16.1	9	38.9	7	29.5	9	33.0	3	9.4	4	11.9	5	10.3	8	25.4	3	6.9	52	18.7	1.4
Cerebrovascular/Stroke	3	12.6	2	10.6	-	-	2	7.9	4	12.1	3	7.8	3	8.8	3	10.6	3	8.9	23	8.7	1.7
Respiratory System	5	27.9	2	6.2	1	4.6	4	10.7	1	3.5	4	7.6	2	6.0	6	19.2	2	4.3	27	9.1	1.5
Pneumonia/Influenza	3	16.8	1	0.7	-	-	2	5.3	1	3.5	1	1.2	1	3.3	4	11.8	-	-	13	4.3	1.6
Chronic Pulmonary	1	5.4	1	5.5	-	-	1	4.2	-	-	2	5.5	-	-	1	3.2	-	-	6	2.3	1.0
Digestive System	-	-	3	9.3	2	3.9	3	12.2	5	13.7	4	10.4	1	3.3	1	1.2	6	12.8	25	7.7	3.3
External Causes	15	20.5	5	7.0	10	14.4	16	20.7	15	20.0	12	15.0	12	15.8	11	14.9	11	16.8	107	17.4	3.3
MVTA	4	6.3	4	5.9	2	2.4	4	4.1	6	9.7	4	4.4	7	9.8	3	4.7	2	2.0	36	5.5	4.2
Suicide	5	6.2	1	1.1	4	5.9	3	3.5	1	1.5	3	3.9	2	2.5	2	2.5	2	4.7	23	3.6	2.8
All Causes Male	28	176.5	24	162.0	21	122.2	27	127.7	26	116.2	26	104.9	26	110.0	26	124.6	23	94.0	227	121.6	1.6
Female	16	86.2	17	90.3	18	95.7	23	113.4	20	95.2	14	48.7	9	39.7	19	95.1	17	65.6	153	79.0	1.5
Total	44	126.9	41	123.3	39	109.2	50	120.7	46	106.0	40	76.3	35	73.2	45	107.9	40	78.2	380	98.2	1.6
Alcohol-Related	2	2.7	6	16.9	6	11.3	6	12.6	9	22.0	12	22.0	4	9.3	5	11.2	7	16.7	57	14.2	5.1
Medically Treatable	-	-	1	3.3	-	-	1	1.3	-	-	2	2.1	-	-	1	1.2	1	1.1	6	1.0	3.3
Drug-Induced	1	1.3	-	-	2	2.6	4	5.3	2	4.3	3	4.2	2	2.5	4	5.1	5	5.4	23	3.7	3.7
SAM	5	20.8	6	25.7	6	22.8	5	17.0	4	9.6	5	14.4	6	14.3	7	19.3	5	8.4	48	15.8	1.2

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 06 Fraser Valley
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	184,443		192,30	1	200,763		209,209		216,332		222,883		227,386		229,510		231,126		1,914,043		
Live Births[1]: Male	1,418		1,515		1,465		1,576		1,608		1,592		1,470		1,448		1,426		13,518		
Female	1,308		1,485		1,463		1,495		1,437		1,427		1,481		1,396		1,390		12,882		
Total	2,726	14.8	3,000	15.6	2,928	14.6	3,071	14.7	3,045	14.1	3,019	13.5	2,951	13.0	2,844	12.4	2,816	12.2	26,400	13.8	1.8
Low Birth Weight[2]	98	36.0	119	39.7	149	50.9	149	48.5	151	49.6	147	48.7	135	45.7	146	51.3	108	38.4	1,202	45.5	1.3
Premature[2]	135	49.5	150	50.0	172	58.7	165	53.7	183	60.1	173	57.3	136	46.1	169	59.4	148	52.6	1,431	54.2	1.6
Cesarean Section[2]	591	216.8	624	208.0	607	207.3	684	222.7	612	201.0	640	212.0	586	198.6	605	212.7	613	217.7	5,562	210.7	0.7
Teenage Mother[2]	140	51.4	127	42.3	174	59.4	149	48.5	192	63.1	173	57.3	174	59.0	156	54.9	161	57.2	1,446	54.8	4.2
Elderly Gravida[2]	203	74.5	232	77.3	226	77.2	255	83.0	311	102.1	286	94.7	309	104.7	349	122.7	317	112.6	2,488	94.2	0.6
Stillbirths[3]:	20	7.3	15	5.0	27	9.1	23	7.4	21	6.8	19	6.3	19	6.4	20	7.0	21	7.4	185	7.0	0.9
Early Neonatal	7	2.6	11	3.7	13	4.4	6	2.0	9	3.0	6	2.0	5	1.7	6	2.1	4	1.4	67	2.5	0.9
Neonatal	7	2.6	12	4.0	15	5.1	7	2.3	11	3.6	7	2.3	5	1.7	6	2.1	6	2.1	76	2.9	1.1
Post Neonatal	5	1.8	7	2.3	5	1.7	8	2.6	10	3.3	1	0.3	3	1.0	9	3.2	7	2.5	55	2.1	4.0
Infant Deaths	12	4.4	19	6.3	20	6.8	15	4.9	21	6.9	8	2.6	8	2.7	15	5.3	13	4.6	131	5.0	2.3

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	9	0.4	18	0.8	22	1.0	25	1.1	24	1.0	17	0.7	12	0.5	18	0.7	22	0.8	167	0.8	2.9
Cancer	372	17.3	350	15.5	385	16.5	394	16.3	411	16.5	448	17.4	477	18.1	446	16.6	503	18.0	3,786	17.0	1.0
Lung	111	5.2	98	4.4	105	4.4	105	4.4	121	4.9	114	4.5	127	4.9	117	4.4	133	4.9	1,031	4.7	0.7
Female Breast	29	2.8	25	2.1	30	2.4	23	1.8	26	2.0	37	2.6	31	2.3	36	2.6	38	2.6	275	2.4	1.7
Endo/Nut/Met	30	1.4	32	1.4	42	1.8	36	1.4	43	1.7	46	1.7	60	2.2	55	1.9	47	1.6	391	1.7	2.1
Circulatory System	574	25.7	585	24.3	618	25.6	637	25.5	635	24.1	668	24.4	661	23.6	671	23.1	650	21.5	5,679	24.1	1.4
Ischemic Heart	341	15.4	316	13.6	329	13.7	346	13.9	350	13.3	355	13.1	370	13.2	358	12.4	321	10.6	3,086	13.2	1.4
Cerebrovascular/Stroke	112	4.9	109	4.7	143	5.9	140	5.5	141	5.4	152	5.5	128	4.5	148	5.0	136	4.5	1,209	5.1	1.7
Respiratory System	121	5.3	146	6.3	138	5.6	126	5.0	161	6.1	190	6.9	176	6.2	179	6.1	191	6.3	1,428	6.0	1.5
Pneumonia/Influenza	56	2.5	70	3.0	66	2.7	54	2.1	66	2.5	81	2.9	88	3.1	75	2.5	93	3.1	649	2.7	1.6
Chronic Pulmonary	41	1.8	56	2.4	55	2.3	47	1.8	76	2.9	76	2.8	58	2.0	79	2.7	77	2.6	565	2.4	1.0
Digestive System	51	2.5	47	2.1	71	3.1	50	2.1	60	2.4	63	2.4	58	2.1	64	2.3	60	2.1	524	2.3	3.3
External Causes	96	5.2	87	4.6	101	5.0	114	5.5	98	4.7	136	6.1	140	6.1	123	5.2	99	4.1	994	5.2	3.3
MVTA	23	1.3	22	1.3	18	0.9	42	2.1	20	1.0	28	1.3	35	1.6	24	1.1	21	1.0	233	1.3	4.2
Suicide	31	1.8	22	1.2	25	1.3	25	1.3	25	1.2	37	1.7	27	1.2	22	0.9	29	1.2	243	1.3	2.8
All Causes Male	772	78.1	748	73.4	830	78.4	806	73.8	820	72.6	911	78.3	953	79.7	894	72.9	938	74.5	7,670	75.8	1.6
Female	576	47.9	640	50.3	686	52.4	701	51.5	737	52.0	819	54.7	790	51.8	834	52.8	824	50.2	6,607	51.5	1.5
Total	1,348	62.1	1,388	61.4	1,516	64.7	1,507	61.8	1,557	61.5	1,730	65.8	1,743	64.6	1,728	62.1	1,762	61.3	14,277	62.9	1.6
Alcohol-Related	29	1.5	36	1.7	73	3.4	71	3.1	63	2.7	83	3.4	80	3.2	77	3.0	84	3.2	596	2.8	5.1
Medically Treatable	2	0.1	4	0.2	2	0.1	5	0.2	10	0.5	5	0.2	5	0.2	4	0.2	11	0.5	48	0.3	3.3
Drug-Induced	15	0.8	10	0.6	19	1.0	11	0.6	18	0.9	28	1.3	28	1.3	33	1.5	15	0.6	177	1.0	3.7
SAM	301	13.8	295	13.0	317	13.4	308	12.6	343	13.5	351	13.2	354	13.1	355	12.7	370	12.8	2,995	13.1	1.2

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 07 South Fraser Valley
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	2,462		2,639		3,088		3,542		3,984		4,194		4,475		4,778		5,058		34,220		
Live Births[1]: Male	65		72		65		77		84		64		71		105		77		680		
Female	48		56		63		80		68		76		67		102		76		636		
Total	113	45.9	128	48.5	128	41.5	157	44.3	152	38.2	140	33.4	138	30.8	207	43.3	153	30.2	1,316	38.5	2.7
Low Birth Weight[2]	2	17.7	4	31.3	2	15.6	9	57.3	2	13.2	6	42.9	11	79.7	13	62.8	8	52.3	57	43.3	0.8
Premature[2]	6	53.1	7	54.7	5	39.1	15	95.5	11	72.4	9	64.3	13	94.2	13	62.8	14	91.5	93	70.7	1.1
Cesarean Section[2]	26	230.1	25	195.3	17	132.8	30	191.1	30	197.4	26	185.7	22	159.4	37	178.7	31	202.6	244	185.4	0.8
Teenage Mother[2]	9	79.6	23	179.7	9	70.3	18	114.6	20	131.6	24	171.4	15	108.7	21	101.4	24	156.9	163	123.9	3.6
Elderly Gravida[2]	11	97.3	7	54.7	13	101.6	9	57.3	12	78.9	6	42.9	16	115.9	31	149.8	13	85.0	118	89.7	0.7
Stillbirths[3]:	1	8.8	-	-	-	-	-	-	2	13.0	1	7.1	-	-	-	-	-	-	4	3.0	0.4
Early Neonatal	-	-	-	-	-	-	1	6.4	-	-	-	-	-	-	-	-	-	-	1	0.8	0.3
Neonatal	-	-	-	-	-	-	1	6.4	-	-	1	7.1	-	-	-	-	-	-	2	1.5	0.4
Post Neonatal	1	8.8	-	-	-	-	-	-	1	6.6	2	14.3	-	-	-	-	1	6.5	5	3.8	2.7
Infant Deaths	1	8.8	-	-	-	-	1	6.4	1	6.6	3	21.4	-	-	-	-	1	6.5	7	5.3	1.1

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	1	3.4	-	-	-	-	-	-	2	4.3	-	-	-	-	3	6.2	6	1.8	2.0
Cancer	8	134.3	13	239.2	1	9.4	2	17.3	4	26.4	3	30.8	7	47.4	6	27.1	4	34.6	48	52.3	3.1
Lung	1	6.2	3	26.1	1	9.4	-	-	-	-	1	8.2	-	-	-	-	3	25.9	9	9.1	2.0
Female Breast	-	-	-	-	-	-	-	-	1	16.8	-	-	1	5.9	1	5.3	-	-	3	3.3	1.3
Endo/Nut/Met	2	34.9	-	-	1	8.8	1	10.4	1	4.7	-	-	-	-	-	-	1	7.2	6	6.2	3.6
Circulatory System	9	213.7	10	307.9	7	139.5	7	157.5	5	50.4	2	28.7	9	101.2	4	30.1	5	43.5	58	94.2	4.2
Ischemic Heart	5	111.5	4	131.3	2	33.5	4	91.5	2	17.1	1	14.4	4	54.3	3	26.3	5	43.5	30	49.6	4.0
Cerebrovascular/Stroke	2	51.1	3	98.5	1	30.6	1	11.9	1	8.6	1	14.4	1	15.8	-	-	-	-	10	18.5	3.9
Respiratory System	1	25.5	3	98.5	2	61.3	2	32.5	-	-	-	-	3	37.3	2	18.7	-	-	13	22.3	3.9
Pneumonia/Influenza	-	-	3	98.5	2	61.3	-	-	-	-	-	-	1	5.6	-	-	-	-	6	10.9	4.7
Chronic Pulmonary	-	-	-	-	-	-	2	32.5	-	-	-	-	2	31.7	1	14.8	-	-	5	8.7	3.8
Digestive System	3	18.7	1	24.7	-	-	3	31.9	1	4.5	1	5.9	1	4.7	1	6.4	-	-	11	8.2	3.9
External Causes	6	30.3	6	27.7	4	15.2	5	14.1	7	24.1	2	4.5	12	31.6	7	19.4	5	10.1	54	19.0	4.6
MVTA	3	18.3	1	3.4	2	6.5	-	-	1	3.7	-	-	-	-	1	2.4	2	3.1	10	3.2	3.2
Suicide	1	3.5	2	7.6	-	-	1	4.1	2	4.5	-	-	1	2.5	2	5.1	-	-	9	2.7	3.0
All Causes Male	16	500.5	23	750.4	12	209.8	13	342.1	13	183.3	10	142.8	15	225.6	12	144.8	12	133.7	126	282.7	3.7
Female	14	398.1	17	445.8	7	382.5	8	175.0	8	123.5	5	72.3	19	250.2	8	74.8	10	102.3	96	194.5	4.0
Total	30	458.5	40	475.3	19	298.7	21	264.5	21	146.4	15	99.9	34	241.5	20	101.7	22	113.3	222	224.4	3.8
Alcohol-Related	3	13.4	1	3.0	2	11.3	2	14.4	4	26.8	2	6.9	3	13.7	5	17.4	4	11.2	26	13.8	5.1
Medically Treatable	-	-	-	-	1	5.2	-	-	-	-	-	-	-	-	-	-	1	2.3	2	0.8	2.7
Drug-Induced	3	12.0	2	7.5	1	2.7	3	7.5	1	2.2	1	2.1	6	17.9	3	6.9	1	2.2	21	6.8	7.6
SAM	4	75.2	8	156.1	3	49.5	3	65.0	2	15.8	1	12.8	4	51.0	2	21.9	3	27.0	31	43.6	3.5

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
OTHER RESIDENTS - 07 SOUTH FRASER VALLEY
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths		1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population		446,959		464,900		485,012		502,488		522,844		538,513		551,402		559,334		563,542		4,634,994		
Live Births[1]:	Male	3,477		3,727		3,680		3,786		3,908		3,791		3,697		3,831		3,577		33,474		
	Female	3,457		3,593		3,534		3,558		3,609		3,481		3,584		3,538		3,417		31,771		
	Total	6,934	15.5	7,320	15.7	7,214	14.9	7,344	14.6	7,517	14.4	7,272	13.5	7,283	13.2	7,370	13.2	6,994	12.4	65,248	14.1	2.7
Low Birth Weight[2]		353	50.9	367	50.1	347	48.1	390	53.1	436	58.0	413	56.8	420	57.7	406	55.1	359	51.3	3,491	53.5	0.8
Premature[2]		430	62.0	470	64.2	425	58.9	459	62.5	515	68.5	480	66.0	491	67.4	480	65.1	469	67.1	4,219	64.7	1.1
Cesarean Section[2]		1,625	234.4	1,656	226.2	1,641	227.5	1,574	214.3	1,559	207.4	1,517	208.6	1,541	211.6	1,623	220.2	1,600	228.8	14,336	219.7	0.8
Teenage Mother[2]		287	41.4	279	38.1	267	37.0	237	32.3	269	35.8	236	32.5	213	29.2	219	29.7	227	32.5	2,234	34.2	3.6
Elderly Gravida[2]		710	102.4	784	107.1	840	116.4	879	119.7	925	123.1	978	134.5	1,081	148.4	1,121	152.1	1,111	158.9	8,429	129.2	0.7
Stillbirths[3]:		43	6.2	23	3.1	44	6.1	59	8.0	53	7.0	47	6.4	56	7.6	55	7.4	57	8.1	437	6.7	0.4
Early Neonatal		21	3.0	23	3.1	15	2.1	33	4.5	30	4.0	18	2.5	25	3.4	15	2.0	13	1.9	193	3.0	0.3
Neonatal		23	3.3	25	3.4	17	2.4	35	4.8	35	4.7	22	3.0	28	3.8	19	2.6	15	2.1	219	3.4	0.4
Post Neonatal		16	2.3	12	1.6	7	1.0	11	1.5	6	0.8	17	2.3	6	0.8	9	1.2	9	1.3	93	1.4	2.7
Infant Deaths		39	5.6	37	5.1	24	3.3	46	6.3	41	5.5	39	5.4	34	4.7	28	3.8	24	3.4	312	4.8	1.1
Death-Related Cause of Death		1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
		Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic		37	0.9	38	0.8	33	0.7	55	1.1	44	0.8	60	1.1	35	0.6	48	0.8	67	1.1	417	0.9	2.0
Cancer		749	17.6	738	16.6	797	17.1	827	16.9	860	16.9	870	16.4	908	16.4	983	17.1	947	15.9	7,679	16.7	3.1
Lung		210	5.0	220	4.9	196	4.2	221	4.5	184	3.7	244	4.7	260	4.7	264	4.6	241	4.1	2,040	4.5	2.0
Female Breast		62	2.7	74	3.0	57	2.3	75	2.9	76	2.7	90	3.1	76	2.5	54	1.7	84	2.6	648	2.6	1.3
Endo/Nut/Met		60	1.4	88	2.0	78	1.7	87	1.8	101	2.0	88	1.6	82	1.5	115	2.0	89	1.5	788	1.7	3.6
Circulatory System		987	23.5	1,059	24.0	1,063	23.1	1,101	22.7	1,180	23.1	1,243	23.2	1,234	22.0	1,206	20.5	1,206	19.7	10,279	22.3	4.2
Ischemic Heart		577	13.7	605	13.7	594	12.9	620	12.8	644	12.6	690	12.9	696	12.5	653	11.1	633	10.4	5,712	12.4	4.0
Cerebrovascular/Stroke		199	4.7	219	5.0	223	4.8	218	4.5	249	4.9	260	4.9	269	4.8	291	4.9	270	4.4	2,198	4.7	3.9
Respiratory System		203	4.8	257	5.8	275	6.0	265	5.5	286	5.6	320	6.0	349	6.2	285	4.8	369	6.0	2,609	5.7	3.9
Pneumonia/Influenza		81	1.9	94	2.1	122	2.6	114	2.4	122	2.4	129	2.4	133	2.4	136	2.3	157	2.5	1,088	2.3	4.7
Chronic Pulmonary		94	2.2	102	2.3	127	2.8	104	2.2	120	2.4	138	2.6	152	2.7	103	1.8	138	2.3	1,078	2.3	3.8
Digestive System		92	2.2	111	2.5	103	2.2	93	1.9	83	1.6	128	2.4	109	1.9	124	2.1	118	1.9	961	2.1	3.9
External Causes		199	4.6	201	4.4	198	4.2	200	4.1	187	3.6	245	4.6	218	3.9	235	4.2	189	3.3	1,872	4.1	4.6
MVTA		58	1.4	53	1.2	56	1.2	52	1.1	46	0.9	50	1.0	45	0.9	51	1.0	34	0.6	445	1.0	3.2
Suicide		49	1.1	49	1.1	41	0.9	46	0.9	47	0.9	43	0.8	48	0.9	56	1.0	51	0.9	430	0.9	3.0
All Causes	Male	1,386	74.4	1,461	74.1	1,459	71.3	1,526	70.9	1,656	73.9	1,685	72.6	1,699	70.0	1,721	68.0	1,781	68.0	14,374	71.3	3.7
	Female	1,174	49.3	1,281	51.1	1,331	51.1	1,356	49.7	1,363	46.8	1,547	50.9	1,541	48.9	1,568	47.4	1,553	44.6	12,714	48.7	4.0
	Total	2,560	60.5	2,742	61.7	2,790	60.1	2,882	59.2	3,019	59.0	3,232	60.6	3,240	58.2	3,289	56.6	3,334	55.2	27,088	58.8	3.8
Alcohol-Related		74	1.7	79	1.8	93	2.0	123	2.5	134	2.7	187	3.5	181	3.3	181	3.2	182	3.0	1,234	2.7	5.1
Medically Treatable		17	0.4	12	0.3	19	0.4	14	0.3	19	0.4	13	0.2	16	0.3	18	0.3	24	0.4	152	0.3	2.7
Drug-Induced		21	0.5	27	0.6	44	0.9	31	0.6	39	0.7	54	1.0	51	0.9	66	1.2	60	1.1	395	0.9	7.6
SAM		547	13.0	569	12.8	596	12.9	612	12.6	600	11.8	670	12.6	713	12.8	671	11.5	683	11.4	5,662	12.3	3.5

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 08 SIMON FRASER
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	1,638		1,726		1,958		2,256		2,530		2,865		2,811		2,940		3,121		21,845		
Live Births[1]: Male	27		42		58		43		53		55		48		45		44		415		
Female	36		38		51		47		46		36		61		47		50		412		
Total	**63**	**38.5**	**80**	**46.3**	**109**	**55.7**	**90**	**39.9**	**99**	**39.1**	**91**	**34.1**	**109**	**38.8**	**92**	**31.3**	**94**	**30.1**	**827**	**38.2**	**2.9**
Low Birth Weight[2]	3	47.6	5	62.5	6	55.0	1	11.1	10	101.0	9	98.9	6	55.0	8	87.0	3	31.9	51	61.7	1.3
Premature[2]	6	95.2	8	100.0	12	110.1	5	55.6	15	151.5	8	87.9	5	45.9	12	130.4	3	31.9	74	89.5	1.5
Cesarean Section[2]	15	238.1	15	187.5	23	211.0	19	211.1	15	151.5	14	153.8	18	165.1	17	184.8	9	95.7	145	175.3	0.9
Teenage Mother[2]	9	142.9	13	162.5	16	146.8	10	111.1	10	101.0	13	142.9	11	100.9	20	217.4	14	148.9	116	140.3	4.5
Elderly Gravida[2]	4	63.5	5	62.5	8	73.4	7	77.8	14	141.4	10	109.9	11	100.9	5	54.3	10	106.4	74	89.5	0.8
Stillbirths[3]:	-	-	-	-	1	9.1	1	11.0	1	10.0	-	-	2	18.0	2	21.3	-	-	7	8.4	1.4
Early Neonatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Post Neonatal	-	-	2	25.0	-	-	1	11.1	2	20.2	-	-	1	9.2	-	-	-	-	6	7.3	7.3
Infant Deaths	**-**	**-**	**2**	**25.0**	**-**	**-**	**1**	**11.1**	**2**	**20.2**	**-**	**-**	**1**	**9.2**	**-**	**-**	**-**	**-**	**6**	**7.3**	**1.8**

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	-	-	2	8.6	-	-	1	8.0	-	-	-	-	-	-	3	1.7	2.1
Cancer	4	133.1	3	61.7	5	123.0	3	55.9	4	60.4	3	53.2	13	209.8	5	65.5	9	122.8	49	99.9	5.5
Lung	1	13.0	-	-	3	55.0	2	48.1	-	-	-	-	4	78.2	2	43.5	3	31.4	15	31.8	6.1
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	2	16.4	-	-	-	-	2	2.3	0.9
Endo/Nut/Met	-	-	-	-	1	38.3	-	-	1	6.2	-	-	1	17.4	5	97.0	1	3.9	9	19.6	9.8
Circulatory System	5	170.1	6	111.2	3	90.7	5	149.4	3	74.4	7	145.7	18	384.9	8	184.6	10	167.2	65	168.8	6.8
Ischemic Heart	2	54.7	2	19.8	1	38.3	2	43.3	2	54.1	4	81.2	10	256.4	1	10.3	5	63.4	29	75.9	5.9
Cerebrovascular/Stroke	1	23.5	4	91.4	1	38.3	2	70.7	1	20.3	2	46.2	4	57.0	2	65.7	4	75.0	21	52.9	9.1
Respiratory System	3	120.1	7	215.3	2	75.4	-	-	-	-	-	-	6	127.8	2	17.8	1	13.5	21	54.5	7.4
Pneumonia/Influenza	2	83.0	1	29.7	2	75.4	-	-	-	-	-	-	4	99.5	-	-	-	-	9	28.1	8.3
Chronic Pulmonary	1	37.1	5	177.5	-	-	-	-	-	-	-	-	2	28.3	1	10.7	1	13.5	10	24.7	8.5
Digestive System	-	-	4	88.0	-	-	1	15.1	-	-	-	-	4	47.6	2	37.6	-	-	11	18.4	8.0
External Causes	5	34.1	3	35.1	7	34.3	1	3.1	4	16.7	3	25.1	8	105.7	2	10.3	1	2.9	34	28.7	6.5
MVTA	2	19.6	1	14.7	-	-	1	3.1	-	-	1	3.3	-	-	-	-	1	2.9	6	3.6	4.0
Suicide	1	4.9	-	-	1	4.0	-	-	-	-	1	3.5	2	9.8	1	5.6	-	-	6	3.3	3.0
All Causes Male	10	533.8	14	862.4	10	354.6	7	441.0	6	98.8	4	128.9	28	701.8	15	479.9	15	476.2	109	466.0	5.7
Female	8	421.1	12	395.3	8	382.1	7	258.7	10	231.0	12	468.7	25	362.2	12	410.9	10	241.5	104	409.6	7.8
Total	**18**	**467.0**	**26**	**520.6**	**18**	**361.7**	**14**	**296.7**	**16**	**166.8**	**16**	**299.5**	**53**	**465.2**	**27**	**427.6**	**25**	**333.0**	**213**	**414.5**	**6.3**
Alcohol-Related	2	43.0	3	82.2	-	-	1	33.0	2	6.9	5	53.6	7	52.0	3	11.9	4	42.6	27	33.3	9.5
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug-Induced	-	-	2	20.4	2	9.4	-	-	2	9.6	-	-	6	48.3	2	10.3	-	-	14	11.1	11.1
SAM	5	144.4	7	182.6	4	82.5	3	62.5	1	12.6	1	20.0	10	198.6	4	76.7	6	76.6	41	90.2	6.3

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
OTHER RESIDENTS - 08 SIMON FRASER
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	248,567		259,299		267,750		279,220		288,957		299,885		306,986		312,269		315,875		2,578,808		
Live Births[1]: Male	1,935		2,026		2,006		2,024		2,032		1,994		1,932		1,850		1,903		17,702		
Female	1,891		1,909		1,796		1,926		1,875		1,929		1,824		1,784		1,666		16,600		
Total	3,826	15.4	3,935	15.2	3,802	14.2	3,950	14.1	3,907	13.5	3,923	13.1	3,756	12.2	3,634	11.6	3,569	11.3	34,302	13.3	2.9
Low Birth Weight[2]	188	49.1	181	46.0	164	43.1	191	48.4	196	50.2	189	48.2	223	59.4	167	46.0	190	53.2	1,689	49.2	1.3
Premature[2]	222	58.0	233	59.2	201	52.9	227	57.5	233	59.6	253	64.5	261	69.5	229	63.0	257	72.0	2,116	61.7	1.5
Cesarean Section[2]	800	209.1	733	186.3	654	172.0	664	168.1	713	182.5	695	177.2	750	199.7	660	181.6	733	205.4	6,402	186.6	0.9
Teenage Mother[2]	133	34.8	150	38.1	124	32.6	110	27.8	126	32.2	121	30.8	105	28.0	105	28.9	107	30.0	1,081	31.5	4.5
Elderly Gravida[2]	434	113.4	448	113.9	523	137.6	574	145.3	617	157.9	688	175.4	670	178.4	730	200.9	754	211.3	5,438	158.5	0.6
Stillbirths[3]:	20	5.2	9	2.3	30	7.8	16	4.0	26	6.6	17	4.3	33	8.7	30	8.2	21	5.8	202	5.9	1.4
Early Neonatal	14	3.7	8	2.0	6	1.6	13	3.3	16	4.1	14	3.6	8	2.1	11	3.0	1	0.3	91	2.7	-
Neonatal	19	5.0	10	2.5	8	2.1	18	4.6	19	4.9	18	4.6	9	2.4	14	3.9	6	1.7	121	3.5	-
Post Neonatal	4	1.0	4	1.0	10	2.6	4	1.0	5	1.3	3	0.8	3	0.8	3	0.8	-	-	36	1.0	7.3
Infant Deaths	23	6.0	14	3.6	18	4.7	22	5.6	24	6.1	21	5.4	12	3.2	17	4.7	6	1.7	157	4.6	1.6
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	25	1.0	20	0.9	21	0.8	30	1.1	28	1.0	24	0.8	16	0.6	21	0.7	24	0.8	209	0.8	2.1
Cancer	423	19.3	425	18.7	433	18.4	421	17.2	476	18.7	510	19.3	488	17.7	488	17.0	514	17.5	4,178	18.1	5.5
Lung	123	5.6	132	5.8	113	4.8	120	5.0	131	5.2	138	5.3	146	5.4	128	4.6	144	5.0	1,175	5.2	6.1
Female Breast	38	3.1	34	2.7	40	2.9	46	3.3	32	2.2	44	2.8	35	2.2	52	3.1	37	2.1	358	2.7	0.9
Endo/Nut/Met	37	1.7	40	1.8	39	1.7	48	2.0	64	2.6	53	2.1	50	1.8	72	2.6	57	2.0	460	2.0	9.8
Circulatory System	566	26.0	625	27.9	603	26.2	605	25.2	587	23.6	691	26.7	607	22.3	681	24.1	669	23.0	5,634	24.9	6.8
Ischemic Heart	301	13.8	337	15.0	335	14.6	321	13.4	297	12.0	348	13.5	315	11.6	310	11.0	335	11.5	2,899	12.8	5.9
Cerebrovascular/Stroke	122	5.6	124	5.5	127	5.5	141	5.9	139	5.6	135	5.2	161	5.9	187	6.6	168	5.8	1,304	5.8	9.1
Respiratory System	163	7.5	166	7.4	179	7.9	162	6.8	155	6.3	193	7.4	195	7.2	225	8.0	220	7.6	1,658	7.4	7.4
Pneumonia/Influenza	70	3.2	72	3.2	100	4.4	72	3.1	73	2.9	85	3.2	91	3.3	102	3.6	100	3.4	765	3.4	8.3
Chronic Pulmonary	57	2.6	73	3.3	59	2.6	60	2.5	63	2.6	66	2.6	85	3.2	86	3.1	94	3.3	643	2.9	8.5
Digestive System	51	2.4	68	3.0	66	2.7	65	2.6	60	2.4	54	2.0	49	1.8	60	2.1	54	1.8	527	2.3	8.0
External Causes	120	4.9	110	4.4	145	5.6	131	4.7	111	3.9	120	4.1	127	4.2	132	4.5	99	3.0	1,095	4.4	6.5
MVTA	34	1.4	27	1.1	47	1.8	23	0.9	14	0.5	17	0.6	16	0.6	21	0.7	22	0.7	221	0.9	4.0
Suicide	30	1.2	27	1.1	30	1.1	33	1.2	38	1.3	33	1.0	36	1.2	38	1.3	25	0.7	290	1.1	3.0
All Causes Male	812	87.5	868	91.9	820	84.4	824	80.7	853	80.7	943	85.8	871	76.9	938	80.4	924	76.2	7,853	82.4	5.7
Female	714	55.4	699	52.2	814	58.7	805	55.7	798	53.5	881	56.9	816	50.0	925	54.4	898	51.4	7,350	54.1	7.6
Total	1,526	69.0	1,567	68.9	1,634	69.5	1,629	66.5	1,651	65.1	1,824	69.1	1,687	61.3	1,863	65.4	1,822	62.1	15,203	66.1	6.3
Alcohol-Related	43	1.9	44	1.9	73	3.0	103	4.0	117	4.6	132	4.9	100	3.6	100	3.4	108	3.5	820	3.5	9.5
Medically Treatable	8	0.3	5	0.2	9	0.3	8	0.3	7	0.2	11	0.4	8	0.3	5	0.1	15	0.5	76	0.3	-
Drug-Induced	17	0.7	18	0.7	28	1.0	39	1.3	33	1.1	26	0.8	39	1.2	28	0.9	31	0.9	259	1.0	11.1
SAM	330	15.1	372	16.5	331	14.2	333	13.8	345	13.7	392	15.1	375	13.9	384	13.6	403	13.8	3,264	14.4	6.3

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 09 COAST GARIBALDI
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	3,684		3,736		3,749		3,950		4,126		4,298		4,387		4,508		4,638		37,076		
Live Births[1]: Male	46		50		37		46		39		41		42		35		46		362		
Female	36		43		36		41		32		48		46		47		37		366		
Total	82	22.3	93	24.9	73	19.5	87	22.0	71	17.2	89	20.7	88	20.1	82	18.2	83	17.9	728	20.2	1.8
Low Birth Weight[2]	3	36.6	3	32.3	6	82.2	4	46.0	6	84.5	4	44.9	1	11.4	4	48.8	2	24.1	33	44.1	0.9
Premature[2]	4	48.8	2	21.5	8	109.6	11	126.4	9	126.8	5	56.2	6	68.2	8	97.6	6	72.3	59	78.9	1.4
Cesarean Section[2]	12	146.3	15	161.3	15	205.5	14	160.9	14	197.2	13	146.1	8	90.9	16	195.1	14	168.7	121	161.8	0.8
Teenage Mother[2]	12	146.3	18	193.5	15	205.5	19	218.4	10	140.8	11	123.6	18	204.5	18	219.5	17	204.8	138	184.5	3.8
Elderly Gravida[2]	3	36.6	8	86.0	5	68.5	3	34.5	7	98.6	11	123.6	6	68.2	7	85.4	10	120.5	60	80.2	0.5
Stillbirths[3]:	-	-	-	-	1	13.5	-	-	1	13.9	1	11.1	2	22.2	1	12.0	3	34.9	9	11.9	1.7
Early Neonatal	-	-	1	10.8	-	-	-	-	-	-	-	-	1	11.4	-	-	-	-	2	2.7	1.2
Neonatal	-	-	1	10.8	1	13.7	-	-	-	-	-	-	1	11.4	-	-	-	-	3	4.0	1.5
Post Neonatal	1	12.2	-	-	-	-	-	-	1	14.1	-	-	-	-	-	-	1	12.0	3	4.0	4.0
Infant Deaths	1	12.2	1	10.8	1	13.7	-	-	1	14.1	-	-	1	11.4	-	-	1	12.0	6	8.0	2.2

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	-	-	-	-	-	-	1	6.8	1	2.3	-	-	1	2.5	3	1.4	1.8
Cancer	3	26.0	2	11.2	-	-	5	30.8	3	12.6	5	20.0	3	10.5	2	12.3	3	15.9	26	15.8	0.9
Lung	-	-	-	-	-	-	-	-	2	7.1	1	6.1	1	2.5	-	-	1	4.7	5	2.6	0.5
Female Breast	-	-	-	-	-	-	1	18.4	-	-	-	-	-	-	-	-	-	-	1	1.7	0.6
Endo/Nut/Met	3	22.0	1	13.5	-	-	-	-	1	6.9	2	7.7	-	-	-	-	4	16.6	11	7.0	4.1
Circulatory System	3	19.3	7	60.3	6	45.6	5	27.4	7	40.7	4	17.6	6	29.8	5	29.8	3	16.8	46	30.9	1.3
Ischemic Heart	-	-	4	36.5	4	30.6	2	10.6	2	10.6	1	3.1	3	15.3	1	6.3	1	5.6	18	12.1	1.0
Cerebrovascular/Stroke	2	10.6	2	17.7	1	9.0	-	-	1	6.9	-	-	1	6.4	2	12.6	1	5.8	10	7.7	1.5
Respiratory System	2	17.3	4	24.2	-	-	2	6.5	3	20.6	2	7.1	2	9.9	1	6.3	-	-	16	9.8	1.8
Pneumonia/Influenza	1	8.7	4	24.2	-	-	2	6.5	3	20.6	-	-	1	6.9	-	-	-	-	11	7.0	3.2
Chronic Pulmonary	1	8.7	-	-	-	-	-	-	-	-	-	-	-	-	1	6.3	-	-	2	1.6	0.7
Digestive System	4	24.3	3	28.0	1	3.9	2	9.0	1	6.9	1	5.7	-	-	-	-	1	2.9	13	7.4	3.9
External Causes	5	12.8	8	22.9	1	2.3	1	2.5	6	15.8	10	30.1	4	9.3	8	29.2	4	8.9	47	15.6	2.6
MVTA	2	4.4	3	8.8	1	2.3	-	-	2	5.8	3	11.0	1	2.5	-	-	1	1.8	13	4.1	3.2
Suicide	1	3.1	2	7.2	-	-	1	2.5	1	1.8	2	4.0	-	-	1	1.6	1	2.1	9	2.5	1.7
All Causes Male	10	99.1	17	157.8	8	70.3	11	107.4	16	133.7	17	126.5	12	97.3	13	124.7	12	90.4	118	111.0	1.5
Female	13	216.5	12	208.1	3	63.5	6	65.1	6	68.9	11	93.7	9	67.9	6	52.4	6	46.1	72	86.7	1.7
Total	23	140.7	29	176.9	11	64.8	17	87.7	22	105.4	28	108.8	21	81.7	19	86.8	18	67.3	190	99.0	1.6
Alcohol-Related	3	19.0	8	45.3	5	26.3	5	29.7	10	43.0	15	53.3	7	25.4	7	25.2	5	14.1	65	30.6	6.4
Medically Treatable	-	-	1	2.8	-	-	2	6.5	-	-	-	-	-	-	-	-	1	2.5	4	1.3	6.5
Drug-Induced	1	3.1	1	2.2	-	-	-	-	2	5.4	1	2.5	-	-	2	8.1	1	2.9	8	2.8	3.1
SAM	3	19.2	3	17.9	1	10.2	2	10.4	5	26.7	3	12.4	2	9.2	2	11.9	2	7.8	22	13.9	1.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 09 Coast Garibaldi
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	57,511		59,462		61,611		64,457		66,615		69,025		72,014		73,633		74,387		598,715		
Live Births[1]: Male	405		439		405		393		409		370		387		362		356		3,526		
Female	349		367		357		427		372		387		375		362		336		3,332		
Total	754	13.1	806	13.6	762	12.4	820	12.7	781	11.7	757	11.0	762	10.6	724	9.8	692	9.3	6,858	11.5	1.8
Low Birth Weight[2]	37	49.1	41	50.9	34	44.6	32	39.0	42	53.8	34	44.9	44	57.7	38	52.5	17	24.6	319	46.5	0.9
Premature[2]	31	41.1	49	60.8	33	43.3	42	51.2	52	66.6	40	52.8	35	45.9	54	74.6	38	54.9	374	54.5	1.4
Cesarean Section[2]	154	204.2	190	235.7	131	171.9	164	200.0	128	163.9	149	196.8	156	204.7	163	225.1	145	209.5	1,380	201.2	0.8
Teenage Mother[2]	37	49.1	53	65.8	35	45.9	44	53.7	41	52.5	39	51.5	33	43.3	27	37.3	22	31.8	331	48.3	3.8
Elderly Gravida[2]	85	112.7	95	117.9	99	129.9	113	137.8	109	139.6	119	157.2	154	202.1	153	211.3	124	179.2	1,051	153.3	0.5
Stillbirths[3]:	6	7.9	1	1.2	5	6.5	8	9.7	9	11.4	5	6.6	3	3.9	3	4.1	10	14.2	50	7.2	1.7
Early Neonatal	2	2.7	-	-	1	1.3	3	3.7	2	2.6	5	6.6	-	-	3	4.1	-	-	16	2.3	1.2
Neonatal	3	4.0	-	-	1	1.3	3	3.7	2	2.6	5	6.6	1	1.3	3	4.1	-	-	18	2.6	1.5
Post Neonatal	2	2.7	1	1.2	1	1.3	-	-	-	-	3	4.0	-	-	-	-	-	-	7	1.0	4.0
Infant Deaths	5	6.6	1	1.2	2	2.6	3	3.7	2	2.6	8	10.6	1	1.3	3	4.1	-	-	25	3.6	2.2
Death-Related Cause of Death	**1991**		**1992**		**1993**		**1994**		**1995**		**1996**		**1997**		**1998**		**1999**		**1991-1999**		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	7	1.1	6	1.0	4	0.6	4	0.6	2	0.3	4	0.6	10	1.3	9	1.1	3	0.4	49	0.8	1.8
Cancer	130	20.9	116	17.7	117	17.3	122	17.6	118	16.3	139	18.6	132	17.1	156	19.3	147	17.9	1,177	18.0	0.9
Lung	33	5.3	36	5.5	41	6.0	37	5.3	33	4.6	43	5.8	30	3.9	48	6.0	44	5.4	345	5.3	0.5
Female Breast	13	4.1	4	1.1	9	2.6	6	1.7	6	1.6	13	3.3	13	3.3	14	3.2	16	3.8	94	2.7	0.6
Endo/Nut/Met	8	1.3	8	1.3	10	2.9	13	1.9	15	2.2	16	2.2	8	1.0	11	1.4	11	1.3	109	1.7	4.1
Circulatory System	163	26.6	133	20.9	166	25.2	154	22.7	177	25.3	214	29.5	173	22.5	173	21.4	168	20.2	1,521	23.7	1.3
Ischemic Heart	80	13.0	73	11.4	108	16.3	75	11.0	79	11.2	108	14.8	90	11.7	85	10.5	67	8.1	765	11.9	1.0
Cerebrovascular/Stroke	33	5.4	32	5.1	30	4.6	43	6.3	33	4.8	45	6.2	31	3.9	33	4.1	58	7.0	338	5.3	1.5
Respiratory System	26	4.3	36	5.6	41	6.3	27	4.0	35	5.0	37	5.0	36	4.7	41	5.2	66	7.9	345	5.4	1.8
Pneumonia/Influenza	10	1.7	16	2.5	17	2.6	6	0.9	12	1.7	13	1.8	13	1.7	20	2.5	36	4.3	143	2.2	3.2
Chronic Pulmonary	12	2.0	17	2.6	16	2.5	12	1.8	18	2.5	18	2.4	17	2.2	16	2.0	18	2.2	144	2.2	0.7
Digestive System	8	1.3	21	3.3	12	1.8	12	1.7	12	1.7	14	1.8	16	2.1	14	1.8	15	1.8	124	1.9	3.9
External Causes	27	4.9	41	6.9	33	5.4	54	8.7	50	7.4	35	5.1	35	4.9	50	6.4	37	4.8	362	6.0	2.6
MVTA	8	1.5	9	1.7	7	1.1	13	2.2	11	1.7	8	1.1	6	0.9	5	0.7	6	0.8	73	1.3	3.2
Suicide	7	1.2	8	1.3	9	1.5	14	2.1	16	2.4	6	0.9	10	1.3	13	1.7	8	1.0	91	1.5	1.7
All Causes Male	232	82.9	223	75.3	240	79.7	241	76.7	252	78.0	277	81.9	263	74.0	264	70.3	265	69.9	2,257	76.2	1.5
Female	174	52.2	165	47.6	190	53.3	177	48.9	203	52.7	228	58.5	182	43.2	238	55.2	228	50.2	1,785	51.2	1.7
Total	406	66.6	388	60.9	430	65.4	418	62.0	455	64.7	505	69.4	445	58.3	502	62.7	493	59.8	4,042	63.1	1.6
Alcohol-Related	13	2.0	19	3.0	20	3.0	53	7.9	35	4.9	39	5.3	44	5.9	48	5.8	40	4.8	311	4.8	6.4
Medically Treatable	2	0.3	-	-	-	-	1	0.1	1	0.1	2	0.2	-	-	3	0.4	4	0.5	13	0.2	6.5
Drug-Induced	5	0.9	10	1.6	4	0.6	5	0.8	4	0.6	6	0.8	7	1.0	10	1.3	5	0.6	56	0.9	3.1
SAM	85	13.7	84	12.9	98	14.7	88	12.8	93	13.1	111	15.1	97	12.6	106	13.1	111	13.4	872	13.5	1.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 10 CENTRAL VANCOUVER ISLAND
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	11,870		12,090		12,686		13,400		14,094		14,730		14,829		15,265		15,756		124,720		
Live Births[1]: Male	186		170		171		137		170		171		151		151		158		1,465		
Female	158		161		150		180		175		161		171		165		151		1,472		
Total	344	29.0	331	27.4	321	25.3	318	23.7	345	24.5	332	22.5	322	21.7	316	20.7	309	19.6	2,936	23.6	2.4
Low Birth Weight[2]	20	58.1	17	51.4	13	40.5	23	72.3	28	81.2	15	45.2	18	55.9	14	44.3	21	68.0	169	57.5	1.3
Premature[2]	35	101.7	35	105.7	33	102.8	37	116.4	41	118.8	45	135.5	31	96.3	34	107.6	36	116.5	327	111.3	1.9
Cesarean Section[2]	50	145.3	50	151.1	38	118.4	44	138.4	45	130.4	42	126.5	46	142.9	50	158.2	37	119.7	402	136.8	0.6
Teenage Mother[2]	77	223.8	81	244.7	66	205.6	80	251.6	73	211.6	77	231.9	79	245.3	71	224.7	80	258.9	684	232.8	4.0
Elderly Gravida[2]	22	64.0	22	66.5	16	49.8	14	44.0	26	75.4	29	87.3	27	83.9	22	69.6	29	93.9	207	70.5	0.6
Stillbirths[3]:	2	5.8	-	-	3	9.3	1	3.1	1	2.9	3	9.0	1	3.1	2	6.3	4	12.8	17	5.8	1.0
Early Neonatal	1	2.9	2	6.0	3	9.3	3	9.4	3	8.7	2	6.0	-	-	1	3.2	-	-	15	5.1	2.1
Neonatal	1	2.9	2	6.0	3	9.3	3	9.4	3	8.7	2	6.0	-	-	2	6.3	-	-	16	5.4	2.0
Post Neonatal	3	8.7	7	21.1	8	24.9	2	6.3	4	11.6	6	18.1	3	9.3	1	3.2	-	-	34	11.6	6.1
Infant Deaths	4	11.6	9	27.2	11	34.3	5	15.7	7	20.3	8	24.1	3	9.3	3	9.5	-	-	50	17.0	3.7

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	1	1.3	4	4.4	1	2.8	3	2.7	4	3.6	4	2.6	2	3.0	1	0.6	3	2.8	23	2.6	3.3
Cancer	5	14.7	8	16.9	5	10.8	6	10.8	3	5.6	6	9.1	7	11.1	4	7.3	7	9.8	51	10.3	0.6
Lung	1	2.9	2	6.3	-	-	1	0.9	-	-	-	-	2	4.1	-	-	2	3.2	8	1.8	0.4
Female Breast	-	-	-	-	1	2.5	-	-	-	-	-	-	1	1.6	-	-	-	-	2	0.4	0.2
Endo/Nut/Met	-	-	1	2.9	2	4.5	1	2.6	1	2.5	2	1.4	-	-	4	6.8	3	5.0	14	3.0	2.0
Circulatory System	15	37.0	20	43.2	23	59.5	15	35.0	9	18.1	20	27.6	17	29.6	19	30.2	19	31.7	157	33.5	1.5
Ischemic Heart	7	19.5	9	20.7	13	34.7	7	18.9	4	8.5	10	16.5	8	13.6	6	10.8	10	18.8	74	17.1	1.4
Cerebrovascular/Stroke	2	4.4	8	13.9	5	10.6	2	4.5	4	7.3	3	3.5	4	7.6	9	12.1	5	8.0	42	8.0	1.7
Respiratory System	1	0.4	9	16.8	6	9.9	4	7.3	5	4.7	2	2.9	2	3.8	8	13.6	9	15.1	46	8.4	1.4
Pneumonia/Influenza	1	0.4	6	9.5	4	4.4	3	6.8	3	1.8	1	1.6	2	3.8	2	2.7	5	8.0	27	4.3	1.7
Chronic Pulmonary	-	-	1	1.4	1	2.8	-	-	1	2.2	-	-	-	-	3	5.4	3	5.2	9	2.1	0.8
Digestive System	4	7.4	6	11.4	2	4.2	6	11.4	2	2.2	1	0.7	3	4.4	7	9.4	9	12.1	40	6.9	3.5
External Causes	18	18.6	17	18.0	20	15.1	20	22.6	25	18.0	20	13.1	25	18.9	15	11.5	10	5.9	170	15.3	2.8
MVTA	-	-	4	3.0	5	4.2	4	6.6	4	2.5	7	4.5	5	2.7	3	2.1	3	1.8	35	3.0	2.1
Suicide	8	8.2	7	6.0	7	4.9	4	2.9	10	6.8	8	4.9	8	5.5	7	4.6	2	1.3	61	4.9	3.8
All Causes Male	34	119.9	55	214.2	36	146.5	40	138.6	30	68.8	34	69.2	48	123.0	33	105.3	30	76.6	340	112.3	1.5
Female	19	75.9	31	87.6	40	118.3	22	66.3	32	68.8	33	65.0	20	53.9	33	73.9	41	104.8	271	78.5	1.6
Total	53	92.1	86	144.4	76	128.7	62	99.4	62	69.4	67	66.5	68	85.2	66	88.1	71	93.8	611	94.0	1.5
Alcohol-Related	2	2.3	9	12.0	15	24.2	20	29.5	18	19.4	21	18.8	22	23.1	18	21.4	21	21.7	146	19.7	5.6
Medically Treatable	1	0.9	1	0.8	1	0.8	1	0.6	2	1.8	-	-	-	-	1	0.7	2	1.4	9	0.8	2.7
Drug-Induced	1	0.9	3	4.1	3	2.7	3	2.0	7	6.0	4	2.9	2	2.0	5	3.4	1	0.6	29	2.7	3.0
SAM	5	11.4	9	21.7	7	16.7	6	11.6	4	6.5	5	8.2	8	14.0	9	13.3	10	16.6	63	13.1	1.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 10 Central Vancouver Island
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	187,014		192,107		199,839		208,234		214,578		218,729		224,698		226,646		227,733		1,899,678		
Live Births[1]: Male	1,136		1,125		1,160		1,208		1,098		1,120		998		952		965		9,762		
Female	1,023		1,060		1,012		1,078		1,022		1,044		997		917		897		9,050		
Total	2,160	11.5	2,185	11.4	2,172	10.9	2,286	11.0	2,121	9.9	2,164	9.9	1,995	8.9	1,869	8.2	1,862	8.2	18,814	9.9	2.4
Low Birth Weight[2]	87	40.3	99	45.3	96	44.2	125	54.7	107	50.4	90	41.6	92	46.1	72	38.5	72	38.7	840	44.6	1.3
Premature[2]	116	53.7	135	61.8	93	42.8	143	62.6	138	65.1	119	55.0	117	58.6	103	55.1	119	63.9	1,083	57.6	1.9
Cesarean Section[2]	479	221.8	485	222.0	452	208.1	480	210.0	407	191.9	467	215.8	412	206.5	405	216.7	429	230.4	4,016	213.5	0.6
Teenage Mother[2]	148	68.5	121	55.4	112	51.6	161	70.4	121	57.0	127	58.7	111	55.6	100	53.5	106	56.9	1,107	58.8	4.0
Elderly Gravida[2]	217	100.5	234	107.1	246	113.3	258	112.9	286	134.8	303	140.0	297	148.9	265	141.8	263	141.2	2,369	125.9	0.6
Stillbirths[3]:	15	6.9	10	4.6	9	4.1	11	4.8	19	8.9	14	6.4	7	3.5	14	7.4	10	5.3	109	5.8	1.0
Early Neonatal	6	2.8	8	3.7	5	2.3	7	3.1	8	3.8	4	1.8	5	2.5	-	-	2	1.1	45	2.4	2.1
Neonatal	7	3.2	9	4.1	6	2.8	7	3.1	8	3.8	5	2.3	6	3.0	-	-	3	1.6	51	2.7	2.0
Post Neonatal	4	1.9	4	1.8	6	2.8	10	4.4	3	1.4	3	1.4	2	1.0	1	0.5	3	1.6	36	1.9	6.1
Infant Deaths	11	5.1	13	5.9	12	5.5	17	7.4	11	5.2	8	3.7	8	4.0	1	0.5	6	3.2	87	4.6	3.7
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	7	0.4	25	1.2	18	0.8	22	1.0	16	0.7	19	0.8	18	0.6	27	0.9	23	0.7	175	0.8	3.3
Cancer	409	17.1	433	17.4	494	19.2	512	19.1	496	17.5	497	16.9	560	18.1	542	17.1	542	16.6	4,435	17.6	0.6
Lung	120	4.9	146	5.6	138	5.3	125	4.5	142	5.0	134	4.5	163	5.3	140	4.3	141	4.3	1,249	4.9	0.4
Female Breast	31	2.6	30	2.4	27	2.0	39	2.9	34	2.3	43	2.9	41	2.6	39	2.5	32	1.8	316	2.4	0.2
Endo/Nut/Met	24	1.1	40	1.7	43	1.7	34	1.3	63	2.3	53	1.9	32	1.0	50	1.5	46	1.4	385	1.5	2.0
Circulatory System	556	23.6	615	25.0	648	25.0	638	23.7	658	23.1	733	24.4	678	21.5	698	21.1	718	20.7	5,942	23.0	1.5
Ischemic Heart	304	12.8	319	12.9	341	13.1	330	12.1	330	11.5	402	13.3	327	10.5	345	10.5	375	10.9	3,073	11.9	1.4
Cerebrovascular/Stroke	111	4.8	116	4.8	138	5.4	140	5.3	134	4.7	148	4.9	145	4.6	157	4.7	129	3.7	1,218	4.7	1.7
Respiratory System	143	6.1	151	6.1	148	5.8	136	5.0	190	6.6	186	6.1	190	5.9	190	5.7	213	6.2	1,547	5.9	1.4
Pneumonia/Influenza	66	2.9	70	2.9	60	2.4	58	2.2	68	2.4	78	2.5	70	2.2	85	2.5	102	2.9	657	2.5	1.7
Chronic Pulmonary	63	2.6	64	2.5	72	2.8	57	2.1	89	3.0	84	2.7	92	2.9	79	2.3	76	2.2	676	2.6	0.8
Digestive System	53	2.3	51	2.1	57	2.2	53	2.0	61	2.1	51	1.7	57	1.9	73	2.3	58	1.7	514	2.0	3.5
External Causes	96	5.1	101	5.2	106	5.3	126	6.2	148	6.7	122	5.5	139	5.9	127	4.9	98	3.8	1,063	5.4	2.8
MVTA	21	1.2	27	1.6	29	1.5	36	2.0	49	2.4	29	1.5	22	1.1	17	0.7	17	0.8	247	1.4	2.1
Suicide	22	1.2	25	1.3	20	1.0	26	1.3	31	1.4	33	1.5	30	1.3	33	1.3	25	1.0	245	1.3	3.8
All Causes Male	775	73.6	889	80.2	937	81.7	950	80.5	971	77.8	983	74.4	1,017	74.9	994	69.5	1,017	69.0	8,533	75.4	1.5
Female	636	50.7	667	50.6	709	51.4	729	51.2	802	52.0	830	51.7	813	47.6	872	46.8	886	48.0	6,944	50.2	1.6
Total	1,411	61.3	1,556	64.7	1,646	65.4	1,679	64.7	1,773	64.2	1,813	62.6	1,830	60.3	1,866	58.5	1,903	57.7	15,477	62.0	1.5
Alcohol-Related	39	1.8	52	2.1	97	4.0	86	3.5	106	4.0	114	4.3	113	4.2	103	3.5	123	4.0	833	3.5	5.6
Medically Treatable	3	0.2	4	0.2	5	0.2	5	0.2	6	0.2	8	0.3	6	0.2	5	0.2	10	0.3	52	0.3	2.7
Drug-Induced	12	0.7	7	0.4	16	0.8	33	1.7	13	0.6	22	1.1	28	1.4	27	1.2	12	0.5	170	0.9	3.0
SAM	328	13.8	364	14.4	377	14.5	356	13.0	396	13.9	411	13.8	439	14.0	412	12.6	413	12.3	3,494	13.5	1.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 11 Upper Island / Central Coast
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	7,673		7,751		7,916		8,267		8,679		8,818		9,027		9,262		9,446		76,839		
Live Births[1]: Male	100		91		95		88		93		94		86		91		95		831		
Female	90		97		89		89		80		99		71		98		82		795		
Total	190	24.8	188	24.3	184	23.2	175	21.2	173	19.9	193	21.9	157	17.4	189	20.4	177	18.7	1,626	21.2	1.9
Low Birth Weight[2]	16	84.2	9	47.9	10	54.3	10	57.1	14	80.9	14	72.5	8	51.0	9	47.6	8	45.2	98	60.3	1.3
Premature[2]	24	126.3	17	90.4	20	108.7	14	80.0	22	127.2	26	134.7	18	114.6	22	116.4	19	107.3	182	111.9	2.0
Cesarean Section[2]	29	152.6	32	170.2	28	152.2	28	160.0	23	132.9	33	171.0	27	172.0	31	164.0	28	158.2	259	159.3	0.8
Teenage Mother[2]	40	210.5	49	260.6	34	184.8	50	285.7	45	260.1	35	181.3	28	178.3	46	243.4	30	169.5	357	219.6	3.2
Elderly Gravida[2]	5	26.3	9	47.9	10	54.3	11	62.9	8	46.2	13	67.4	15	95.5	8	42.3	13	73.4	92	56.6	0.5
Stillbirths[3]:	1	5.2	-	-	4	21.3	1	5.7	3	17.0	2	10.3	-	-	4	20.7	3	16.7	18	10.9	1.7
Early Neonatal	-	-	-	-	2	10.9	2	11.4	-	-	1	5.2	-	-	-	-	-	-	5	3.1	1.0
Neonatal	-	-	-	-	2	10.9	2	11.4	1	5.8	3	15.5	-	-	-	-	-	-	8	4.9	1.4
Post Neonatal	4	21.1	3	16.0	4	21.7	2	11.4	4	23.1	1	5.2	-	-	2	10.6	2	11.3	22	13.5	9.0
Infant Deaths	4	21.1	3	16.0	6	32.6	4	22.9	5	28.9	4	20.7	-	-	2	10.6	2	11.3	30	18.5	3.8

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	1	4.6	3	6.9	1	1.3	1	3.2	1	0.7	3	5.5	1	2.8	2	4.2	13	3.3	4.7
Cancer	6	22.8	5	18.2	11	31.5	6	12.7	8	15.8	2	2.9	10	22.7	10	20.7	11	26.1	69	18.9	1.0
Lung	1	4.4	1	4.6	2	6.3	2	5.7	2	4.7	-	-	1	1.3	1	1.2	1	3.1	11	3.2	0.6
Female Breast	-	-	1	10.4	1	10.0	-	-	1	1.9	-	-	1	6.0	-	-	1	3.6	5	2.9	1.2
Endo/Nut/Met	1	2.9	1	3.2	4	13.2	1	3.2	2	5.0	4	8.6	5	13.4	1	0.9	2	3.2	21	5.9	3.1
Circulatory System	13	48.1	10	31.5	20	73.1	11	32.5	16	39.1	14	34.9	11	24.4	12	30.2	13	29.1	120	36.9	1.8
Ischemic Heart	4	12.5	3	11.9	6	21.3	6	20.2	9	24.9	5	10.7	6	14.0	3	7.4	3	5.5	45	14.0	1.2
Cerebrovascular/Stroke	6	24.8	1	1.8	6	19.3	2	5.4	3	5.7	2	6.4	2	3.7	3	6.8	2	4.4	27	8.0	1.8
Respiratory System	1	4.4	4	10.6	5	18.0	4	13.6	3	6.3	2	4.9	3	7.8	1	3.3	5	13.2	28	8.8	1.8
Pneumonia/Influenza	-	-	2	6.6	2	4.2	3	9.3	-	-	-	-	2	5.1	-	-	3	7.4	12	3.5	1.8
Chronic Pulmonary	1	4.4	-	-	2	9.2	1	4.3	1	3.0	2	4.9	1	2.6	-	-	1	2.6	9	3.3	1.2
Digestive System	2	9.1	8	24.5	5	13.7	1	3.2	2	3.3	2	4.4	1	1.8	5	8.0	5	12.0	31	8.4	4.0
External Causes	13	19.9	8	15.6	18	21.5	9	12.4	5	8.0	10	10.7	11	11.6	16	19.3	8	8.1	98	13.7	2.2
MVTA	2	5.4	2	2.2	2	1.8	4	6.6	2	2.1	1	1.0	1	1.0	5	6.2	-	-	19	2.9	2.4
Suicide	2	2.1	-	-	5	5.6	1	1.1	-	-	3	3.1	5	5.3	3	3.0	2	1.8	21	2.5	1.7
All Causes Male	29	154.3	24	105.6	40	213.5	23	109.9	20	91.0	25	93.9	30	120.3	41	156.6	32	148.0	264	131.3	1.7
Female	15	80.8	20	142.2	35	179.9	19	79.2	25	95.4	22	85.7	20	87.9	15	52.9	21	79.0	192	92.6	1.7
Total	44	115.3	44	121.3	75	192.6	42	92.2	45	90.5	47	89.9	50	103.0	56	100.8	53	107.5	456	110.3	1.7
Alcohol-Related	5	9.0	10	15.9	12	26.4	6	11.5	10	17.3	16	22.0	16	25.8	25	37.1	16	32.3	116	22.9	5.6
Medically Treatable	-	-	2	2.8	2	3.5	-	-	1	1.3	-	-	1	1.0	1	0.9	-	-	7	1.0	5.0
Drug-Induced	1	1.0	1	2.8	3	4.4	5	5.8	1	1.4	2	2.7	1	1.1	5	5.7	1	0.9	20	2.7	2.5
SAM	6	22.6	5	16.6	9	31.8	6	17.9	6	14.5	5	11.6	7	13.9	5	9.6	7	17.5	56	16.7	1.2

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 11 Upper Island / Central Coast
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	93,393		95,570		99,162		103,923		107,068		109,768		112,463		113,392		113,099		947,838		
Live Births[1]: Male	625		596		590		613		605		609		598		521		522		5,279		
Female	637		608		611		578		607		591		546		539		483		5,200		
Total	1,262	13.5	1,204	12.6	1,201	12.1	1,191	11.5	1,212	11.3	1,200	10.9	1,144	10.2	1,060	9.3	1,005	8.9	10,479	11.1	1.9
Low Birth Weight[2]	73	57.8	49	40.7	59	49.1	60	50.4	54	44.6	55	45.8	57	49.8	47	44.3	48	47.8	502	47.9	1.3
Premature[2]	77	61.0	62	51.5	61	50.8	65	54.6	68	56.1	70	58.3	65	56.8	64	60.4	59	58.7	591	56.4	2.0
Cesarean Section[2]	236	186.6	248	206.0	256	213.2	247	207.4	257	212.0	279	232.5	233	203.7	231	217.9	226	224.9	2,215	211.4	0.8
Teenage Mother[2]	83	65.8	90	74.8	82	68.3	80	67.2	87	71.8	64	53.3	93	81.3	64	60.4	76	75.6	719	68.6	3.2
Elderly Gravida[2]	99	78.4	113	93.9	122	101.6	135	113.4	163	134.5	153	127.5	153	133.7	162	152.8	131	130.3	1,231	117.5	0.5
Stillbirths[3]:	14	11.0	5	4.1	7	5.8	3	2.5	8	6.6	11	9.1	8	6.9	6	5.6	5	5.0	67	6.4	1.7
Early Neonatal	5	4.0	3	2.5	3	2.5	2	1.7	5	4.1	4	3.3	2	1.7	3	2.8	7	7.0	34	3.2	1.0
Neonatal	6	4.8	4	3.3	3	2.5	2	1.7	6	5.0	4	3.3	2	1.7	3	2.8	8	8.0	38	3.6	1.4
Post Neonatal	3	2.4	3	2.5	1	0.8	3	2.5	1	0.8	-	-	1	0.9	3	2.8	1	1.0	16	1.5	9.0
Infant Deaths	9	7.1	7	5.8	4	3.3	5	4.2	7	5.8	4	3.3	3	2.6	6	5.7	9	9.0	54	5.2	3.6

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	4	0.5	2	0.2	3	0.3	9	0.9	6	0.6	10	1.0	7	0.6	7	0.7	12	1.0	60	0.7	4.7
Cancer	174	20.5	161	18.3	184	20.1	191	19.8	192	19.4	202	19.6	210	19.3	189	16.4	191	16.2	1,694	18.7	1.0
Lung	44	5.0	46	5.1	56	6.1	51	5.2	47	4.7	57	5.4	47	4.3	56	4.8	62	5.3	466	5.1	0.6
Female Breast	11	2.4	13	2.8	11	2.2	12	2.4	15	2.9	17	3.1	10	1.8	15	2.6	16	2.6	120	2.5	1.2
Endo/Nut/Met	17	2.1	12	1.5	20	2.4	19	2.2	18	1.9	19	2.0	18	1.7	15	1.4	25	2.2	163	1.9	3.1
Circulatory System	175	21.9	222	27.6	199	23.4	199	22.3	233	24.9	246	25.2	232	22.2	250	22.5	243	21.2	1,999	23.4	1.6
Ischemic Heart	85	10.4	108	13.2	99	11.4	101	11.0	117	12.5	132	13.3	122	11.5	120	10.7	120	10.4	1,004	11.6	1.2
Cerebrovascular/Stroke	34	4.2	47	5.9	43	5.2	42	5.0	53	5.6	44	4.6	40	3.9	56	5.1	60	5.3	419	5.0	1.6
Respiratory System	40	5.3	35	4.4	45	5.2	56	6.3	42	4.7	52	5.4	65	6.3	72	6.6	61	5.4	468	5.6	1.6
Pneumonia/Influenza	16	2.2	10	1.3	15	1.8	23	2.6	16	1.8	13	1.4	23	2.2	26	2.4	21	1.9	163	2.0	1.8
Chronic Pulmonary	19	2.5	21	2.6	20	2.3	22	2.5	18	2.0	28	2.8	34	3.3	40	3.7	33	2.9	235	2.8	1.2
Digestive System	17	2.2	14	1.7	22	2.4	29	3.1	20	2.1	19	1.9	14	1.3	21	2.0	32	2.7	188	2.1	4.0
External Causes	48	5.5	56	6.5	67	7.2	58	5.7	62	6.2	86	8.0	58	5.2	72	6.3	49	4.2	556	6.1	2.2
MVTA	11	1.4	14	1.7	13	1.5	11	1.2	16	1.7	16	1.5	7	0.6	9	0.9	8	0.8	105	1.2	2.4
Suicide	12	1.3	9	1.1	14	1.5	18	1.7	15	1.4	25	2.3	17	1.4	17	1.5	13	1.0	140	1.5	1.7
All Causes Male	293	76.0	325	82.1	336	80.1	339	76.8	347	77.3	406	84.6	363	72.7	398	76.2	361	66.8	3,166	76.7	1.7
Female	227	52.1	244	54.7	253	54.5	278	57.0	280	55.1	293	55.7	319	56.3	295	49.1	323	51.8	2,512	54.0	1.7
Total	520	63.4	569	67.9	589	66.7	617	66.6	627	65.7	699	69.6	682	64.3	693	62.1	684	59.4	5,680	65.0	1.7
Alcohol-Related	10	1.1	30	3.3	37	4.0	54	5.3	54	5.4	48	4.5	42	3.7	48	4.1	56	4.7	379	4.1	5.6
Medically Treatable	1	0.1	1	0.1	2	0.2	3	0.2	2	0.2	1	0.1	8	0.7	2	0.1	4	0.3	24	0.2	5.0
Drug-Induced	5	0.5	11	1.2	16	1.6	7	0.7	8	0.7	11	1.0	20	1.8	17	1.5	13	1.0	108	1.1	2.5
SAM	110	13.2	122	14.2	130	14.5	135	14.2	126	13.0	150	14.7	141	13.2	157	13.8	154	13.2	1,224	13.8	1.2

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 12 Cariboo
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	6,279		6,373		6,574		6,900		7,164		7,330		7,482		7,681		7,831		63,594		
Live Births[1]: Male	89		76		80		91		87		79		99		78		83		762		
Female	93		93		85		78		83		79		71		69		82		733		
Total	182	29.0	169	26.5	165	25.1	169	24.5	170	23.7	158	21.6	170	22.7	147	19.2	165	21.1	1,495	23.5	2.0
Low Birth Weight[2]	15	82.4	8	47.3	10	60.6	12	71.0	7	41.2	9	57.0	9	52.9	9	61.2	4	24.2	83	55.5	1.1
Premature[2]	18	98.9	11	65.1	11	66.7	20	118.3	8	47.1	11	69.6	11	64.7	11	74.8	9	54.5	110	73.6	1.2
Cesarean Section[2]	32	175.8	21	124.3	37	224.2	39	230.8	34	200.0	35	221.5	31	182.4	25	170.1	46	278.8	300	200.7	0.8
Teenage Mother[2]	35	192.3	29	171.6	34	206.1	41	242.6	43	252.9	21	132.9	34	200.0	29	197.3	37	224.2	303	202.7	2.5
Elderly Gravida[2]	7	38.5	10	59.2	5	30.3	12	71.0	9	52.9	11	69.6	8	47.1	13	88.4	12	72.7	87	58.2	0.6
Stillbirths[3]:	1	5.5	1	5.9	-	-	-	-	2	11.6	-	-	3	17.3	1	6.8	2	12.0	10	6.6	1.2
Early Neonatal	1	5.5	-	-	-	-	1	5.9	-	-	-	-	1	5.9	1	6.8	1	6.1	5	3.3	1.4
Neonatal	1	5.5	-	-	-	-	1	5.9	-	-	-	-	1	5.9	1	6.8	1	6.1	5	3.3	1.2
Post Neonatal	2	11.0	-	-	1	6.1	2	11.8	3	17.6	-	-	-	-	-	-	-	-	8	5.4	2.8
Infant Deaths	3	16.5	-	-	1	6.1	3	17.8	3	17.6	-	-	1	5.9	1	6.8	1	6.1	13	8.7	1.9
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	1	4.9	-	-	-	-	1	0.9	1	1.5	1	1.8	-	-	1	1.8	5	1.1	1.8
Cancer	3	10.2	7	21.4	2	6.9	3	9.5	5	14.2	9	18.6	8	18.9	7	16.9	7	16.0	51	15.1	0.8
Lung	1	3.8	1	4.1	-	-	-	-	3	8.5	1	2.7	4	9.2	-	-	-	-	10	3.2	0.8
Female Breast	-	-	-	-	-	-	1	5.2	-	-	1	5.7	1	5.2	1	5.4	-	-	4	2.6	1.0
Endo/Nut/Met	2	6.5	-	-	-	-	-	-	1	2.8	2	3.5	1	1.8	1	3.1	1	2.9	8	2.3	1.4
Circulatory System	4	12.3	7	21.9	11	39.2	8	23.6	3	7.6	9	24.3	8	20.3	6	14.0	6	14.4	62	19.4	0.8
Ischemic Heart	1	3.0	3	11.5	5	18.2	3	10.1	1	2.8	2	5.3	2	4.7	3	8.2	1	2.5	21	7.1	0.6
Cerebrovascular/Stroke	1	3.8	-	-	4	14.9	3	8.9	2	4.8	4	11.0	-	-	-	-	4	10.9	18	6.1	1.2
Respiratory System	4	13.7	1	3.0	3	11.9	3	10.6	2	4.8	2	5.8	2	4.4	3	7.3	3	7.7	23	7.6	1.0
Pneumonia/Influenza	4	13.7	1	3.0	2	7.9	2	7.4	2	4.8	1	2.9	-	-	3	7.3	2	4.8	17	5.6	2.1
Chronic Pulmonary	-	-	-	-	1	4.0	-	-	-	-	1	2.9	2	4.4	-	-	-	-	4	1.3	0.3
Digestive System	1	3.8	1	3.3	5	15.9	1	1.7	2	5.9	3	4.5	-	-	7	12.5	2	4.0	22	5.8	2.4
External Causes	8	17.5	8	14.4	10	16.8	15	24.3	9	16.3	22	34.5	19	35.9	17	29.3	11	16.9	119	23.5	3.2
MVTA	5	10.7	3	5.3	5	7.9	8	12.9	4	7.0	9	12.4	5	7.7	9	12.8	2	2.8	50	8.9	4.2
Suicide	1	1.9	2	2.4	2	2.9	1	1.7	1	1.1	3	5.3	4	6.0	2	4.1	2	2.5	18	3.2	2.1
All Causes Male	22	132.7	15	85.8	19	103.8	18	96.9	16	86.7	32	136.2	31	123.5	23	92.7	23	89.7	199	103.2	1.3
Female	11	60.9	13	72.2	16	89.8	17	85.5	13	64.3	22	83.8	15	72.1	23	96.2	16	63.2	146	74.5	1.3
Total	33	95.5	28	79.2	35	96.2	35	78.9	29	62.8	54	107.9	46	96.2	46	95.6	39	76.9	345	88.2	1.3
Alcohol-Related	4	15.5	4	8.6	13	31.3	14	30.5	9	18.2	16	29.0	12	25.0	12	19.7	10	17.2	94	21.9	5.2
Medically Treatable	1	2.3	-	-	-	-	-	-	1	1.9	-	-	2	3.7	1	1.1	-	-	5	1.0	2.5
Drug-Induced	-	-	1	1.8	-	-	1	1.7	-	-	1	1.5	1	1.4	1	1.3	1	2.5	6	1.2	1.7
SAM	3	9.4	3	10.9	4	15.6	3	8.6	4	11.4	6	14.5	7	17.4	1	3.8	1	3.6	33	10.5	0.7

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 12 Cariboo
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	59,529		59,463		60,558		61,974		63,831		66,022		68,456		68,964		68,945		577,761		
Live Births[1]: Male	378		381		374		396		370		405		409		360		364		3,437		
Female	335		362		367		370		385		403		386		371		337		3,316		
Total	713	12.0	743	12.5	741	12.2	766	12.4	755	11.8	808	12.2	795	11.6	731	10.6	701	10.2	6,753	11.7	2.0
Low Birth Weight[2]	41	57.5	44	59.2	39	52.6	40	52.2	36	47.7	41	50.7	44	55.3	35	47.9	36	51.4	356	52.7	1.1
Premature[2]	42	58.9	50	67.3	48	64.8	46	60.1	41	54.3	48	59.4	56	70.4	30	41.0	40	57.1	401	59.4	1.2
Cesarean Section[2]	157	220.2	195	262.4	222	299.6	180	235.0	199	263.6	203	251.2	193	242.8	188	257.2	215	306.7	1,752	259.4	0.8
Teenage Mother[2]	66	92.6	66	88.8	65	87.7	57	74.4	63	83.4	62	76.7	51	64.2	54	73.9	58	82.7	542	80.3	2.5
Elderly Gravida[2]	49	68.7	56	75.4	61	82.3	66	86.2	77	102.0	70	86.6	84	105.7	66	90.3	76	108.4	605	89.6	0.6
Stillbirths[3]:	6	8.3	3	4.0	3	4.0	7	9.1	3	4.0	3	3.7	3	3.8	6	8.1	5	7.1	39	5.7	1.2
Early Neonatal	2	2.8	1	1.3	1	1.3	-	-	3	4.0	3	3.7	4	5.0	1	1.4	1	1.4	16	2.4	1.4
Neonatal	3	4.2	2	2.7	1	1.3	-	-	3	4.0	3	3.7	5	6.3	1	1.4	1	1.4	19	2.8	1.2
Post Neonatal	2	2.8	2	2.7	1	1.3	1	1.3	-	-	2	2.5	1	1.3	2	2.7	2	2.9	13	1.9	2.8
Infant Deaths	5	7.0	4	5.4	2	2.7	1	1.3	3	4.0	5	6.2	6	7.5	3	4.1	3	4.3	32	4.7	1.9

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	2	0.5	-	-	2	0.5	5	0.8	7	1.5	6	1.1	4	0.9	1	0.1	2	0.3	29	0.6	1.8
Cancer	99	22.7	86	18.2	89	18.1	101	19.3	91	17.1	95	17.7	98	17.3	117	20.0	102	16.5	878	18.4	0.8
Lung	33	7.3	26	5.1	35	7.2	27	4.5	24	4.5	30	5.8	22	3.9	39	6.7	43	6.9	279	5.8	0.6
Female Breast	7	3.0	8	3.3	4	1.6	11	4.1	4	1.4	4	1.4	13	4.5	11	3.3	5	1.6	67	2.6	1.0
Endo/Nut/Met	3	0.7	9	2.4	5	1.0	9	1.8	8	1.6	7	1.5	5	0.9	15	2.7	12	1.9	73	1.6	1.4
Circulatory System	101	25.0	90	21.2	105	24.0	98	22.1	117	25.7	122	25.2	137	27.6	127	23.7	137	24.9	1,034	24.4	0.8
Ischemic Heart	54	13.1	49	10.9	54	11.5	47	10.0	56	12.5	57	11.1	68	13.0	62	11.0	61	10.7	508	11.5	0.6
Cerebrovascular/Stroke	22	5.4	15	3.4	20	5.1	19	4.7	25	5.5	21	4.8	28	5.9	25	5.1	37	6.9	212	5.2	1.2
Respiratory System	26	7.4	32	8.3	26	6.1	28	6.6	38	8.9	41	8.6	34	6.9	34	6.6	42	7.9	303	7.5	1.0
Pneumonia/Influenza	12	3.4	10	2.7	12	2.7	7	1.7	17	4.0	11	2.2	11	2.3	13	2.6	16	3.1	109	2.7	2.1
Chronic Pulmonary	11	2.6	19	4.8	10	2.5	19	4.4	18	4.4	23	5.2	13	2.6	16	3.1	23	4.2	152	3.8	0.3
Digestive System	12	3.1	10	2.5	11	2.0	19	3.9	9	2.1	9	1.7	14	2.5	17	2.9	7	1.3	108	2.4	2.4
External Causes	47	9.1	36	6.3	35	6.5	42	7.5	42	6.6	56	8.6	69	10.6	39	5.6	35	5.4	401	7.4	3.2
MVTA	15	2.9	11	1.8	12	2.1	9	1.4	18	2.7	15	2.1	24	3.5	11	1.6	8	1.2	123	2.1	4.2
Suicide	9	1.6	10	1.8	5	0.8	6	1.1	8	1.1	7	1.1	20	3.1	8	1.1	10	1.6	83	1.5	2.1
All Causes Male	205	94.5	187	82.9	194	81.2	176	73.6	207	85.0	229	88.6	231	83.3	219	78.9	208	75.1	1,856	82.4	1.3
Female	116	57.1	107	48.9	107	47.1	144	59.7	135	54.9	143	55.4	165	62.8	165	57.4	163	54.7	1,245	55.5	1.3
Total	321	76.1	294	66.0	301	64.3	320	66.4	342	69.8	372	71.7	396	74.1	384	67.8	371	64.4	3,101	68.9	1.3
Alcohol-Related	10	2.0	8	1.5	31	5.5	21	3.7	28	5.1	44	7.3	27	4.5	24	3.7	23	3.8	216	4.2	5.2
Medically Treatable	1	0.2	1	0.2	5	0.8	2	0.4	3	0.4	5	0.7	-	-	3	0.4	2	0.3	22	0.4	2.5
Drug-Induced	5	0.8	2	0.3	5	0.8	5	0.9	1	0.2	6	1.0	6	0.8	4	0.5	5	0.7	39	0.7	1.7
SAM	70	16.1	69	15.4	77	16.4	71	14.4	75	15.8	89	17.8	68	12.8	90	15.9	96	16.4	705	15.7	0.7

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 13 North West
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	20,189		20,329		21,014		21,815		22,711		23,380		23,618		23,982		24,372		201,270		
Live Births[1]: Male	258		258		229		240		215		248		221		215		196		2,070		
Female	223		230		208		238		194		215		215		203		211		1,937		
Total	481	23.8	488	24.0	437	20.8	478	21.9	409	18.0	463	19.9	436	18.5	418	17.4	397	16.3	4,007	19.9	1.5
Low Birth Weight[2]	16	33.3	13	26.6	26	59.5	17	35.6	24	58.7	19	41.0	23	52.8	18	43.1	23	57.9	179	44.7	0.9
Premature[2]	39	81.1	27	55.3	38	87.0	28	58.6	37	90.5	36	77.8	33	75.7	34	81.3	40	100.8	312	77.9	1.3
Cesarean Section[2]	66	137.2	85	174.2	70	160.2	69	144.4	61	149.1	63	136.1	86	197.2	77	184.2	67	168.8	644	160.7	0.7
Teenage Mother[2]	110	228.7	105	215.2	95	217.4	85	177.8	85	207.8	81	174.9	94	215.6	86	205.7	66	166.2	807	201.4	3.6
Elderly Gravida[2]	13	27.0	26	53.3	26	59.5	27	56.5	26	63.6	25	54.0	25	57.3	23	55.0	31	78.1	222	55.4	0.5
Stillbirths[3]:	3	6.2	2	4.1	1	2.3	3	6.2	-	-	1	2.2	4	9.1	5	11.8	3	7.5	22	5.5	0.6
Early Neonatal	3	6.2	2	4.1	2	4.6	1	2.1	2	4.9	1	2.2	2	4.6	-	-	1	2.5	14	3.5	1.3
Neonatal	4	8.3	2	4.1	2	4.6	1	2.1	2	4.9	2	4.3	2	4.6	-	-	1	2.5	16	4.0	1.2
Post Neonatal	4	8.3	3	6.1	2	4.6	2	4.2	4	9.8	1	2.2	2	4.6	1	2.4	-	-	19	4.7	3.9
Infant Deaths	8	16.6	5	10.2	4	9.2	3	6.3	6	14.7	3	6.5	4	9.2	1	2.4	1	2.5	35	8.7	1.9
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	2	1.0	2	0.8	4	2.9	1	1.0	6	3.7	2	1.6	1	0.7	4	2.8	2	1.6	24	1.8	2.6
Cancer	15	15.1	15	16.9	18	17.1	24	23.0	14	11.7	21	16.1	19	14.7	16	11.7	19	13.6	161	15.3	0.8
Lung	1	1.2	2	2.2	2	1.8	6	5.5	2	1.8	8	6.7	7	5.9	2	1.9	2	1.7	32	3.3	0.6
Female Breast	2	3.1	-	-	1	2.3	3	4.1	1	1.1	2	2.9	1	0.8	2	1.6	4	5.0	16	2.4	1.0
Endo/Nut/Met	3	2.7	1	1.2	1	1.2	2	2.2	3	2.6	3	2.2	-	-	4	2.8	2	1.2	19	1.8	0.8
Circulatory System	17	17.8	31	35.3	36	38.6	24	22.9	23	17.9	33	25.2	29	24.9	24	18.4	28	21.6	245	24.3	0.9
Ischemic Heart	9	9.4	10	11.1	17	18.3	10	8.9	13	10.9	15	11.4	12	10.1	10	7.2	13	10.0	109	10.7	0.8
Cerebrovascular/Stroke	5	6.0	12	13.6	6	6.0	5	5.6	4	2.9	3	2.7	6	5.5	3	2.5	5	4.2	49	5.1	1.0
Respiratory System	7	8.1	5	6.1	12	11.1	6	5.9	5	4.2	6	5.1	10	8.1	11	9.1	15	11.4	77	7.7	1.1
Pneumonia/Influenza	4	4.4	2	2.4	10	9.2	2	1.6	2	1.3	4	3.4	8	6.5	6	5.1	10	7.4	48	4.6	1.3
Chronic Pulmonary	2	2.4	2	2.4	1	0.8	2	2.3	-	-	1	0.9	1	0.7	2	1.7	-	-	11	1.1	0.4
Digestive System	2	2.4	9	10.2	6	5.9	6	5.7	8	6.1	4	3.0	4	3.5	8	6.5	5	3.3	52	5.0	2.2
External Causes	24	13.3	13	7.9	26	13.7	27	14.7	18	9.5	15	8.2	21	10.2	32	14.2	19	9.2	195	11.2	1.6
MVTA	10	5.3	2	0.8	6	2.7	4	1.7	4	1.8	2	0.8	6	2.5	11	4.3	2	1.0	47	2.3	1.4
Suicide	7	3.6	1	0.4	8	4.6	5	2.0	3	1.3	4	2.2	4	1.6	7	2.7	6	2.5	45	2.4	1.8
All Causes Male	54	84.6	60	111.9	69	112.6	68	107.1	52	70.9	60	83.7	47	72.1	67	87.8	60	81.7	537	89.1	1.0
Female	32	56.5	32	69.2	43	81.8	36	67.7	39	54.7	34	49.8	53	70.9	43	62.0	51	65.8	383	63.7	1.1
Total	86	70.6	92	91.2	112	96.2	104	87.1	91	62.7	94	66.7	100	71.9	110	74.7	111	73.5	920	76.9	1.1
Alcohol-Related	6	3.5	11	9.7	21	14.4	25	17.0	19	12.6	26	16.8	16	9.0	34	21.4	24	15.5	182	13.7	2.9
Medically Treatable	1	0.7	1	0.9	4	2.4	2	1.6	3	1.2	-	-	2	1.1	1	0.8	2	1.2	16	1.1	3.7
Drug-Induced	2	1.7	1	0.7	8	4.8	2	1.0	1	0.4	3	1.3	6	3.0	3	1.3	2	0.9	28	1.7	2.4
SAM	9	9.9	13	14.9	16	15.6	17	16.0	10	8.1	17	13.6	15	12.5	12	10.1	11	8.5	120	11.9	0.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 13 North West
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	65,211		65,586		65,393		65,413		65,747		66,932		68,207		67,553		67,172		597,213		
Live Births[1]: Male	539		513		455		511		491		468		432		404		367		4,180		
Female	498		514		459		482		425		479		428		339		368		3,992		
Total	1,037	15.9	1,027	15.7	914	14.0	993	15.2	916	13.9	947	14.1	860	12.6	743	11.0	735	10.9	8,172	13.7	1.5
Low Birth Weight[2]	55	53.0	42	40.9	47	51.4	49	49.3	37	40.4	52	54.9	35	40.7	41	55.2	31	42.2	389	47.6	0.9
Premature[2]	66	63.6	61	59.4	47	51.4	52	52.4	50	54.6	66	69.7	56	65.1	49	65.9	43	58.5	490	60.0	1.3
Cesarean Section[2]	222	214.1	219	213.2	205	224.3	207	208.5	190	207.4	194	204.9	163	189.5	182	245.0	173	235.4	1,755	214.8	0.7
Teenage Mother[2]	57	55.0	66	64.3	46	50.3	72	72.5	51	55.7	50	52.8	42	48.8	37	49.8	34	46.3	455	55.7	3.6
Elderly Gravida[2]	80	77.1	80	77.9	92	100.7	107	107.8	104	113.5	105	110.9	131	152.3	88	118.4	100	136.1	887	108.5	0.5
Stillbirths[3]:	10	9.6	2	1.9	11	11.9	9	9.0	7	7.6	8	8.4	7	8.1	10	13.3	6	8.1	70	8.5	0.6
Early Neonatal	5	4.8	3	2.9	1	1.1	3	3.0	2	2.2	1	1.1	2	2.3	4	5.4	2	2.7	23	2.8	1.3
Neonatal	5	4.8	3	2.9	1	1.1	5	5.0	2	2.2	1	1.1	3	3.5	5	6.7	2	2.7	27	3.3	1.2
Post Neonatal	1	1.0	-	-	1	1.1	1	1.0	2	2.2	-	-	2	2.3	3	4.0	-	-	10	1.2	3.9
Infant Deaths	6	5.8	3	2.9	2	2.2	6	6.0	4	4.4	1	1.1	5	5.8	8	10.8	2	2.7	37	4.5	1.9

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	4	1.4	-	-	2	0.7	2	0.3	5	1.2	4	0.9	2	0.5	2	0.5	2	0.5	23	0.7	2.6
Cancer	76	21.2	72	18.6	73	19.1	77	18.7	82	21.2	80	19.4	66	14.5	66	13.8	93	19.6	685	18.3	0.8
Lung	20	5.0	15	3.8	25	6.5	24	5.3	32	8.3	25	6.3	20	4.1	16	3.6	32	6.6	209	5.5	0.6
Female Breast	7	3.1	8	3.1	4	2.2	4	2.2	3	1.0	6	2.1	10	3.6	1	0.6	7	3.2	50	2.4	1.0
Endo/Nut/Met	1	0.4	5	1.8	10	3.6	5	1.2	10	3.7	6	1.8	12	3.4	11	2.8	8	2.0	68	2.3	0.8
Circulatory System	94	30.4	77	24.0	86	26.0	102	30.0	97	30.3	91	26.6	83	23.1	106	27.9	108	26.0	844	27.0	0.9
Ischemic Heart	52	17.2	45	13.1	49	14.0	47	13.3	57	16.7	35	9.6	42	10.4	45	10.5	48	10.8	420	12.7	0.8
Cerebrovascular/Stroke	18	5.7	12	4.2	15	4.6	19	5.7	13	4.5	24	6.9	12	3.7	20	6.0	23	5.5	156	5.2	1.0
Respiratory System	18	5.4	16	5.7	23	7.4	18	6.2	26	8.5	20	6.2	22	5.9	26	7.7	34	9.3	203	7.0	1.1
Pneumonia/Influenza	9	2.7	8	3.1	13	4.5	8	2.9	16	5.4	9	2.9	9	2.4	13	3.9	15	4.2	100	3.6	1.3
Chronic Pulmonary	7	2.1	7	2.3	8	2.6	10	3.4	6	1.8	9	2.9	11	3.2	7	2.0	14	3.7	79	2.7	0.4
Digestive System	13	3.9	9	2.4	9	2.8	7	2.2	9	2.0	4	1.0	7	1.8	10	2.4	9	2.1	77	2.3	2.2
External Causes	54	9.8	47	8.6	36	5.5	42	6.7	40	6.5	33	5.9	41	7.0	40	6.7	27	4.4	360	6.8	1.6
MVTA	14	2.4	8	1.2	12	1.8	16	2.3	15	2.3	7	1.0	12	1.7	9	1.3	4	0.8	97	1.6	1.4
Suicide	6	0.9	9	1.5	5	0.7	8	1.2	9	1.5	8	1.4	9	1.4	11	1.5	10	1.6	75	1.3	1.8
All Causes Male	182	102.4	164	87.1	173	93.6	170	83.5	168	89.8	171	88.2	153	72.1	179	84.0	191	88.0	1,551	87.3	1.0
Female	96	55.2	83	47.9	93	54.1	105	57.0	131	72.9	99	53.1	112	54.5	108	51.5	123	54.4	950	55.5	1.1
Total	278	77.3	247	67.1	266	73.3	275	70.8	299	82.0	270	70.3	265	63.9	287	67.5	314	70.5	2,501	71.2	1.1
Alcohol-Related	11	1.9	11	2.3	21	4.7	19	3.8	26	5.7	33	6.8	40	7.6	33	5.9	24	4.1	218	4.8	2.9
Medically Treatable	4	0.6	2	0.4	2	0.3	5	0.7	2	0.3	1	0.1	1	0.2	1	0.1	1	0.2	19	0.3	3.7
Drug-Induced	7	1.0	2	0.3	7	1.0	4	0.5	3	0.4	2	0.3	4	0.6	7	1.1	3	0.6	39	0.7	2.4
SAM	56	15.6	46	12.9	57	15.9	61	16.1	65	18.2	60	16.0	53	13.2	56	13.6	78	17.6	532	15.4	0.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 14 Peace Liard
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	2,936		3,036		3,336		3,636		3,933		4,133		4,303		4,490		4,700		34,486		
Live Births[1]: Male	68		48		59		75		68		66		75		59		51		569		
Female	54		45		60		51		61		57		55		43		56		482		
Total	122	41.6	93	30.8	119	35.7	126	34.7	129	32.8	123	29.8	130	30.2	102	22.8	107	22.8	1,051	30.5	2.1
Low Birth Weight[2]	7	57.4	4	43.0	11	92.4	6	47.6	4	31.0	5	40.7	7	53.8	4	39.2	5	46.7	53	50.4	1.3
Premature[2]	7	57.4	6	64.5	6	50.4	12	95.2	4	31.0	7	56.9	11	84.6	8	78.4	8	74.8	69	65.7	1.4
Cesarean Section[2]	14	114.8	23	247.3	19	159.7	30	238.1	19	147.3	31	252.0	27	207.7	19	186.3	16	149.5	198	188.4	1.1
Teenage Mother[2]	35	286.9	24	258.1	22	184.9	27	214.3	22	170.5	29	235.8	28	215.4	18	176.5	23	215.0	228	216.9	2.7
Elderly Gravida[2]	3	24.6	3	32.3	5	42.0	4	31.7	9	69.8	5	40.7	9	69.2	5	49.0	9	84.1	52	49.5	0.6
Stillbirths[3]:	-	-	-	-	-	-	-	-	-	-	1	8.1	-	-	-	-	2	18.3	3	2.8	0.8
Early Neonatal	-	-	1	10.8	-	-	1	7.9	-	-	1	8.1	-	-	-	-	-	-	3	2.9	1.2
Neonatal	-	-	1	10.8	-	-	1	7.9	-	-	1	8.1	-	-	-	-	-	-	3	2.9	1.0
Post Neonatal	-	-	-	-	1	8.4	-	-	-	-	-	-	1	7.7	1	9.8	1	9.3	4	3.8	2.7
Infant Deaths	-	-	1	10.8	1	8.4	1	7.9	-	-	1	8.1	1	7.7	1	9.8	1	9.3	7	6.7	1.8

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6.5	-	-	1	0.8	1.3
Cancer	2	17.2	1	13.1	2	19.4	2	12.3	1	10.9	2	12.6	4	23.7	4	24.4	4	27.6	22	18.5	1.0
Lung	1	13.5	-	-	1	12.4	-	-	1	10.9	-	-	1	6.3	2	9.8	1	7.1	7	6.4	1.1
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Endo/Nut/Met	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Circulatory System	5	49.9	8	96.3	1	12.4	4	32.7	2	7.2	2	13.1	3	20.0	3	17.3	2	13.3	30	25.2	1.0
Ischemic Heart	3	31.7	5	56.9	-	-	1	8.0	1	3.8	1	10.0	-	-	1	7.3	1	6.4	13	11.4	0.8
Cerebrovascular/Stroke	1	4.7	2	26.3	-	-	-	-	-	-	1	3.1	2	13.1	-	-	-	-	6	4.7	1.1
Respiratory System	2	30.0	1	13.1	3	29.3	-	-	-	-	1	10.0	2	13.1	2	10.4	-	-	11	10.1	1.2
Pneumonia/Influenza	1	16.5	-	-	2	16.9	-	-	-	-	-	-	1	6.8	2	10.4	-	-	6	4.8	1.4
Chronic Pulmonary	-	-	1	13.1	1	12.4	-	-	-	-	-	-	-	-	-	-	-	-	2	2.2	0.6
Digestive System	1	5.6	-	-	-	-	-	-	-	-	-	-	1	6.8	1	6.5	2	6.3	5	3.0	1.3
External Causes	7	43.3	4	11.1	9	41.0	9	35.2	4	14.8	-	-	5	17.2	4	9.8	1	2.8	43	17.8	2.8
MVTA	2	8.0	-	-	7	34.3	4	15.6	3	12.3	-	-	1	3.2	2	5.4	1	2.8	20	8.6	4.5
Suicide	1	2.5	-	-	-	-	-	-	-	-	-	-	-	-	2	4.4	-	-	3	0.8	0.8
All Causes Male	12	205.7	10	159.5	13	173.6	11	139.9	4	37.4	1	2.0	11	142.9	10	93.1	7	102.0	79	106.3	1.2
Female	7	115.5	7	124.4	4	53.3	6	58.2	5	56.0	5	66.3	9	80.9	7	61.7	6	45.8	56	67.8	1.3
Total	19	157.9	17	139.6	17	107.6	17	93.1	9	46.6	6	36.9	20	94.7	17	78.9	13	68.9	135	86.2	1.2
Alcohol-Related	2	14.6	1	5.1	5	21.6	5	21.7	4	11.3	-	-	7	38.4	4	15.2	6	26.4	34	18.4	5.1
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9.2	-	-	2	1.2	4.0
Drug-Induced	-	-	1	3.3	1	4.4	1	2.6	1	2.5	-	-	2	4.8	-	-	-	-	6	1.9	4.8
SAM	3	29.3	3	30.4	2	28.0	1	10.1	1	10.9	1	3.0	2	13.7	3	17.8	2	11.8	18	15.5	1.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 14 Peace Liard
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	56,813		56,890		57,062		57,707		58,861		60,588		61,140		61,550		61,759		532,390		
Live Births[1]: Male	467		432		452		496		449		440		457		425		400		4,018		
Female	453		482		490		436		433		420		392		397		346		3,849		
Total	920	16.2	914	16.1	942	16.5	932	16.2	882	15.0	860	14.2	849	13.9	822	13.4	746	12.1	7,867	14.8	2.1
Low Birth Weight[2]	23	25.0	32	35.0	43	45.6	46	49.4	37	42.0	28	32.6	28	33.0	36	43.8	23	30.8	296	37.6	1.3
Premature[2]	32	34.8	43	47.0	33	35.0	49	52.6	50	56.7	48	55.8	39	45.9	42	51.1	27	36.2	363	46.1	1.4
Cesarean Section[2]	133	144.6	144	157.5	152	161.4	174	186.7	148	167.8	178	207.0	173	203.8	150	182.5	150	201.1	1,402	178.2	1.1
Teenage Mother[2]	83	90.2	83	90.8	73	77.5	86	92.3	75	85.0	57	66.3	63	74.2	61	74.2	52	69.7	633	80.5	2.7
Elderly Gravida[2]	46	50.0	69	75.5	74	78.6	68	73.0	73	82.8	85	98.8	101	119.0	83	101.0	64	85.8	663	84.3	0.6
Stillbirths[3]:	5	5.4	1	1.1	3	3.2	6	6.4	5	5.6	4	4.6	8	9.3	1	1.2	5	6.7	38	4.8	0.8
Early Neonatal	1	1.1	1	1.1	4	4.2	6	6.4	1	1.1	3	3.5	-	-	3	3.6	1	1.3	20	2.5	1.2
Neonatal	1	1.1	2	2.2	5	5.3	6	6.4	1	1.1	3	3.5	-	-	3	3.6	1	1.3	22	2.8	1.0
Post Neonatal	1	1.1	2	2.2	5	5.3	1	1.1	-	-	1	1.2	-	-	-	-	1	1.3	11	1.4	2.7
Infant Deaths	2	2.2	4	4.4	10	10.6	7	7.5	1	1.1	4	4.7	-	-	3	3.6	2	2.7	33	4.2	1.6

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	2	0.3	4	1.2	3	0.6	2	0.4	2	0.4	1	0.3	-	-	5	1.3	4	1.0	23	0.6	1.3
Cancer	60	16.4	64	17.1	63	17.8	67	18.9	87	22.9	75	20.4	67	17.0	67	17.6	70	17.6	620	18.4	1.0
Lung	15	4.0	22	6.1	20	5.9	19	5.6	23	6.1	30	8.2	16	4.0	22	5.9	19	4.8	186	5.6	1.1
Female Breast	6	3.4	7	3.5	5	3.0	4	1.7	7	3.1	6	2.8	4	2.0	8	4.0	5	2.0	52	2.8	-
Endo/Nut/Met	4	1.3	5	1.6	7	2.1	10	2.6	9	2.7	8	2.3	10	2.7	7	1.7	13	3.3	73	2.3	-
Circulatory System	82	25.8	86	27.8	96	30.8	74	22.9	78	22.3	84	24.1	76	21.0	101	27.8	77	21.7	754	24.8	1.0
Ischemic Heart	53	17.0	47	15.0	55	17.4	40	12.4	46	12.6	45	12.8	45	11.9	61	16.5	43	11.7	435	14.1	0.8
Cerebrovascular/Stroke	15	4.4	15	4.8	16	5.3	11	3.5	13	4.1	15	4.5	15	4.4	12	3.4	9	2.6	121	4.1	1.1
Respiratory System	27	9.2	27	8.6	29	8.6	30	9.5	25	7.3	24	6.9	26	7.3	30	8.4	28	8.0	246	8.2	1.2
Pneumonia/Influenza	13	4.6	12	3.6	16	4.9	12	3.6	12	3.4	7	2.1	8	2.3	12	3.2	12	3.4	104	3.4	1.4
Chronic Pulmonary	11	3.7	14	4.7	10	3.1	17	5.5	10	3.2	14	4.0	11	3.2	15	4.4	14	4.0	116	4.0	0.6
Digestive System	11	3.1	12	3.2	9	2.8	6	1.7	10	2.8	7	1.9	9	2.6	10	2.8	4	0.9	78	2.4	1.3
External Causes	42	9.3	22	4.5	41	8.1	29	5.5	45	8.7	36	6.7	27	5.1	24	4.1	26	5.1	292	6.3	2.8
MVTA	15	2.7	8	1.4	10	1.7	9	1.5	20	3.2	13	2.1	10	1.6	9	1.5	9	1.7	103	1.9	4.5
Suicide	12	2.7	6	1.1	7	1.4	9	1.4	8	1.4	5	0.9	5	1.0	2	0.3	7	1.1	61	1.3	0.6
All Causes Male	162	91.6	151	91.3	176	98.8	142	81.1	158	82.8	151	81.5	147	78.2	162	91.0	164	87.9	1,413	87.0	1.2
Female	92	54.0	89	49.5	102	59.4	103	56.1	120	62.9	113	58.6	88	44.6	112	54.8	90	44.3	909	53.6	1.3
Total	254	72.8	240	69.3	278	78.7	245	68.5	278	73.2	264	70.1	235	60.9	274	71.1	254	64.9	2,322	69.8	1.2
Alcohol-Related	7	1.6	5	1.0	22	4.9	19	4.1	27	6.2	17	3.8	17	3.5	16	3.7	17	3.8	147	3.6	5.1
Medically Treatable	-	-	2	0.3	3	0.4	3	0.5	5	0.9	1	0.2	-	-	1	0.1	1	0.1	16	0.3	4.0
Drug-Induced	3	0.5	1	0.2	1	0.2	2	0.3	1	0.2	4	0.6	1	0.2	7	1.1	1	0.1	21	0.4	4.8
SAM	47	14.2	60	18.0	59	17.4	52	15.6	56	15.4	63	17.2	53	13.9	63	17.1	55	14.7	506	15.9	1.0

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 15 NORTHERN INTERIOR
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	8,860		9,030		9,552		10,059		10,694		11,177		11,388		11,718		12,036		94,514		
Live Births[1]: Male	138		130		130		114		132		145		129		150		110		1,178		
Female	135		118		111		118		137		119		120		129		96		1,063		
Total	273	30.8	248	27.5	241	25.2	232	23.1	269	25.2	264	23.6	249	21.9	279	23.8	206	17.1	2,241	23.9	1.8
Low Birth Weight[2]	22	80.6	14	56.5	16	66.4	11	47.4	14	52.0	15	56.8	20	80.3	12	43.0	7	34.0	131	57.9	1.1
Premature[2]	24	87.9	22	88.7	21	87.1	15	64.7	25	92.9	25	94.7	28	112.4	18	64.5	13	63.1	191	84.5	1.4
Cesarean Section[2]	51	186.8	28	112.9	43	178.4	26	112.1	42	156.1	47	178.0	37	148.6	44	157.7	22	106.8	340	150.4	0.7
Teenage Mother[2]	59	216.1	61	246.0	61	253.1	67	288.8	71	263.9	50	189.4	51	204.8	53	190.0	37	179.6	510	225.6	3.2
Elderly Gravida[2]	14	51.3	7	28.2	8	33.2	9	38.8	7	26.0	16	60.6	11	44.2	10	35.8	10	48.5	92	40.7	0.5
Stillbirths[3]:	2	7.3	1	4.0	3	12.3	4	16.9	3	11.0	2	7.5	3	11.9	-	-	-	-	18	7.9	0.9
Early Neonatal	1	3.7	1	4.0	-	-	-	-	-	-	1	3.8	1	4.0	-	-	-	-	4	1.8	0.5
Neonatal	1	3.7	2	8.1	1	4.1	-	-	-	-	1	3.8	1	4.0	-	-	-	-	6	2.7	0.6
Post Neonatal	5	18.3	1	4.0	1	4.1	-	-	3	11.2	-	-	3	12.0	2	7.2	2	9.7	17	7.5	3.3
Infant Deaths	6	22.0	3	12.1	2	8.3	-	-	3	11.2	1	3.8	4	16.1	2	7.2	2	9.7	23	10.2	1.8

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	1	3.2	-	-	2	5.6	3	4.7	3	4.8	3	3.1	-	-	3	3.6	15	2.8	2.5
Cancer	7	24.0	9	28.0	4	9.0	8	20.5	9	15.0	9	16.6	6	14.1	8	17.1	11	22.0	71	18.2	0.9
Lung	-	-	4	13.3	1	1.8	1	2.7	3	6.1	1	1.4	-	-	1	2.3	4	10.1	15	4.1	0.7
Female Breast	-	-	1	3.5	-	-	-	-	-	-	2	6.7	-	-	-	-	-	-	3	1.1	0.4
Endo/Nut/Met	3	7.0	1	2.7	-	-	-	-	3	3.5	-	-	1	2.5	-	-	1	1.2	9	1.8	0.6
Circulatory System	13	37.7	9	25.3	10	29.3	7	20.8	12	22.1	10	21.2	14	32.5	10	22.6	12	24.5	97	25.8	1.0
Ischemic Heart	5	13.3	4	12.5	3	8.5	1	3.4	3	7.3	5	11.2	7	16.5	3	6.0	2	4.4	33	9.1	0.8
Cerebrovascular/Stroke	1	3.2	3	6.0	2	6.3	1	3.4	3	4.6	2	4.6	3	7.2	5	11.3	2	3.0	22	5.5	1.0
Respiratory System	2	3.7	4	11.7	4	10.0	4	10.1	4	9.2	6	14.2	2	4.7	2	2.9	2	4.1	30	7.8	1.0
Pneumonia/Influenza	-	-	2	6.7	2	3.7	3	7.8	3	7.0	4	9.1	1	2.3	2	2.9	2	4.1	19	4.9	1.4
Chronic Pulmonary	-	-	2	5.0	-	-	1	2.3	-	-	1	2.3	1	2.3	-	-	-	-	5	1.3	0.4
Digestive System	4	11.0	6	13.0	-	-	4	8.1	3	5.2	2	4.9	4	5.4	1	2.3	4	6.3	28	5.9	2.0
External Causes	24	27.5	27	32.8	20	29.5	18	17.6	16	18.0	14	15.9	17	15.6	11	11.6	9	9.0	156	18.0	2.8
MVTA	7	8.8	4	3.8	5	10.2	7	6.6	6	6.6	4	3.4	3	2.9	4	3.6	5	5.5	45	5.7	2.8
Suicide	6	6.0	8	10.0	3	2.7	3	3.3	3	2.6	2	1.7	7	5.4	-	-	2	1.8	34	3.5	3.5
All Causes Male	32	114.1	40	151.4	24	101.0	28	115.5	31	102.9	33	112.0	34	103.1	22	73.0	25	89.6	269	105.1	1.2
Female	28	144.8	24	100.0	21	76.3	20	73.5	27	80.5	21	77.0	19	69.3	17	58.0	21	57.1	198	78.4	1.4
Total	60	124.5	64	126.7	45	88.8	48	95.3	58	91.2	54	95.6	53	84.8	39	65.9	46	73.7	467	91.9	1.3
Alcohol-Related	5	12.9	7	12.8	8	14.4	14	29.3	8	13.6	11	17.1	9	14.2	7	11.8	10	14.5	79	15.5	3.8
Medically Treatable	1	2.0	-	-	2	3.1	1	2.1	1	1.0	3	4.3	1	0.9	1	0.7	-	-	10	1.5	3.8
Drug-Induced	1	0.8	1	0.8	6	7.6	3	3.1	3	3.2	3	4.8	2	1.8	2	1.7	1	0.9	22	2.7	3.9
SAM	6	19.0	9	26.1	3	8.9	5	14.3	8	15.9	7	13.1	5	10.2	3	7.6	7	16.7	54	14.2	0.9

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 15 Northern Interior
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	108,331		109,248		111,565		113,659		115,822		117,935		120,796		121,553		121,394		1,040,403		
Live Births[1]: Male	834		790		808		844		771		773		745		700		679		6,944		
Female	833		767		785		771		759		734		734		685		613		6,681		
Total	1,668	15.4	1,557	14.3	1,593	14.3	1,615	14.2	1,530	13.2	1,507	12.8	1,479	12.2	1,386	11.4	1,292	10.6	13,627	13.1	1.8
Low Birth Weight[2]	102	61.2	75	48.2	85	53.4	82	50.8	78	51.0	66	43.8	85	57.5	62	44.7	61	47.2	696	51.1	1.1
Premature[2]	112	67.1	92	59.1	99	62.1	102	63.2	93	60.8	85	56.4	99	66.9	76	54.8	71	55.0	829	60.8	1.4
Cesarean Section[2]	346	207.4	296	191.4	353	221.6	331	205.0	344	224.8	287	190.4	355	240.0	305	220.1	302	233.7	2,921	214.4	0.7
Teenage Mother[2]	148	88.7	122	78.4	126	79.1	113	70.0	131	85.6	90	59.7	100	67.6	77	55.6	62	48.0	969	71.1	3.2
Elderly Gravida[2]	106	63.5	141	90.6	117	73.4	133	82.4	136	88.9	140	92.9	136	92.0	138	99.6	129	99.8	1,176	86.3	0.5
Stillbirths[3]:	13	7.7	6	3.8	15	9.3	18	11.0	21	13.5	13	8.6	18	12.0	8	5.7	11	8.4	123	8.9	0.9
Early Neonatal	7	4.2	10	6.4	7	4.4	7	4.3	6	3.9	8	5.3	4	2.7	2	1.4	4	3.1	55	4.0	0.5
Neonatal	7	4.2	10	6.4	7	4.4	8	5.0	7	4.6	11	7.3	5	3.4	2	1.4	4	3.1	61	4.5	0.6
Post Neonatal	7	4.2	5	3.2	4	2.5	2	1.2	3	2.0	3	2.0	4	2.7	1	0.7	2	1.5	31	2.3	3.3
Infant Deaths	14	8.4	15	9.6	11	6.9	10	6.2	10	6.5	14	9.3	9	6.1	3	2.2	6	4.6	92	6.8	1.5
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	11	2.1	5	0.8	10	1.8	8	1.0	9	1.2	10	1.1	5	0.8	12	1.4	1	0.1	71	1.1	2.5
Cancer	116	19.8	111	17.7	122	18.4	147	20.4	128	17.6	152	19.2	165	21.6	163	20.3	157	18.9	1,261	19.4	0.9
Lung	34	5.9	31	5.8	44	6.4	44	6.7	37	4.8	45	5.2	43	5.4	48	6.4	43	5.0	369	5.7	0.7
Female Breast	6	2.0	10	2.6	12	3.4	10	2.7	7	1.9	12	2.6	12	2.9	16	3.4	13	2.6	98	2.7	0.4
Endo/Nut/Met	15	3.0	19	3.6	13	2.1	18	2.9	17	2.4	23	3.4	17	2.6	17	2.6	18	2.4	157	2.8	0.6
Circulatory System	148	27.2	126	25.1	141	25.0	134	22.9	156	24.2	179	27.5	149	22.3	186	26.7	169	23.7	1,388	24.9	1.0
Ischemic Heart	72	12.1	68	13.0	69	11.3	59	10.0	81	11.5	86	13.2	76	10.9	93	12.7	77	10.2	683	11.6	0.8
Cerebrovascular/Stroke	27	5.4	26	5.4	25	4.8	33	5.6	33	5.6	32	5.0	28	4.2	44	7.0	43	6.3	291	5.5	1.0
Respiratory System	46	9.7	36	7.5	36	7.5	41	7.3	34	6.1	50	8.3	47	8.0	47	6.8	63	9.3	404	7.8	1.0
Pneumonia/Influenza	19	4.2	19	4.2	13	2.6	18	3.4	9	1.7	15	2.7	24	4.3	16	2.4	31	4.6	164	3.4	1.4
Chronic Pulmonary	22	4.7	14	2.4	18	3.5	19	3.1	21	3.6	28	4.6	16	2.7	21	3.2	29	4.2	188	3.6	0.4
Digestive System	22	4.3	28	4.4	19	3.0	14	2.0	27	3.9	23	2.9	17	2.4	17	2.1	22	2.7	189	3.0	2.0
External Causes	71	7.9	65	6.7	77	7.8	76	7.8	63	5.5	72	7.0	69	6.1	70	6.9	56	5.1	619	6.7	2.8
MVTA	22	2.4	20	2.0	24	2.1	23	2.2	22	1.8	30	2.8	31	2.6	22	2.2	22	1.8	216	2.2	2.6
Suicide	9	0.8	14	1.3	18	1.7	15	1.4	9	0.8	14	1.2	8	0.6	11	0.9	11	0.8	109	1.0	3.5
All Causes Male	298	100.5	266	86.8	263	80.3	281	82.3	307	88.7	344	96.3	303	84.7	335	91.2	324	89.0	2,721	89.1	1.2
Female	172	60.5	175	57.8	194	61.9	196	58.9	178	50.5	222	59.3	205	54.9	229	59.1	236	57.1	1,807	57.7	1.4
Total	470	80.1	441	72.7	457	71.2	477	70.5	485	68.6	566	77.1	508	69.0	564	74.4	560	71.6	4,528	72.8	1.3
Alcohol-Related	22	3.4	28	3.1	37	4.0	33	4.4	42	5.0	40	4.6	37	4.4	44	4.8	31	3.2	314	4.1	3.8
Medically Treatable	7	0.6	4	0.4	2	0.2	6	0.5	2	0.2	3	0.2	5	0.4	2	0.1	7	0.5	38	0.4	3.8
Drug-Induced	9	0.8	2	0.2	11	1.0	8	0.8	4	0.3	10	0.7	7	0.5	13	1.3	6	0.5	70	0.7	3.9
SAM	101	18.1	86	15.5	97	15.7	99	15.4	104	15.2	117	16.2	106	14.9	125	16.9	120	15.6	954	15.9	0.9

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

BIRTH AND DEATH-RELATED STATISTICAL SUMMARIES BY HEALTH REGION
STATUS INDIANS - 16 VANCOUVER
BRITISH COLUMBIA, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	8,796		9,118		10,210		10,873		11,447		11,853		11,884		12,021		12,336		96,538		
Live Births[1]: Male	163		147		127		158		132		126		110		100		111		1,174		
Female	122		136		134		132		128		112		112		112		95		1,063		
Total	285	32.4	283	31.0	261	25.6	290	26.7	260	22.7	238	20.1	222	18.7	212	17.6	206	16.7	2,237	22.9	2.1
Low Birth Weight[2]	20	70.2	29	102.5	18	69.0	23	79.3	16	61.5	18	75.6	15	67.6	11	51.9	18	87.4	166	74.4	1.3
Premature[2]	35	122.8	36	127.2	25	95.8	30	103.4	34	130.8	33	138.7	26	117.1	19	89.6	30	145.6	268	118.7	1.7
Cesarean Section[2]	47	164.9	42	148.4	31	118.8	40	137.9	24	92.3	37	155.5	27	121.6	32	150.9	44	213.6	324	143.6	0.7
Teenage Mother[2]	54	189.5	56	197.9	38	145.6	54	186.2	47	180.8	33	138.7	38	171.2	33	155.7	30	145.6	383	169.7	8.9
Elderly Gravida[2]	19	66.7	20	70.7	18	69.0	18	62.1	25	96.2	27	113.4	23	103.6	24	113.2	32	155.3	206	91.3	0.4
Stillbirths[3]:	-	-	3	10.5	1	3.8	3	10.2	1	3.8	3	12.4	2	8.9	3	14.0	3	14.4	19	8.3	1.3
Early Neonatal	1	3.5	2	7.1	-	-	1	3.4	2	7.7	1	4.2	2	9.0	-	-	-	-	9	4.0	1.1
Neonatal	1	3.5	3	10.6	-	-	1	3.4	3	11.5	1	4.2	3	13.5	-	-	1	4.9	13	5.8	1.3
Post Neonatal	4	14.0	6	21.2	1	3.8	2	6.9	3	11.5	1	4.2	3	13.5	-	-	-	-	20	8.9	6.8
Infant Deaths	5	17.5	9	31.8	1	3.8	3	10.3	6	23.1	2	8.4	6	27.0	-	-	1	4.9	33	14.6	2.6

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	5	14.0	8	10.8	4	3.1	6	4.3	16	13.6	10	7.6	10	8.7	16	13.3	11	10.5	86	9.6	3.3
Cancer	11	61.6	9	27.9	12	57.7	11	27.1	4	3.9	6	13.9	5	9.5	12	32.5	10	24.8	80	26.0	1.6
Lung	2	7.9	2	3.5	4	20.4	2	4.8	-	-	2	4.8	-	-	3	8.2	2	3.7	17	5.3	1.3
Female Breast	1	11.4	1	12.8	1	11.5	2	8.7	2	3.4	-	-	1	1.5	-	-	-	-	8	4.3	2.0
Endo/Nut/Met	-	-	2	5.3	1	0.6	2	5.7	3	6.7	-	-	4	7.7	-	-	3	1.9	15	3.1	1.7
Circulatory System	10	48.9	9	59.1	19	105.1	23	101.6	14	38.5	10	24.7	17	28.1	18	38.1	12	21.5	132	46.8	2.1
Ischemic Heart	5	19.5	3	15.5	8	45.0	12	59.2	9	22.4	6	15.5	6	8.2	6	13.8	4	6.6	59	20.7	1.8
Cerebrovascular/Stroke	1	7.9	2	14.8	3	12.8	2	2.1	3	12.6	1	3.1	2	6.5	4	15.3	1	1.1	19	8.2	1.6
Respiratory System	10	40.1	9	45.8	5	25.9	1	5.9	4	7.0	3	13.5	4	6.8	7	19.6	8	14.0	54	17.4	2.6
Pneumonia/Influenza	5	13.9	5	28.1	1	6.8	-	-	2	1.4	3	6.1	4	6.8	4	10.4	5	7.1	29	8.0	2.3
Chronic Pulmonary	3	22.4	2	13.2	-	-	1	5.9	1	4.7	-	-	-	-	2	8.4	1	4.2	10	5.5	2.5
Digestive System	8	20.4	9	13.7	9	18.0	7	12.3	4	5.4	9	12.4	12	12.2	7	10.1	4	4.7	69	11.3	4.3
External Causes	29	30.8	39	44.0	54	50.3	37	33.1	27	25.0	36	27.8	30	22.8	33	28.8	20	16.6	305	30.4	5.2
MVTA	4	4.2	2	2.3	1	0.7	8	9.6	1	0.7	3	2.1	-	-	-	-	3	2.8	22	2.3	3.3
Suicide	5	4.7	10	9.9	6	5.0	3	2.2	2	1.6	5	3.4	1	0.7	1	0.7	1	0.8	34	3.0	2.1
All Causes Male	48	264.0	58	270.1	60	334.9	50	207.9	50	132.3	62	171.7	59	160.9	72	221.8	46	114.8	505	197.4	2.4
Female	35	199.1	41	166.2	61	265.8	53	215.2	37	98.0	34	83.7	43	90.3	47	137.5	37	106.4	388	140.7	2.9
Total	83	226.8	99	217.1	121	297.7	103	213.9	87	115.3	96	122.4	102	121.5	119	178.0	83	109.9	893	167.1	2.6
Alcohol-Related	22	37.9	25	31.0	36	36.7	30	47.9	27	30.0	37	31.7	49	44.0	53	56.6	25	22.7	304	37.9	8.2
Medically Treatable	5	5.9	3	6.1	1	1.0	3	2.9	4	4.2	2	1.5	5	3.9	4	3.4	6	4.2	33	3.5	11.7
Drug-Induced	9	10.3	14	16.2	36	30.9	22	17.9	10	8.6	19	14.1	14	10.1	27	19.7	12	8.5	163	15.1	6.9
SAM	8	39.1	7	38.2	8	43.9	10	35.0	4	10.7	5	11.1	5	9.4	11	27.6	7	13.8	66	22.7	1.8

Notes:
[1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 16 Vancouver
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	482,830		492,146		496,704		507,903		519,418		534,358		544,526		550,777		557,254		4,686,016		
Live Births[1]: Male	2,796		2,836		3,036		3,178		3,116		3,095		2,947		2,687		2,826		26,517		
Female	2,619		2,642		2,764		2,746		2,987		2,921		2,808		2,631		2,701		24,819		
Total	5,415	11.2	5,478	11.1	5,800	11.7	5,924	11.7	6,103	11.7	6,016	11.3	5,755	10.6	5,318	9.7	5,527	9.9	51,336	11.0	2.1
Low Birth Weight[2]	260	48.0	299	54.6	358	61.7	330	55.7	358	58.7	341	56.7	323	56.1	300	56.4	287	51.9	2,856	55.6	1.3
Premature[2]	353	65.2	354	64.6	432	74.5	374	63.1	437	71.6	430	71.5	408	70.9	367	69.0	369	66.8	3,524	68.6	1.7
Cesarean Section[2]	1,185	218.8	1,193	217.8	1,217	209.8	1,140	192.4	1,239	203.0	1,244	206.8	1,142	198.4	1,130	212.5	1,307	236.5	10,797	210.3	0.7
Teenage Mother[2]	133	24.6	126	23.0	109	18.8	120	20.3	129	21.1	101	16.8	79	13.7	81	15.2	99	17.9	977	19.0	8.9
Elderly Gravida[2]	1,018	188.0	1,000	182.5	1,122	193.4	1,199	202.4	1,231	201.7	1,360	226.1	1,377	239.3	1,339	251.8	1,531	277.0	11,177	217.7	0.4
Stillbirths[3]:	15	2.8	21	3.8	37	6.3	48	8.0	53	8.6	50	8.2	49	8.4	30	5.6	39	7.0	342	6.6	1.3
Early Neonatal	18	3.3	29	5.3	21	3.6	33	5.6	17	2.8	19	3.2	15	2.6	18	3.4	17	3.1	187	3.6	1.1
Neonatal	24	4.4	34	6.2	22	3.8	38	6.4	22	3.6	21	3.5	18	3.1	20	3.8	22	4.0	221	4.3	1.3
Post Neonatal	9	1.7	13	2.4	9	1.6	7	1.2	7	1.1	5	0.8	4	0.7	6	1.1	5	0.9	65	1.3	6.8
Infant Deaths	33	6.1	47	8.6	31	5.3	45	7.6	29	4.8	26	4.3	22	3.8	26	4.9	27	4.9	286	5.6	2.6
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	139	2.6	180	3.3	241	4.4	241	4.2	217	3.7	180	3.0	104	1.7	110	1.7	109	1.7	1,521	2.9	3.3
Cancer	921	15.9	928	15.9	939	16.2	924	15.8	977	16.5	927	15.5	940	15.4	974	15.6	973	15.5	8,503	15.8	1.6
Lung	259	4.6	244	4.2	230	4.0	248	4.3	254	4.3	240	4.1	241	4.0	248	4.0	265	4.2	2,229	4.2	1.3
Female Breast	60	2.0	79	2.5	70	2.2	67	2.2	85	2.7	63	1.8	78	2.2	74	2.2	71	2.0	647	2.2	2.0
Endo/Nut/Met	111	1.8	102	1.7	117	1.9	116	1.9	119	2.0	117	1.9	132	2.0	112	1.7	105	1.6	1,031	1.8	1.7
Circulatory System	1,547	24.9	1,510	24.2	1,498	24.0	1,482	23.5	1,378	21.8	1,422	22.3	1,350	20.4	1,343	20.0	1,363	20.0	12,893	22.3	2.1
Ischemic Heart	812	13.1	794	12.8	779	12.6	785	12.6	709	11.2	742	11.7	681	10.3	657	9.9	696	10.3	6,655	11.6	1.8
Cerebrovascular/Stroke	374	5.9	350	5.5	359	5.6	321	5.0	309	4.9	336	5.2	324	4.8	323	4.8	337	4.9	3,033	5.2	1.6
Respiratory System	396	6.2	416	6.5	431	6.8	425	6.7	447	7.0	447	6.9	464	6.8	484	7.1	453	6.6	3,963	6.7	2.6
Pneumonia/Influenza	204	3.1	222	3.4	213	3.3	227	3.5	251	3.9	215	3.3	249	3.6	270	3.9	228	3.3	2,079	3.5	2.3
Chronic Pulmonary	125	2.0	129	2.1	153	2.4	143	2.3	142	2.3	158	2.5	146	2.2	142	2.1	158	2.4	1,296	2.2	2.5
Digestive System	142	2.4	157	2.6	158	2.7	178	2.9	169	2.8	169	2.7	154	2.4	169	2.7	149	2.3	1,445	2.6	4.3
External Causes	342	6.3	364	6.5	381	6.9	349	6.2	346	6.0	336	5.5	336	5.5	391	6.2	281	4.4	3,126	5.9	5.2
MVTA	41	0.8	44	0.8	38	0.7	43	0.8	31	0.5	27	0.5	27	0.5	47	0.8	30	0.5	328	0.7	3.3
Suicide	90	1.7	88	1.6	63	1.1	68	1.2	78	1.4	88	1.5	87	1.4	85	1.4	61	1.0	708	1.4	2.1
All Causes Male	2,107	86.8	2,161	87.1	2,282	91.4	2,240	88.9	2,240	88.4	2,210	85.8	2,013	75.8	2,090	77.4	2,090	76.5	19,433	84.0	2.4
Female	1,852	50.5	1,882	51.1	1,865	50.6	1,878	50.5	1,811	48.4	1,800	47.4	1,846	47.2	1,925	48.6	1,800	45.3	16,659	48.8	2.9
Total	3,959	66.4	4,043	67.5	4,147	69.3	4,118	68.2	4,051	66.3	4,010	64.5	3,859	60.3	4,015	61.7	3,890	59.2	36,092	64.7	2.6
Alcohol-Related	169	3.2	173	3.2	263	4.8	277	4.9	280	4.9	329	5.7	285	4.7	342	5.7	272	4.4	2,390	4.6	8.2
Medically Treatable	19	0.4	21	0.4	18	0.3	16	0.3	17	0.3	20	0.3	20	0.3	17	0.3	22	0.4	170	0.3	11.7
Drug-Induced	95	1.8	96	1.8	167	3.0	148	2.7	122	2.1	135	2.2	132	2.2	178	2.8	93	1.5	1,166	2.2	6.9
SAM	768	12.9	774	12.9	773	12.8	771	12.7	784	12.8	760	12.3	754	11.9	740	11.4	790	12.1	6,914	12.4	1.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 17 Burnaby
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	2,242		2,265		2,385		2,618		2,745		2,732		2,699		2,922		2,946		23,745		
Live Births[1]: Male	23		21		30		35		33		35		36		30		29		273		
Female	30		24		24		28		23		22		35		38		26		250		
Total	53	23.6	45	19.9	54	22.6	63	24.1	56	20.4	57	20.9	73	25.3	68	23.3	54	18.3	523	22.0	2.0
Low Birth Weight[2]	3	56.6	5	111.1	4	74.1	6	95.2	2	35.7	4	70.2	4	54.8	4	58.8	6	111.1	38	72.7	1.4
Premature[2]	5	94.3	4	88.9	6	111.1	10	158.7	4	71.4	8	140.4	6	82.2	4	58.8	6	111.1	53	101.3	1.5
Cesarean Section[2]	4	75.5	7	155.6	8	148.1	6	95.2	7	125.0	8	140.4	5	68.5	12	176.5	7	129.6	64	122.4	0.7
Teenage Mother[2]	9	169.8	9	200.0	7	129.6	6	95.2	6	107.1	6	105.3	13	178.1	10	147.1	10	185.2	76	145.3	4.8
Elderly Gravida[2]	3	56.6	4	88.9	2	37.0	13	206.3	4	71.4	9	157.9	10	137.0	6	88.2	6	111.1	57	109.0	0.6
Stillbirths[3]:	-	-	-	-	-	-	-	-	1	17.5	-	-	1	13.5	-	-	-	-	2	3.8	0.6
Early Neonatal	-	-	1	22.2	-	-	2	31.7	-	-	1	17.5	-	-	-	-	-	-	4	7.6	2.5
Neonatal	-	-	1	22.2	-	-	2	31.7	-	-	1	17.5	-	-	-	-	-	-	4	7.6	2.1
Post Neonatal	-	-	-	-	-	-	-	-	1	17.9	-	-	-	-	-	-	-	-	1	1.9	1.7
Infant Deaths	-	-	1	22.2	-	-	2	31.7	1	17.9	1	17.5	-	-	-	-	-	-	5	9.6	3.0

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	1	29.7	-	-	-	-	-	-	-	-	-	-	2	7.1	-	-	-	-	3	3.5	3.5
Cancer	3	358.3	2	282.4	3	108.3	4	172.0	-	-	1	12.8	1	51.1	3	60.1	2	25.1	19	67.6	4.0
Lung	-	-	1	229.8	2	104.5	-	-	-	-	-	-	-	-	2	18.3	1	21.2	6	18.9	4.1
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Endo/Nut/Met	-	-	-	-	-	-	1	91.9	-	-	-	-	-	-	-	-	-	-	1	7.8	4.1
Circulatory System	5	367.1	2	259.5	3	202.7	3	167.1	2	13.3	2	131.3	5	179.2	2	49.2	2	53.7	26	129.8	5.3
Ischemic Heart	1	229.8	2	259.5	2	103.8	2	75.1	1	10.0	2	131.3	2	102.1	1	7.5	-	-	13	66.8	5.1
Cerebrovascular/Stroke	-	-	-	-	-	-	1	91.9	1	3.3	-	-	1	51.1	-	-	2	53.7	5	28.4	4.9
Respiratory System	1	229.8	1	229.8	-	-	-	-	-	-	-	-	3	153.2	2	27.1	2	70.7	9	59.1	9.7
Pneumonia/Influenza	-	-	-	-	-	-	-	-	-	-	-	-	1	51.1	-	-	2	70.7	3	23.4	8.1
Chronic Pulmonary	-	-	1	229.8	-	-	-	-	-	-	-	-	2	102.1	1	22.8	-	-	4	27.3	11.4
Digestive System	-	-	1	59.3	-	-	-	-	-	-	-	-	3	13.0	2	8.4	-	-	6	6.6	2.5
External Causes	2	7.4	3	13.8	1	4.9	4	12.3	2	13.3	2	6.1	1	60.0	-	-	1	4.0	19	15.4	3.9
MVTA	1	3.3	1	5.8	-	-	-	-	1	3.3	1	2.0	-	-	-	-	-	-	4	1.5	2.1
Suicide	-	-	2	8.0	-	-	-	-	-	-	-	-	2	6.6	-	-	-	-	4	1.5	1.5
All Causes Male	7	982.8	6	497.2	6	443.2	7	823.5	5	73.9	5	283.3	13	335.0	1	59.3	3	81.1	55	531.0	5.8
Female	7	242.1	2	80.8	1	98.9	7	405.6	-	-	1	91.9	6	254.8	6	175.3	7	201.2	39	217.7	4.4
Total	14	536.8	10	367.6	7	315.8	14	537.1	5	28.3	6	152.8	19	514.6	9	144.8	10	184.9	94	315.8	5.1
Alcohol-Related	-	-	1	59.3	-	-	2	7.1	2	20.0	-	-	6	132.5	1	4.0	1	4.0	13	27.5	8.9
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drug-Induced	-	-	-	-	1	4.9	2	6.5	-	-	1	4.1	-	-	-	-	-	-	4	1.7	1.7
SAM	2	280.6	2	454.6	3	137.1	1	29.0	-	4.3	-	23.4	4	188.8	3	45.3	2	40.1	17	82.5	6.3

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region

Other Residents - 17 Burnaby

British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	161,167		167,519		171,785		176,012		180,122		184,354		186,169		186,261		187,326		1,600,714		
Live Births[1]: Male	957		1,002		1,014		1,011		1,062		1,038		994		1,045		1,047		9,170		
Female	963		926		881		991		961		966		928		906		902		8,424		
Total	1,920	11.9	1,928	11.5	1,895	11.0	2,002	11.4	2,023	11.2	2,004	10.9	1,922	10.3	1,951	10.5	1,949	10.4	17,594	11.0	2.0
Low Birth Weight[2]	92	47.9	97	50.3	85	44.9	118	58.9	114	56.4	109	54.4	117	60.9	106	54.3	104	53.4	942	53.5	1.4
Premature[2]	115	59.9	135	70.0	106	55.9	142	70.9	133	65.7	119	59.4	142	73.9	131	67.1	142	72.9	1,165	66.2	1.5
Cesarean Section[2]	360	187.5	337	174.8	332	175.2	315	157.3	341	168.6	287	143.2	299	155.6	338	173.2	382	196.0	2,991	170.0	0.7
Teenage Mother[2]	73	38.0	52	27.5	57	30.1	67	33.5	48	23.7	59	29.4	60	31.2	59	30.2	55	28.2	531	30.2	4.8
Elderly Gravida[2]	253	131.8	288	149.4	293	154.6	336	167.8	373	184.4	352	175.6	373	194.1	408	209.1	459	235.5	3,135	178.2	0.6
Stillbirths[3]:	16	7.8	7	3.6	8	4.2	15	7.4	14	6.9	8	4.0	14	7.2	17	8.6	10	5.1	109	6.1	0.6
Early Neonatal	4	2.1	6	3.1	2	1.1	13	6.5	7	3.5	5	2.5	6	3.1	3	1.5	7	3.6	53	3.0	2.5
Neonatal	7	3.6	7	3.6	2	1.1	16	8.0	7	3.5	5	2.5	7	3.6	5	2.6	8	4.1	64	3.6	2.1
Post Neonatal	1	0.5	1	0.5	3	1.6	4	2.0	2	1.0	-	-	4	2.1	2	1.0	3	1.5	20	1.1	1.7
Infant Deaths	8	4.2	8	4.1	5	2.6	20	10.0	9	4.4	5	2.5	11	5.7	7	3.6	11	5.6	84	4.8	2.0
Death-Related Cause of Death	**1991**		**1992**		**1993**		**1994**		**1995**		**1996**		**1997**		**1998**		**1999**		**1991-1999**		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	21	1.1	19	1.0	25	1.3	26	1.4	15	0.7	20	1.0	18	0.9	17	0.8	18	0.9	179	1.0	3.5
Cancer	331	17.2	361	18.2	338	16.6	317	15.4	356	17.2	405	18.9	336	15.4	365	16.7	335	14.7	3,144	16.7	4.0
Lung	94	4.9	95	4.8	120	6.0	83	4.1	86	4.1	115	5.4	94	4.3	89	4.2	84	3.7	860	4.6	4.1
Female Breast	26	2.5	29	2.7	26	2.4	22	2.1	32	2.9	35	2.8	27	2.3	27	2.3	25	2.0	249	2.5	-
Endo/Nut/Met	42	2.1	38	1.9	40	1.9	41	1.9	50	2.4	39	1.8	40	1.7	40	1.8	46	2.0	376	1.9	4.1
Circulatory System	562	27.8	552	26.6	574	26.8	562	25.9	540	24.4	527	23.5	475	20.6	548	23.3	507	20.9	4,847	24.3	5.3
Ischemic Heart	318	15.8	316	15.3	314	14.7	281	13.0	287	13.0	278	12.5	243	10.6	280	11.9	268	11.2	2,585	13.0	5.1
Cerebrovascular/Stroke	114	5.6	107	5.1	127	5.8	132	6.1	131	5.9	116	5.1	132	5.7	124	5.2	104	4.2	1,087	5.4	4.9
Respiratory System	120	5.9	113	5.4	139	6.4	115	5.3	142	6.4	165	7.2	162	7.0	148	6.2	127	5.2	1,231	6.1	9.7
Pneumonia/Influenza	53	2.6	57	2.7	62	2.8	60	2.8	65	2.9	73	3.2	73	3.1	82	3.4	67	2.7	592	2.9	8.1
Chronic Pulmonary	53	2.6	44	2.1	58	2.7	44	2.0	60	2.7	71	3.1	58	2.5	48	2.0	46	1.9	482	2.4	11.4
Digestive System	59	3.1	62	3.1	50	2.4	64	3.1	56	2.7	66	3.1	55	2.4	42	1.8	51	2.2	505	2.6	2.5
External Causes	70	3.9	76	4.1	83	4.4	71	3.7	74	3.8	85	4.2	83	4.1	87	4.2	55	2.7	684	3.9	3.9
MVTA	14	0.8	10	0.6	10	0.6	12	0.6	8	0.4	13	0.7	20	1.0	15	0.8	12	0.6	114	0.7	2.1
Suicide	14	0.8	17	1.0	25	1.4	16	0.8	25	1.3	26	1.3	17	0.8	13	0.6	11	0.6	164	1.0	1.5
All Causes Male	694	270.3	669	267.3	717	221.2	683	80.3	704	80.0	733	81.3	674	73.6	704	74.9	681	71.0	6,259	91.3	5.8
Female	605	51.6	638	52.8	643	50.6	634	50.1	641	50.4	673	50.7	630	46.8	670	49.1	599	43.2	5,733	49.4	4.4
Total	1,299	68.9	1,307	64.8	1,360	65.3	1,317	63.1	1,345	62.8	1,406	64.1	1,304	58.4	1,374	60.3	1,280	55.1	11,992	62.1	5.1
Alcohol-Related	41	2.3	50	2.8	47	2.4	70	3.5	58	2.9	90	4.3	77	3.7	66	3.0	73	3.5	572	3.1	8.9
Medically Treatable	3	0.2	9	0.5	4	0.2	5	0.3	4	0.2	3	0.1	4	0.2	3	0.1	4	0.2	39	0.2	-
Drug-Induced	17	1.0	16	0.9	20	1.1	17	0.9	16	0.8	24	1.2	27	1.4	22	1.1	12	0.6	171	1.0	1.7
SAM	253	14.3	278	13.7	312	15.0	262	12.4	273	12.7	320	14.6	267	11.9	277	12.2	259	11.1	2,530	13.1	6.3

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 18 North Shore
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	2,258		2,306		2,448		2,571		2,677		2,791		2,787		2,831		2,922		23,549		
Live Births[1]: Male	29		28		25		20		22		26		31		20		27		228		
Female	28		18		38		21		29		25		21		23		28		231		
Total	57	25.2	46	19.9	63	25.8	41	15.9	51	19.1	51	18.3	52	18.7	43	15.2	55	18.8	459	19.5	1.0
Low Birth Weight[2]	1	17.5	2	43.5	2	31.7	3	73.2	2	39.2	2	39.2	3	57.7	2	46.5	6	109.1	23	50.1	1.2
Premature[2]	4	70.2	4	87.0	4	63.5	2	48.8	6	117.6	3	58.8	4	76.9	5	116.3	8	145.5	40	87.1	1.5
Cesarean Section[2]	6	105.3	7	152.2	5	79.4	5	122.0	8	156.9	13	254.9	5	96.2	6	139.5	12	218.2	67	146.0	0.7
Teenage Mother[2]	16	280.7	9	195.7	12	190.5	7	170.7	5	98.0	3	58.8	11	211.5	7	162.8	2	36.4	72	156.9	15.1
Elderly Gravida[2]	5	87.7	7	152.2	7	111.1	5	122.0	6	117.6	8	156.9	5	96.2	7	162.8	3	54.5	53	115.5	0.4
Stillbirths[3]:	-	-	1	21.3	-	-	1	23.8	-	-	-	-	1	18.9	2	44.4	-	-	5	10.8	2.2
Early Neonatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Post Neonatal	-	-	-	-	-	-	2	48.8	-	-	-	-	-	-	-	-	-	-	2	4.4	3.7
Infant Deaths	-	-	-	-	-	-	2	48.8	-	-	-	-	-	-	-	-	-	-	2	4.4	1.3

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	1	4.3	1	3.8	1	2.8	-	-	2	15.5	1	3.6	2	12.6	8	5.2	6.5
Cancer	3	17.9	1	4.4	3	35.1	2	14.7	4	29.4	8	43.3	4	21.1	2	17.6	1	9.2	20	21.6	1.4
Lung	-	-	-	-	2	25.5	-	-	-	-	-	-	-	-	1	9.4	1	9.2	4	4.9	1.3
Female Breast	-	-	1	9.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.7	0.3
Endo/Nut/Met	1	14.8	-	-	1	15.8	2	14.7	-	-	2	13.7	-	-	-	-	-	-	6	5.8	4.1
Circulatory System	6	64.5	1	16.4	6	57.1	3	36.3	8	64.8	2	12.8	3	17.5	7	49.2	1	9.2	37	35.7	1.7
Ischemic Heart	5	58.3	-	-	5	53.5	2	24.2	3	29.4	2	12.8	-	-	2	17.6	1	9.2	20	21.5	2.0
Cerebrovascular/Stroke	1	8.2	-	-	-	-	1	12.1	1	7.4	-	-	2	13.4	2	13.0	-	-	7	6.2	1.2
Respiratory System	1	14.8	-	-	1	9.2	1	9.5	1	7.4	2	14.2	2	19.7	2	17.0	-	-	10	10.4	1.7
Pneumonia/Influenza	1	14.8	-	-	1	9.2	-	-	-	-	2	14.2	1	11.5	2	17.0	-	-	7	7.5	2.4
Chronic Pulmonary	-	-	-	-	-	-	1	9.6	1	7.4	-	-	1	8.2	-	-	-	-	3	2.9	1.4
Digestive System	2	12.9	1	5.4	2	15.9	3	13.5	-	-	3	19.2	1	7.4	-	-	1	9.2	13	9.2	4.8
External Causes	1	4.0	2	8.9	1	2.9	4	16.5	5	22.5	4	14.4	5	17.9	4	15.3	1	3.7	27	11.7	3.4
MVTA	-	-	1	3.8	1	2.9	2	8.6	2	6.6	1	3.6	-	-	-	-	-	-	7	2.8	5.8
Suicide	-	-	-	-	-	-	1	3.8	1	2.8	-	-	1	3.9	1	3.5	-	-	4	1.6	1.8
All Causes Male	9	175.7	3	30.6	8	143.4	13	197.8	13	220.8	9	116.5	9	129.2	10	149.8	3	65.3	77	136.2	2.0
Female	6	98.2	2	33.3	7	124.7	6	80.1	7	72.1	10	112.7	8	79.6	7	82.1	4	39.5	57	77.9	1.6
Total	15	136.6	5	36.1	15	140.4	19	118.9	20	131.7	19	117.3	17	99.6	17	108.3	7	47.4	134	102.9	1.8
Alcohol-Related	-	-	1	3.6	3	19.6	5	30.1	8	41.8	6	33.0	5	25.0	5	24.7	3	22.0	36	23.1	8.9
Medically Treatable	-	-	-	-	-	-	-	-	-	-	2	8.3	-	-	1	3.8	-	-	3	1.5	7.5
Drug-Induced	-	-	-	-	-	-	2	8.9	-	-	1	3.4	1	3.9	2	8.1	-	-	6	2.5	3.1
SAM	3	24.5	-	5.2	3	34.7	1	15.3	3	22.9	2	12.2	2	13.5	3	25.5	1	9.0	19	17.8	1.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 18 North Shore
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	160,278		164,205		168,871		169,663		171,052		174,021		175,894		176,740		176,586		1,534,849		
Live Births[1]: Male	938		950		924		904		901		939		842		808		836		8,042		
Female	934		943		907		895		830		861		803		783		776		7,732		
Total	1,872	11.7	1,893	11.5	1,831	11.0	1,799	10.6	1,731	10.1	1,800	10.3	1,645	9.4	1,591	9.0	1,612	9.1	15,774	10.3	1.9
Low Birth Weight[2]	76	40.6	75	39.6	88	48.1	81	45.0	73	42.2	79	43.9	73	44.4	62	39.0	48	29.8	655	41.5	1.2
Premature[2]	106	56.6	106	56.0	105	57.3	102	56.7	96	56.6	95	52.8	98	59.6	89	55.9	87	54.0	886	56.2	1.5
Cesarean Section[2]	379	202.5	386	203.9	362	197.7	323	179.5	332	191.8	310	172.2	349	212.2	307	193.0	346	214.6	3,094	196.1	0.7
Teenage Mother[2]	36	20.3	20	10.6	13	7.1	17	9.4	23	13.3	14	7.8	18	10.9	13	8.2	8	5.0	164	10.4	15.1
Elderly Gravida[2]	410	219.0	414	218.7	460	251.2	491	272.9	460	277.3	522	290.0	531	322.8	511	321.2	530	328.8	4,349	275.7	0.4
Stillbirths[3]:	10	5.3	3	1.6	8	4.4	9	5.0	8	4.6	7	3.9	12	7.2	11	6.9	11	6.8	79	5.0	2.2
Early Neonatal	5	2.7	2	1.1	6	3.3	5	2.8	5	2.9	1	0.6	5	3.0	1	0.6	1	0.6	31	2.0	-
Neonatal	5	2.7	2	1.1	8	4.4	5	2.8	5	2.9	2	1.1	5	3.0	2	1.3	2	1.2	36	2.3	-
Post Neonatal	3	1.6	5	2.6	1	0.5	2	1.1	4	2.3	1	0.6	2	1.2	-	-	1	0.6	19	1.2	3.7
Infant Deaths	8	4.3	7	3.7	9	4.9	7	3.9	9	5.2	3	1.7	7	4.3	2	1.3	3	1.9	55	3.6	1.3
	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
Death-Related Cause of Death	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	13	0.7	23	1.2	20	1.0	21	1.1	20	1.0	16	0.8	13	0.6	14	0.8	14	0.6	154	0.8	6.5
Cancer	327	17.3	308	15.9	312	16.0	350	17.4	344	16.6	325	15.2	372	17.0	318	14.2	335	14.7	2,991	16.0	1.4
Lung	85	4.5	75	3.9	87	4.4	75	3.7	67	3.2	73	3.5	87	4.0	75	3.3	85	3.8	709	3.8	1.3
Female Breast	29	2.8	33	2.9	28	2.5	32	2.8	32	2.7	28	2.2	28	2.3	36	3.0	33	2.5	279	2.6	0.3
Endo/Nut/Met	31	1.7	23	1.2	34	1.7	27	1.3	38	1.8	22	1.1	31	1.4	31	1.3	29	1.2	268	1.4	4.1
Circulatory System	484	25.4	437	22.3	446	22.3	444	21.7	463	21.8	456	20.7	479	21.1	451	19.3	445	18.3	4,105	21.3	1.7
Ischemic Heart	231	12.1	227	11.6	224	11.2	221	10.8	220	10.4	223	10.2	236	10.4	221	9.5	212	8.7	2,015	10.5	2.0
Cerebrovascular/Stroke	135	7.1	110	5.6	96	4.8	104	5.1	124	5.8	107	4.8	128	5.6	106	4.5	115	4.7	1,025	5.3	1.2
Respiratory System	97	5.1	101	5.2	152	7.6	122	6.0	129	6.1	127	5.8	126	5.5	144	6.1	157	6.4	1,155	6.0	1.7
Pneumonia/Influenza	44	2.3	58	3.0	90	4.5	64	3.1	66	3.1	66	3.0	72	3.1	78	3.2	75	3.0	615	3.1	2.4
Chronic Pulmonary	36	1.9	32	1.6	46	2.3	43	2.1	46	2.2	46	2.1	36	1.6	48	2.1	61	2.5	394	2.1	1.4
Digestive System	44	2.3	35	1.8	41	2.1	39	1.9	51	2.4	33	1.5	50	2.3	40	1.7	42	1.8	375	2.0	4.6
External Causes	63	3.6	58	3.3	56	3.1	66	3.6	58	3.2	75	4.1	76	3.9	58	3.1	54	2.9	564	3.4	3.4
MVTA	9	0.6	4	0.3	9	0.5	3	0.2	11	0.5	7	0.4	11	0.6	9	0.5	9	0.6	72	0.5	5.6
Suicide	17	1.0	20	1.1	15	0.8	17	1.0	12	0.7	21	1.2	20	1.0	10	0.5	17	0.9	149	0.9	1.8
All Causes Male	553	72.9	535	69.7	565	71.6	540	66.8	572	68.0	561	65.1	615	68.2	558	60.7	577	60.4	5,076	66.8	2.0
Female	614	53.1	574	48.5	616	51.8	641	52.5	674	53.4	629	47.6	680	51.2	657	47.6	633	44.5	5,718	49.9	1.6
Total	1,167	62.0	1,109	57.4	1,181	60.0	1,181	58.7	1,246	60.0	1,190	55.5	1,295	58.7	1,215	53.3	1,210	51.8	10,794	57.3	1.8
Alcohol-Related	34	1.8	31	1.7	46	2.4	47	2.3	68	3.4	46	2.2	77	3.8	64	2.9	66	3.1	481	2.6	8.9
Medically Treatable	4	0.2	4	0.3	7	0.4	3	0.1	6	0.3	6	0.4	4	0.2	4	0.2	4	0.2	42	0.2	7.5
Drug-Induced	9	0.5	11	0.6	16	0.9	11	0.7	17	1.0	19	1.1	13	0.7	18	1.0	10	0.7	124	0.8	3.1
SAM	226	11.9	213	11.0	249	12.5	229	11.2	225	10.7	225	10.4	244	10.9	241	10.5	259	11.1	2,111	11.1	1.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 19 Richmond
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	891		916		554		607		673		678		679		709		711		6,827		
Live Births[1]: Male	15		12		7		11		12		10		7		7		10		91		
Female	10		17		14		8		11		12		9		6		5		92		
Total	25	49.9	29	58.2	21	37.9	19	31.3	23	34.2	22	32.4	16	23.6	13	18.4	15	21.1	183	32.5	2.9
Low Birth Weight[2]	-	-	2	69.0	1	47.6	1	52.6	-	-	1	45.5	2	125.0	1	76.9	-	-	8	43.7	0.9
Premature[2]	-	-	2	69.0	1	47.6	1	52.6	2	87.0	3	136.4	3	187.5	1	76.9	1	66.7	14	76.5	1.3
Cesarean Section[2]	5	200.0	9	310.3	4	190.5	4	210.5	3	130.4	2	90.9	2	125.0	2	153.8	4	266.7	35	191.3	0.9
Teenage Mother[2]	3	120.0	2	69.0	2	95.2	1	52.6	3	130.4	1	45.5	2	125.0	-	-	1	66.7	15	82.0	4.2
Elderly Gravida[2]	2	80.0	1	34.5	3	142.9	2	105.3	3	130.4	-	-	1	62.5	4	307.7	1	66.7	17	92.9	0.5
Stillbirths[3]:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Early Neonatal	-	-	-	-	-	-	-	-	-	-	-	-	2	125.0	-	-	-	-	2	10.9	3.9
Neonatal	-	-	-	-	-	-	-	-	-	-	-	-	2	125.0	-	-	-	-	2	10.9	3.8
Post Neonatal	-	-	1	34.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5.5	5.0
Infant Deaths	-	-	1	34.5	-	-	-	-	-	-	-	-	2	125.0	-	-	-	-	3	16.4	3.9

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	-	-	-	-	-	-	-	-	-	-	-	-	1	15.4	-	-	-	-	1	2.3	2.6
Cancer	2	243.5	1	98.9	1	29.4	-	-	1	15.8	-	-	-	-	2	229.8	2	28.5	9	70.5	4.9
Lung	-	-	1	98.9	1	29.4	-	-	-	-	-	-	-	-	1	114.9	-	-	3	27.5	7.1
Female Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	23.8	1	2.8	1.2
Endo/Nut/Met	1	114.9	-	-	-	-	-	-	-	-	1	90.4	-	-	-	-	-	-	2	23.6	16.0
Circulatory System	-	-	1	229.8	2	328.7	-	-	-	-	-	-	2	213.8	2	229.8	-	-	7	89.4	4.8
Ischemic Heart	-	-	1	229.8	1	98.9	-	-	-	-	-	-	2	213.8	2	229.8	-	-	6	76.3	7.4
Cerebrovascular/Stroke	-	-	-	-	1	229.8	-	-	-	-	-	-	-	-	-	-	-	-	1	13.1	3.2
Respiratory System	1	114.9	2	422.6	-	-	-	-	-	-	-	-	1	114.9	-	-	-	-	4	49.8	9.8
Pneumonia/Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Pulmonary	-	-	-	-	-	-	-	-	-	-	-	-	1	114.9	-	-	-	-	1	13.1	7.3
Digestive System	-	-	-	-	-	-	-	-	1	14.6	-	-	-	-	-	-	1	18.4	2	5.1	2.8
External Causes	-	-	2	32.4	-	-	-	-	1	12.3	1	11.0	2	38.8	1	17.0	1	114.9	8	28.3	9.1
MVTA	-	-	-	-	-	-	-	-	-	-	-	-	1	15.8	1	17.0	-	-	2	3.5	5.8
Suicide	-	-	1	14.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1.5	2.1
All Causes Male	1	385.7	5	611.7	3	528.4	-	-	1	23.1	1	128.6	4	577.8	3	542.6	-	-	18	400.3	5.0
Female	4	600.7	2	258.8	1	55.1	2	321.4	3	167.3	1	19.2	4	280.7	3	456.6	4	225.1	24	253.6	6.1
Total	5	557.9	7	769.9	4	498.9	2	313.8	4	119.4	2	167.4	8	997.7	9	491.8	4	191.8	42	313.3	8.9
Alcohol-Related	-	-	1	14.5	-	-	1	17.0	1	14.6	-	-	1	15.4	-	-	-	-	4	7.4	4.1
Medically Treatable	-	-	-	-	-	-	-	-	-	-	-	-	1	15.4	-	-	-	-	1	2.3	11.5
Drug-Induced	-	-	1	14.5	-	-	-	-	-	-	1	11.0	-	-	-	-	-	-	2	3.0	5.0
SAM	1	89.2	1	136.8	1	97.1	-	-	-	-	-	-	1	128.5	1	128.9	-	-	5	99.3	5.8

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region

Other Residents - 19 Richmond

British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	129,990		134,088		138,618		143,299		148,016		154,327		158,266		161,949		163,299		1,331,368		
Live Births[1]: Male	915		858		842		844		913		876		893		837		788		7,766		
Female	793		851		823		767		840		788		753		794		716		7,125		
Total	1,709	13.2	1,709	12.7	1,665	12.0	1,611	11.2	1,753	11.8	1,664	10.8	1,646	10.4	1,631	10.1	1,504	9.2	14,891	11.2	2.9
Low Birth Weight[2]	86	50.4	66	38.6	75	45.0	80	49.7	93	53.1	72	43.3	90	54.7	77	47.2	81	53.9	720	48.4	0.9
Premature[2]	111	65.0	85	49.7	98	58.9	89	55.2	125	71.3	103	61.9	109	66.2	96	58.9	90	59.8	906	60.8	1.3
Cesarean Section[2]	382	223.7	387	226.4	349	209.6	305	189.3	342	195.1	355	213.3	370	224.8	363	222.6	345	229.4	3,198	214.8	0.9
Teenage Mother[2]	50	29.3	32	18.7	36	21.6	32	19.9	34	19.4	28	16.8	29	17.6	27	16.6	20	13.3	288	19.3	4.2
Elderly Gravida[2]	252	147.5	277	162.1	307	184.4	322	199.9	353	201.4	370	222.4	385	233.9	407	249.5	374	248.7	3,047	204.6	0.5
Stillbirths[3]:	8	4.7	3	1.8	12	7.2	7	4.3	12	6.8	9	5.4	14	8.4	7	4.3	14	9.2	86	5.7	-
Early Neonatal	2	1.2	4	2.3	4	2.4	3	1.9	8	4.6	6	3.6	6	3.6	5	3.1	4	2.7	42	2.8	3.9
Neonatal	2	1.2	4	2.3	4	2.4	3	1.9	8	4.6	7	4.2	7	4.3	6	3.7	4	2.7	45	3.0	3.6
Post Neonatal	6	3.5	1	0.6	3	1.8	3	1.9	-	-	2	1.2	1	0.6	1	0.6	-	-	17	1.1	5.0
Infant Deaths	8	4.7	5	2.9	7	4.2	6	3.7	8	4.6	9	5.4	8	4.9	7	4.3	4	2.7	62	4.2	3.9

Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	14	1.1	17	1.3	6	0.5	19	1.4	12	0.8	16	1.0	14	0.9	7	0.4	17	0.9	122	0.9	2.6
Cancer	189	15.9	192	15.3	186	14.0	233	16.9	227	15.7	228	15.0	215	13.8	219	13.3	233	13.7	1,924	14.7	4.8
Lung	56	4.7	47	3.7	44	3.3	49	3.5	63	4.4	63	4.2	66	4.3	58	3.5	65	3.8	511	3.9	7.1
Female Breast	20	3.0	20	2.8	21	2.6	21	2.6	15	1.8	16	1.8	18	194.4	25	2.8	12	1.1	168	2.3	1.2
Endo/Nut/Met	13	1.1	14	1.2	18	1.4	19	1.4	22	1.6	20	1.3	16	1.0	38	2.3	24	1.4	184	1.4	16.9
Circulatory System	265	23.2	220	17.8	267	20.6	258	19.1	263	18.5	280	18.8	293	18.3	296	17.6	279	16.1	2,421	18.7	4.8
Ischemic Heart	151	13.1	124	10.0	149	11.5	142	10.5	162	11.4	151	10.1	157	10.0	143	8.5	150	8.7	1,329	10.3	7.4
Cerebrovascular/Stroke	54	4.8	46	3.7	54	4.2	60	4.5	39	2.8	69	4.6	76	4.7	68	4.0	72	4.1	538	4.1	3.2
Respiratory System	52	4.6	59	4.8	58	4.5	70	5.2	76	5.4	91	6.2	89	5.4	80	4.8	102	5.8	677	5.2	9.6
Pneumonia/Influenza	21	1.9	23	1.9	25	1.9	32	2.4	36	2.5	46	3.1	40	2.4	38	2.3	48	2.7	309	2.4	-
Chronic Pulmonary	20	1.7	18	1.5	21	1.6	23	1.7	23	1.6	28	1.9	35	2.2	27	1.6	41	2.3	236	1.8	7.3
Digestive System	23	2.0	28	2.3	26	1.9	27	2.0	24	1.7	32	2.1	29	1.8	25	1.5	28	1.6	242	1.8	2.8
External Causes	45	3.5	43	3.2	28	2.0	42	2.9	43	3.0	56	3.6	59	3.7	39	2.3	34	1.8	389	2.9	9.1
MVTA	10	0.8	5	0.4	5	0.4	13	0.9	8	0.5	12	0.8	9	0.7	8	0.5	4	0.2	74	0.6	5.8
Suicide	8	0.6	9	0.6	7	0.5	11	0.7	12	0.8	11	0.7	23	1.4	8	0.5	8	0.4	97	0.7	2.1
All Causes Male	330	65.8	330	444.8	332	443.1	354	366.5	401	253.2	410	65.0	416	201.4	386	194.8	425	198.9	3,384	61.2	5.0
Female	321	48.0	304	42.3	321	42.0	386	46.2	323	38.7	378	43.0	356	227.1	375	36.5	362	37.1	3,126	41.6	6.1
Total	651	56.9	634	80.8	653	49.6	730	52.6	724	50.7	788	52.6	772	46.6	761	45.8	787	46.5	6,510	50.6	6.3
Alcohol-Related	12	1.0	18	1.4	30	2.2	19	1.4	26	1.8	32	2.1	37	2.3	30	1.8	37	2.1	241	1.8	4.1
Medically Treatable	2	0.1	5	0.4	5	0.4	4	0.3	1	0.1	-	-	5	0.3	1	-	5	0.3	28	0.2	11.5
Drug-Induced	10	0.8	9	0.7	11	0.8	6	0.4	9	0.6	9	0.6	14	0.8	12	0.7	3	0.1	83	0.6	5.0
SAM	135	11.7	121	9.7	135	10.3	139	10.2	154	10.8	163	10.8	173	10.8	159	9.5	160	10.5	1,359	10.4	5.6

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Status Indians - 20 Capital
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths		1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population		5,181		5,319		5,725		6,124		6,591		6,769		7,022		7,248		7,518		57,497		
Live Births[1]:	Male	71		83		81		84		92		89		91		96		84		771		
	Female	85		62		78		72		85		93		86		67		80		708		
	Total	156	30.1	145	27.3	159	27.8	156	25.5	177	26.9	182	26.9	177	25.2	163	22.5	164	21.8	1,479	25.7	2.7
Low Birth Weight[2]		9	57.7	13	89.7	13	81.8	5	32.1	10	56.5	11	60.4	9	50.8	10	61.3	10	61.0	90	60.9	1.3
Premature[2]		12	76.9	18	124.1	20	125.8	7	44.9	11	62.1	23	126.4	21	118.6	18	110.4	17	103.7	147	99.4	1.8
Cesarean Section[2]		24	153.8	26	179.3	33	207.5	22	141.0	27	152.5	36	197.8	34	192.1	32	196.3	27	164.6	281	176.5	0.7
Teenage Mother[2]		33	211.5	26	179.3	27	169.8	23	147.4	42	237.3	32	175.8	39	220.3	22	135.0	27	164.6	271	183.2	4.9
Elderly Gravida[2]		7	44.9	6	41.4	9	56.6	12	76.9	12	67.8	14	76.9	12	67.8	18	110.4	18	109.8	108	73.0	0.5
Stillbirths[3]:		1	6.4	-	-	1	6.3	2	12.7	1	5.6	1	5.5	1	5.6	-	-	1	6.1	8	5.4	1.1
Early Neonatal		-	-	3	20.7	-	-	1	6.4	-	-	1	5.5	1	5.6	-	-	-	-	6	4.1	1.7
Neonatal		-	-	3	20.7	-	-	2	12.8	-	-	1	5.5	1	5.6	-	-	-	-	7	4.7	1.7
Post Neonatal		1	6.4	2	13.8	2	12.6	-	-	4	22.6	1	5.5	1	5.6	-	-	1	6.1	12	8.1	5.1
Infant Deaths		1	6.4	5	34.5	2	12.6	2	12.8	4	22.6	2	11.0	2	11.3	-	-	1	6.1	19	12.8	3.9

Death-Related Cause of Death		1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
		Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic		1	8.7	-	-	1	7.3	3	5.4	-	-	1	1.3	1	1.3	1	0.9	4	9.5	12	3.9	3.9
Cancer		8	46.3	8	53.7	4	21.3	2	12.9	2	6.6	7	32.4	9	31.9	8	29.3	8	22.1	56	27.1	1.5
Lung		-	-	1	7.3	2	9.1	1	6.4	-	-	2	10.1	-	-	2	9.1	1	5.3	9	5.2	1.1
Female Breast		1	17.7	2	32.5	-	-	-	-	-	-	-	-	2	8.9	2	13.4	-	-	7	6.2	2.1
Endo/Nut/Met		1	7.9	2	10.2	1	4.9	1	1.7	1	0.7	-	-	2	5.6	-	-	-	-	8	2.9	1.8
Circulatory System		10	75.7	17	124.4	8	42.9	5	27.8	2	8.9	6	26.8	9	36.2	6	23.9	7	21.1	70	38.7	1.8
Ischemic Heart		5	35.9	8	61.6	3	17.7	3	19.6	1	5.4	2	11.7	6	29.5	1	2.6	4	12.2	33	19.7	2.0
Cerebrovascular/Stroke		2	16.0	1	7.3	3	19.1	1	6.6	-	-	-	-	2	5.9	1	3.3	1	1.4	11	5.8	1.2
Respiratory System		3	19.3	4	25.7	4	29.3	3	20.5	5	19.7	-	-	2	10.9	3	11.8	1	4.9	25	14.8	2.4
Pneumonia/Influenza		2	11.4	2	11.1	-	-	1	6.6	2	8.1	-	-	1	5.5	1	5.3	1	4.9	10	5.4	2.1
Chronic Pulmonary		-	-	2	14.6	3	22.0	-	-	1	6.7	-	-	1	5.5	1	5.3	-	-	8	5.5	2.3
Digestive System		1	0.9	-	-	2	10.4	1	1.9	3	11.1	3	8.2	4	14.1	1	1.4	3	9.5	18	6.8	3.4
External Causes		12	31.5	7	15.3	11	27.0	9	16.2	16	22.5	13	25.5	6	9.7	10	12.1	9	18.8	83	19.3	4.4
MVTA		1	2.4	2	5.3	2	2.6	-	-	5	5.7	2	2.7	-	-	-	-	2	2.6	14	2.2	3.7
Suicide		4	5.6	1	1.8	2	2.5	3	4.4	7	9.3	4	5.1	1	1.5	3	3.5	2	2.2	27	4.0	3.3
All Causes	Male	22	207.2	31	321.7	24	219.2	20	128.4	20	95.9	18	88.4	14	66.8	20	122.5	23	136.8	192	148.5	2.1
	Female	18	209.4	19	236.1	12	126.4	8	70.0	14	67.6	14	65.5	23	137.9	12	69.8	14	65.4	134	107.6	2.1
	Total	40	294.6	50	271.4	36	169.0	28	96.6	34	81.5	32	95.7	37	118.4	32	97.1	37	94.1	326	126.3	2.1
Alcohol-Related		1	1.4	4	12.4	4	13.1	7	18.6	4	8.0	6	15.8	7	16.2	5	11.4	12	28.9	50	14.8	4.5
Medically Treatable		1	3.5	-	-	-	-	-	-	-	-	-	-	-	-	1	1.3	-	-	2	0.4	2.0
Drug-Induced		2	3.4	-	-	4	6.4	3	5.3	4	5.6	3	4.2	2	2.8	3	3.8	1	1.1	22	3.6	3.3
SAM		5	25.5	7	47.8	6	35.1	2	12.6	2	11.2	3	14.2	3	14.7	4	19.6	4	14.4	37	20.3	1.7

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for Others in the area shown. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Birth and Death-Related Statistical Summaries by Health Region
Other Residents - 20 Capital
British Columbia, 1991-1999

Population/ Birth-Related/ Infant Deaths	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Status/ Other
Population	302,483		306,706		314,243		316,362		322,366		324,892		327,700		327,536		326,850		2,873,240		
Live Births[1]: Male	1,739		1,758		1,705		1,667		1,633		1,469		1,429		1,387		1,340		14,127		
Female	1,615		1,591		1,597		1,594		1,467		1,456		1,460		1,331		1,304		13,435		
Total	3,354	11.1	3,349	10.8	3,302	10.5	3,261	10.2	3,120	9.7	2,925	9.0	2,889	8.8	2,718	8.3	2,644	8.1	27,562	9.6	2.7
Low Birth Weight[2]	161	48.0	156	46.6	158	47.8	156	47.8	142	45.5	144	49.2	130	45.0	123	45.3	139	52.6	1,309	47.5	1.3
Premature[2]	201	59.9	193	57.6	191	57.8	202	61.9	183	58.7	213	72.8	173	59.9	171	62.9	163	61.6	1,690	61.3	1.6
Cesarean Section[2]	778	232.0	782	233.5	723	219.0	669	205.2	719	230.4	765	261.5	683	236.4	749	275.6	642	242.8	6,510	236.2	0.7
Teenage Mother[2]	124	37.0	129	38.5	117	35.4	136	41.7	123	39.4	118	40.3	92	31.8	97	35.7	99	37.4	1,035	37.6	4.9
Elderly Gravida[2]	396	118.1	499	149.0	503	152.3	497	152.4	482	154.5	526	179.8	537	185.9	519	190.9	502	189.9	4,461	161.9	0.5
Stillbirths[3]:	20	5.9	11	3.3	14	4.2	16	4.9	17	5.4	25	8.6	16	5.5	6	2.2	16	5.6	140	5.1	1.1
Early Neonatal	8	2.4	8	2.4	9	2.7	4	1.2	9	2.9	6	2.1	9	3.1	7	2.6	5	1.9	65	2.4	1.7
Neonatal	10	3.0	8	2.4	9	2.7	6	1.8	10	3.2	6	2.1	12	4.2	8	2.9	6	2.3	75	2.7	1.7
Post Neonatal	9	2.7	6	1.8	10	3.0	4	1.2	4	1.3	5	1.7	3	1.0	2	0.7	2	0.8	45	1.6	5.1
Infant Deaths	19	5.7	14	4.2	19	5.8	10	3.1	14	4.5	11	3.8	15	5.2	10	3.7	8	3.0	120	4.4	2.8
Death-Related Cause of Death	1991		1992		1993		1994		1995		1996		1997		1998		1999		1991-1999		
	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Status/ Other
Infectious/Parasitic	38	1.0	43	1.2	42	1.1	44	1.2	36	0.9	46	1.2	29	0.7	40	0.9	39	0.8	359	1.0	3.9
Cancer	806	17.9	788	17.4	864	18.7	879	18.8	807	16.7	826	16.9	904	18.1	846	16.5	845	16.5	7,565	17.5	1.5
Lung	216	5.0	220	5.1	232	5.1	211	4.6	193	4.0	234	4.8	223	4.6	230	4.6	192	3.9	1,954	4.6	1.1
Female Breast	69	2.8	72	3.2	71	2.8	90	3.7	65	2.7	80	3.2	77	2.9	79	2.9	69	2.7	672	3.0	2.1
Endo/Nut/Met	69	1.4	72	1.5	85	1.7	85	1.9	79	1.6	81	1.5	99	1.8	96	1.9	76	1.4	742	1.6	1.8
Circulatory System	1,175	23.1	1,120	21.7	1,134	21.4	1,165	21.7	1,162	21.2	1,219	21.6	1,166	20.8	1,160	19.5	1,235	20.5	10,558	21.2	1.8
Ischemic Heart	558	11.2	530	10.5	512	9.8	531	10.1	543	10.1	602	10.9	535	9.6	511	8.8	568	9.8	4,890	10.1	2.0
Cerebrovascular/Stroke	260	5.0	240	4.5	268	5.0	261	5.1	265	5.1	275	4.8	301	5.1	272	4.4	297	4.7	2,479	4.9	1.2
Respiratory System	303	5.8	311	5.9	369	7.0	318	5.9	314	5.7	355	6.1	342	5.8	332	5.5	371	6.0	3,015	6.0	2.4
Pneumonia/Influenza	164	3.1	150	2.8	173	3.2	131	2.3	122	2.1	144	2.4	141	2.3	159	2.5	168	2.6	1,352	2.6	2.1
Chronic Pulmonary	107	2.1	100	1.9	146	2.8	122	2.3	143	2.7	160	2.8	142	2.4	122	2.1	136	2.3	1,178	2.4	2.3
Digestive System	109	2.4	98	2.1	99	2.0	107	2.1	93	1.9	101	2.0	100	1.8	106	2.0	105	1.9	918	2.0	3.4
External Causes	167	4.7	153	4.3	198	5.4	184	4.8	176	4.3	157	4.0	175	4.3	164	4.0	175	4.3	1,549	4.4	4.4
MVTA	35	1.2	23	0.8	12	0.4	24	0.8	18	0.6	16	0.4	10	0.3	12	0.3	7	0.2	157	0.6	3.7
Suicide	29	0.9	32	1.0	44	1.3	49	1.4	41	1.1	44	1.3	49	1.3	41	1.1	42	1.2	371	1.2	3.3
All Causes Male	1,450	76.3	1,442	75.2	1,524	78.5	1,471	74.2	1,436	70.7	1,549	74.4	1,516	71.5	1,448	66.4	1,541	69.6	13,377	72.9	2.1
Female	1,476	51.2	1,474	50.4	1,593	53.1	1,627	53.7	1,593	50.5	1,606	49.1	1,718	52.5	1,672	49.7	1,746	51.1	14,505	51.3	2.1
Total	2,926	62.0	2,916	61.1	3,117	64.0	3,098	62.5	3,029	59.2	3,155	60.2	3,234	60.7	3,120	57.1	3,287	59.2	27,882	60.7	2.1
Alcohol-Related	65	1.6	68	1.8	128	3.0	149	3.5	157	3.6	155	3.7	170	3.8	202	4.4	190	4.2	1,284	3.3	4.5
Medically Treatable	8	0.3	2	0.1	8	0.3	11	0.4	6	0.2	6	0.2	10	0.3	9	0.3	6	0.2	66	0.2	2.0
Drug-Induced	22	0.7	21	0.7	54	1.7	39	1.1	30	0.8	39	1.2	39	1.1	52	1.5	47	1.4	343	1.1	3.3
SAM	618	13.0	611	12.7	654	13.2	615	12.3	609	12.0	682	13.0	651	12.2	621	11.4	629	11.4	5,689	12.3	1.7

Notes: [1] Live Birth Rates are per 1,000 population. Live births - Total includes gender unknown.
[2] Rates for Low Birth Weight, Premature, Cesarean Section, Teenage Mother, and Elderly Gravida, Early Neonatal, Neonatal, Post Neonatal, and Infant Death rates are per 1,000 live births.
[3] Stillbirth rates are per 1,000 total births (live births plus stillbirths).
Status/Other is the ratio of the Status Indian 1991-1999 rate to the rate for All Others in the area shown.Births with unknown residence are excluded. ASMR per 10,000 Standard population (Canada Census 1991).
Smoking attributable deaths may not sum to Total due to rounding.

Appendix 4

Age Standardized Mortality Rates by Health Region

Age Standardized Mortality Rates by Health Region
Provincial Total
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**151**	**3.5**	**78**	**2.2**	**229**	**2.8**	**2,771**	**1.7**	**1,182**	**0.6**	**3,953**	**1.1**
AIDS/HIV Infections	042-044	102	2.0	20	0.4	122	1.2	1,699	1.0	105	0.1	1,804	0.5
Tuberculosis	010-018,137	5	0.2	17	0.6	22	0.4	72	0.0	63	0.0	135	0.0
Cancer	**140-208**	**501**	**21.1**	**435**	**15.8**	**936**	**18.3**	**33,162**	**20.3**	**28,976**	**14.3**	**62,138**	**16.9**
Lung	162	121	5.2	78	3.1	199	4.1	9,810	6.0	6,886	3.5	16,696	4.6
Female Breast	174	-	-	74	2.4	74	2.4	-	-	4,949	2.5	4,949	2.5
Colorectal	153-154	57	2.5	35	1.4	92	1.9	2,973	1.8	2,616	1.2	5,589	1.5
Cervical	180	-	-	18	0.5	18	0.5	-	-	402	0.2	402	0.2
Prostate	185	51	2.6	-	-	51	2.6	4,222	2.7	-	-	4,222	2.7
Endocrine/Nutritional/Metabolic	**240-279**	**81**	**3.2**	**93**	**3.4**	**174**	**3.3**	**3,186**	**2.0**	**3,260**	**1.5**	**6,446**	**1.7**
Diabetes	250	56	2.4	64	2.5	120	2.5	2,433	1.5	2,273	1.0	4,706	1.3
Circulatory System Diseases	**390-459**	**835**	**36.6**	**672**	**27.7**	**1,507**	**32.0**	**44,458**	**27.8**	**41,429**	**18.3**	**85,887**	**22.6**
Ischemic Heart	410-414, 429.2	430	19.0	252	11.0	682	14.8	25,412	15.8	18,783	8.3	44,195	11.7
Cerebrovascular/Stroke	430-434, 436-438	143	6.8	183	7.2	326	7.0	8,091	5.1	10,834	4.8	18,925	4.9
Diseases of Arteries	440-448	34	1.4	30	1.2	64	1.3	2,842	1.8	2,226	1.0	5,068	1.3
Respiratory System Diseases	**460-519**	**264**	**11.7**	**240**	**9.4**	**504**	**10.5**	**12,450**	**7.9**	**11,113**	**4.9**	**23,563**	**6.2**
Pneumonia/Influenza	480-487	142	6.0	133	5.1	275	5.5	5,123	3.3	5,635	2.4	10,758	2.8
Chronic Pulmonary Disease	491-492, 496	75	3.8	40	1.7	115	2.7	5,444	3.4	3,800	1.7	9,244	2.4
Asthma	493	7	0.3	10	0.4	17	0.3	283	0.2	386	0.2	669	0.2
Digestive System Diseases	**520-579**	**204**	**7.4**	**223**	**6.9**	**427**	**7.1**	**4,210**	**2.6**	**4,133**	**1.9**	**8,343**	**2.2**
Chronic Liver Disease/Cirrhosis	571	89	2.7	119	3.2	208	3.0	1,484	0.9	772	0.4	2,256	0.6
Congenital Anomalies	**740-759**	**29**	**0.4**	**19**	**0.2**	**48**	**0.3**	**547**	**0.4**	**438**	**0.3**	**985**	**0.3**
Perinatal Conditions	**760-779**	**39**	**0.4**	**33**	**0.3**	**72**	**0.4**	**462**	**0.3**	**372**	**0.3**	**834**	**0.3**
External Causes	**E800-E999**	**1,184**	**24.4**	**568**	**11.3**	**1,752**	**17.5**	**12,060**	**7.4**	**5,119**	**2.7**	**17,179**	**5.1**
Motor Vehicle Traffic Accidents	E810-E819	291	5.7	135	2.5	426	4.0	2,435	1.5	1,053	0.6	3,488	1.1
Accidental Poisoning	E850-E869	229	4.6	158	2.7	387	3.6	2,275	1.4	557	0.3	2,832	0.9
Accidental Falls	E880-E888	72	2.2	49	1.9	121	2.1	1,423	0.9	1,561	0.7	2,984	0.8
Suicide	E950-E959	264	4.9	82	1.4	346	3.0	3,140	1.9	874	0.5	4,014	1.2
Homicide	E960-E969	75	1.4	45	0.8	120	1.1	514	0.3	256	0.2	770	0.2
Fire and Flames	E890-E899	41	0.9	23	0.5	64	0.7	161	0.1	83	0.0	244	0.1
All Other Causes		420	12.6	360	9.8	780	11.1	9,308	5.8	11,040	5.0	20,348	5.4
Total Deaths		**3,708**	**121.3**	**2,721**	**87.0**	**6,429**	**103.3**	**122,614**	**76.2**	**107,062**	**48.9**	**229,676**	**61.8**
Alcohol-Related Deaths	see glossary	1,042	30.5	486	11.8	1,528	20.7	9,611	5.8	2,900	1.5	12,511	3.5
Medically Treatable Diseases	see glossary	53	1.2	69	1.3	122	1.3	438	0.3	505	0.3	943	0.3
Drug Induced Deaths	see glossary	201	4.0	190	3.4	391	3.7	2,640	1.6	983	0.6	3,623	1.1
Smoking-Attributable Mortality	see glossary	494	21.7	282	11.1	776	16.1	30,206	18.7	17,589	8.2	47,795	12.8

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
01/02 East and West Kootenay
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**1**	**1.5**	**-**	**-**	**1**	**0.7**	**43**	**1.0**	**39**	**0.5**	**82**	**0.6**
AIDS/HIV Infections	042-044	1	1.5	-	-	1	0.7	11	0.2	-	-	11	0.1
Tuberculosis	010-018,137	-	-	-	-	-	-	1	0.0	1	0.0	2	0.0
Cancer	**140-208**	**16**	**58.4**	**14**	**44.4**	**30**	**48.2**	**1,581**	**40.0**	**1,234**	**15.3**	**2,815**	**18.6**
Lung	162	8	27.8	2	8.6	10	16.5	440	11.0	295	3.7	735	4.8
Female Breast	174	-	-	5	13.0	5	13.0	-	-	202	2.5	202	2.5
Colorectal	153-154	1	4.7	-	-	1	1.7	130	3.3	113	1.4	243	1.6
Cervical	180	-	-	1	4.2	1	4.2	-	-	13	0.2	13	0.2
Prostate	185	1	4.7	-	-	1	4.7	226	6.6	-	-	226	6.6
Endocrine/Nutritional/Metabolic	**240-279**	**2**	**3.7**	**2**	**5.2**	**4**	**5.1**	**165**	**4.5**	**171**	**2.1**	**336**	**2.3**
Diabetes	250	-	-	2	5.2	2	3.3	122	3.4	123	1.5	245	1.7
Circulatory System Diseases	**390-459**	**17**	**57.4**	**16**	**53.8**	**33**	**53.3**	**2,135**	**59.8**	**1,836**	**22.4**	**3,971**	**27.0**
Ischemic Heart	410-414, 429.2	10	31.8	8	31.9	18	29.1	1,235	33.7	838	10.2	2,073	14.0
Cerebrovascular/Stroke	430-434, 436-438	3	11.7	3	9.6	6	11.1	364	10.8	446	5.4	810	5.6
Diseases of Arteries	440-448	1	4.7	1	2.6	2	3.3	154	4.5	95	1.1	249	1.7
Respiratory System Diseases	**460-519**	**6**	**22.2**	**3**	**7.7**	**9**	**15.8**	**580**	**17.4**	**366**	**4.5**	**946**	**6.5**
Pneumonia/Influenza	480-487	4	13.6	2	5.2	6	9.6	213	6.4	176	2.1	389	2.7
Chronic Pulmonary Disease	491-492, 496	2	8.6	1	2.6	3	6.3	288	8.8	139	1.7	427	2.9
Asthma	493	-	-	-	-	-	-	11	0.3	6	0.1	17	0.1
Digestive System Diseases	**520-579**	**2**	**6.2**	**3**	**5.9**	**5**	**5.4**	**209**	**5.4**	**184**	**2.2**	**393**	**2.6**
Chronic Liver Disease/Cirrhosis	571	1	1.5	2	3.9	3	2.8	72	1.6	35	0.4	107	0.7
Congenital Anomalies	**740-759**	**-**	**-**	**-**	**-**	**-**	**-**	**23**	**0.4**	**14**	**0.2**	**37**	**0.3**
Perinatal Conditions	**760-779**	**1**	**0.6**	**-**	**-**	**1**	**0.3**	**16**	**0.3**	**13**	**0.3**	**29**	**0.3**
External Causes	**E800-E999**	**18**	**33.0**	**7**	**11.1**	**25**	**22.8**	**613**	**11.0**	**247**	**3.4**	**860**	**6.3**
Motor Vehicle Traffic Accidents	E810-E819	5	6.0	2	2.0	7	3.8	168	2.8	74	1.1	242	1.8
Accidental Poisoning	E850-E869	-	-	3	3.6	3	2.1	38	0.6	14	0.2	52	0.4
Accidental Falls	E880-E888	1	4.8	2	5.5	3	5.8	55	1.5	67	0.8	122	0.9
Suicide	E950-E959	4	4.5	-	-	4	2.2	175	3.0	31	0.4	206	1.5
Homicide	E960-E969	-	-	-	-	-	-	22	0.4	15	0.2	37	0.3
Fire and Flames	E890-E899	3	9.5	-	-	3	5.1	13	0.3	3	0.0	16	0.1
All Other Causes		6	20.8	5	6.4	11	12.0	424	11.8	504	6.2	928	6.4
Total Deaths		**69**	**203.8**	**50**	**134.6**	**119**	**163.7**	**5,789**	**151.7**	**4,608**	**57.2**	**10,397**	**70.9**
Alcohol-Related Deaths	see glossary	21	50.3	9	18.1	30	33.2	479	10.6	128	1.6	607	4.1
Medically Treatable Diseases	see glossary	1	1.4	-	-	1	0.6	18	0.2	18	0.3	36	0.2
Drug Induced Deaths	see glossary	1	1.2	3	3.6	4	2.6	47	0.8	33	0.5	80	0.6
Smoking-Attributable Mortality	see glossary	16	55.7	7	21.7	23	36.8	1,444	38.7	727	8.9	2,171	14.5

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

03 North Okanagan

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**1**	**0.8**	**1**	**1.3**	**2**	**1.1**	**36**	**0.7**	**35**	**0.5**	**71**	**0.6**
AIDS/HIV Infections	042-044	1	0.8	1	1.3	2	1.1	10	0.2	1	0.0	11	0.1
Tuberculosis	010-018,137	-	-	-	-	-	-	2	0.0	2	0.0	4	0.0
Cancer	**140-208**	**10**	**11.8**	**11**	**12.9**	**21**	**12.4**	**1,212**	**20.2**	**971**	**14.2**	**2,183**	**16.9**
Lung	162	3	4.2	2	1.9	5	3.3	347	5.7	222	3.3	569	4.4
Female Breast	174	-	-	-	-	-	-	-	-	174	2.7	174	2.7
Colorectal	153-154	3	3.7	-	-	3	2.0	106	1.8	73	1.0	179	1.4
Cervical	180	-	-	2	2.0	2	2.0	-	-	10	0.1	10	0.1
Prostate	185	-	-	-	-	-	-	162	2.7	-	-	162	2.7
Endocrine/Nutritional/Metabolic	**240-279**	**1**	**0.8**	**5**	**8.1**	**6**	**4.1**	**122**	**2.1**	**110**	**1.5**	**232**	**1.8**
Diabetes	250	-	-	3	4.9	3	2.2	103	1.7	80	1.1	183	1.4
Circulatory System Diseases	**390-459**	**17**	**22.0**	**14**	**21.4**	**31**	**20.5**	**1,755**	**29.2**	**1,443**	**19.2**	**3,198**	**23.9**
Ischemic Heart	410-414, 429.2	11	14.2	7	10.5	18	11.7	956	15.9	651	8.6	1,607	12.0
Cerebrovascular/Stroke	430-434, 436-438	-	-	3	4.6	3	2.0	330	5.5	340	4.5	670	5.0
Diseases of Arteries	440-448	1	1.3	-	-	1	0.6	140	2.3	117	1.6	257	1.9
Respiratory System Diseases	**460-519**	**10**	**11.3**	**11**	**14.2**	**21**	**12.7**	**454**	**7.6**	**312**	**4.2**	**766**	**5.7**
Pneumonia/Influenza	480-487	6	6.3	5	5.8	11	5.9	171	2.9	142	1.9	313	2.3
Chronic Pulmonary Disease	491-492, 496	2	2.9	3	4.4	5	3.7	207	3.4	126	1.7	333	2.5
Asthma	493	1	1.3	-	-	1	0.8	16	0.3	12	0.2	28	0.2
Digestive System Diseases	**520-579**	**3**	**4.0**	**8**	**8.7**	**11**	**6.3**	**157**	**2.7**	**119**	**1.6**	**276**	**2.1**
Chronic Liver Disease/Cirrhosis	571	2	2.7	6	6.3	8	4.5	48	0.8	25	0.4	73	0.6
Congenital Anomalies	**740-759**	**-**	**-**	**2**	**1.1**	**2**	**0.6**	**15**	**0.4**	**16**	**0.4**	**31**	**0.4**
Perinatal Conditions	**760-779**	**-**	**-**	**1**	**0.5**	**1**	**0.2**	**10**	**0.3**	**7**	**0.2**	**17**	**0.2**
External Causes	**E800-E999**	**33**	**29.2**	**12**	**11.8**	**45**	**20.0**	**388**	**8.3**	**200**	**3.8**	**588**	**6.0**
Motor Vehicle Traffic Accidents	E810-E819	14	10.9	4	3.3	18	7.0	126	2.8	57	1.3	183	2.1
Accidental Poisoning	E850-E869	3	3.0	1	0.7	4	2.0	24	0.6	15	0.3	39	0.5
Accidental Falls	E880-E886	3	4.8	2	2.5	5	3.3	39	0.7	66	0.9	105	0.8
Suicide	E950-E959	5	3.7	1	0.6	6	2.1	96	2.0	27	0.5	123	1.3
Homicide	E960-E969	1	0.8	3	3.3	4	2.1	13	0.3	11	0.3	24	0.3
Fire and Flames	E890-E899	3	2.0	1	1.3	4	1.7	6	0.1	2	0.0	8	0.1
All Other Causes		5	6.4	6	7.3	11	6.9	325	5.8	328	4.5	653	5.1
Total Deaths		**80**	**86.3**	**71**	**87.2**	**151**	**85.0**	**4,474**	**77.1**	**3,541**	**50.0**	**8,015**	**62.7**
Alcohol-Related Deaths	see glossary	33	35.6	8	7.6	41	21.1	353	6.4	104	1.6	457	3.9
Medically Treatable Diseases	see glossary	2	1.6	2	2.0	4	1.8	10	0.2	6	0.1	16	0.2
Drug Induced Deaths	see glossary	-	-	1	0.7	1	0.4	42	1.0	28	0.6	70	0.8
Smoking-Attributable Mortality	see glossary	12	16.0	10	12.8	22	14.4	1,139	18.9	588	8.1	1,727	13.1

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
04 South Okanagan Similkameen
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	**ICD9 Codes**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**001-139**	**2**	**1.3**	**3**	**3.2**	**5**	**2.5**	**88**	**0.8**	**64**	**0.4**	**152**	**0.6**
AIDS/HIV Infections	042-044	1	0.6	-	-	1	0.3	34	0.4	4	0.0	38	0.2
Tuberculosis	010-018,137	-	-	-	-	-	-	2	0.0	4	0.0	6	0.0
Cancer	**140-208**	**19**	**29.3**	**7**	**6.4**	**26**	**15.7**	**2,663**	**19.5**	**2,028**	**13.0**	**4,691**	**15.9**
Lung	162	4	6.8	2	2.4	6	4.1	718	5.3	474	3.1	1,192	4.1
Female Breast	174	-	-	3	1.6	3	1.6	-	-	330	2.2	330	2.2
Colorectal	153-154	2	2.9	-	-	2	1.2	223	1.6	174	1.1	397	1.3
Cervical	180	-	-	-	-	-	-	-	-	22	0.2	22	0.2
Prostate	185	3	5.9	-	-	3	5.9	435	3.0	-	-	435	3.0
Endocrine/Nutritional/Metabolic	**240-279**	**2**	**3.3**	**3**	**2.1**	**5**	**2.5**	**228**	**1.7**	**193**	**1.1**	**421**	**1.4**
Diabetes	250	1	2.0	2	1.3	3	1.5	167	1.2	122	0.7	289	0.9
Circulatory System Diseases	**390-459**	**34**	**50.9**	**24**	**28.3**	**58**	**38.3**	**3,521**	**25.1**	**2,901**	**15.8**	**6,422**	**20.1**
Ischemic Heart	410-414, 429.2	21	29.0	8	10.2	29	18.8	1,941	13.9	1,269	6.9	3,210	10.1
Cerebrovascular/Stroke	430-434, 436-438	7	11.5	9	10.0	16	10.4	592	4.2	786	4.3	1,378	4.2
Diseases of Arteries	440-448	1	2.0	1	1.5	2	1.6	244	1.7	153	0.8	397	1.2
Respiratory System Diseases	**460-519**	**18**	**26.3**	**8**	**7.5**	**26**	**15.9**	**1,035**	**7.2**	**842**	**4.6**	**1,877**	**5.8**
Pneumonia/Influenza	480-487	6	7.4	4	3.6	10	5.4	465	3.3	436	2.3	901	2.7
Chronic Pulmonary Disease	491-492, 496	9	15.3	3	3.1	12	8.6	424	2.9	258	1.4	682	2.1
Asthma	493	1	1.3	-	-	1	0.6	19	0.1	35	0.2	54	0.2
Digestive System Diseases	**520-579**	**14**	**15.1**	**4**	**4.1**	**18**	**9.2**	**319**	**2.4**	**296**	**1.7**	**615**	**2.0**
Chronic Liver Disease/Cirrhosis	571	7	7.7	3	2.9	10	5.1	89	0.7	56	0.4	145	0.5
Congenital Anomalies	**740-759**	**1**	**0.3**	**1**	**0.5**	**2**	**0.4**	**27**	**0.3**	**22**	**0.3**	**49**	**0.3**
Perinatal Conditions	**760-779**	**2**	**0.6**	**-**	**-**	**2**	**0.3**	**26**	**0.4**	**24**	**0.4**	**50**	**0.4**
External Causes	**E800-E999**	**31**	**22.7**	**12**	**6.9**	**43**	**14.1**	**707**	**7.3**	**343**	**2.8**	**1,050**	**5.0**
Motor Vehicle Traffic Accidents	E810-E819	12	6.7	5	2.3	17	4.4	163	1.9	72	0.6	235	1.3
Accidental Poisoning	E850-E869	2	1.2	1	0.8	3	1.0	50	0.6	21	0.2	71	0.4
Accidental Falls	E880-E888	3	2.9	1	1.3	4	2.0	121	0.9	116	0.6	237	0.7
Suicide	E950-E959	7	5.4	1	0.8	8	3.0	204	2.2	54	0.6	258	1.3
Homicide	E960-E969	1	0.6	-	-	1	0.3	23	0.3	19	0.2	42	0.2
Fire and Flames	E890-E899	-	-	1	0.5	1	0.3	11	0.1	7	0.1	18	0.1
All Other Causes		9	12.0	7	5.7	16	8.2	689	5.1	771	4.5	1,460	4.8
Total Deaths		**132**	**161.8**	**69**	**64.7**	**201**	**107.2**	**9,303**	**69.9**	**7,484**	**44.5**	**16,787**	**56.2**
Alcohol-Related Deaths	see glossary	43	41.0	17	11.8	60	25.2	659	5.6	215	1.5	874	3.4
Medically Treatable Diseases	see glossary	2	1.3	3	2.1	5	1.7	27	0.3	28	0.3	55	0.3
Drug Induced Deaths	see glossary	1	0.6	1	0.8	2	0.7	71	0.8	43	0.4	114	0.6
Smoking-Attributable Mortality	see glossary	26	39.3	9	9.8	36	22.7	2,317	16.7	1,214	7.1	3,532	11.5

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

05 Thompson

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**4**	**0.8**	**2**	**0.5**	**6**	**0.7**	**51**	**1.1**	**35**	**0.6**	**86**	**0.9**
AIDS/HIV Infections	042-044	2	0.4	-	-	2	0.2	12	0.2	1	0.0	13	0.1
Tuberculosis	010-018,137	-	-	-	-	-	-	1	0.0	3	0.1	4	0.0
Cancer	**140-208**	**31**	**12.3**	**35**	**12.3**	**66**	**12.2**	**1,045**	**21.7**	**812**	**14.8**	**1,857**	**17.8**
Lung	162	9	3.5	5	2.0	14	2.7	359	7.3	222	4.0	581	5.5
Female Breast	174	-	-	7	2.3	7	2.3	-	-	149	2.7	149	2.7
Colorectal	153-154	1	0.5	4	1.4	5	0.9	85	1.8	75	1.4	160	1.6
Cervical	180	-	-	3	0.6	3	0.6	-	-	13	0.2	13	0.2
Prostate	185	3	1.3	-	-	3	1.3	120	2.8	-	-	120	2.8
Endocrine/Nutritional/Metabolic	**240-279**	**8**	**3.4**	**10**	**3.5**	**18**	**3.4**	**98**	**2.1**	**91**	**1.7**	**189**	**1.9**
Diabetes	250	7	2.9	8	2.9	15	2.9	70	1.5	64	1.2	134	1.3
Circulatory System Diseases	**390-459**	**73**	**29.2**	**62**	**23.1**	**135**	**26.0**	**1,387**	**30.3**	**987**	**18.4**	**2,374**	**24.0**
Ischemic Heart	410-414, 429.2	37	14.9	25	9.9	62	12.3	812	17.2	422	7.8	1,234	12.3
Cerebrovascular/Stroke	430-434, 436-438	16	6.7	14	4.7	30	5.6	212	4.8	223	4.2	435	4.5
Diseases of Arteries	440-448	1	0.5	4	1.6	5	1.1	88	2.0	62	1.2	150	1.5
Respiratory System Diseases	**460-519**	**22**	**9.0**	**29**	**10.6**	**51**	**9.8**	**437**	**10.1**	**280**	**5.2**	**717**	**7.4**
Pneumonia/Influenza	480-487	14	6.2	14	5.1	28	5.6	142	3.3	122	2.3	264	2.8
Chronic Pulmonary Disease	491-492, 496	3	1.3	3	1.2	6	1.2	220	5.1	117	2.2	337	3.5
Asthma	493	-	-	3	1.0	3	0.5	15	0.3	16	0.3	31	0.3
Digestive System Diseases	**520-579**	**18**	**6.3**	**28**	**8.2**	**46**	**7.3**	**148**	**3.0**	**135**	**2.5**	**283**	**2.8**
Chronic Liver Disease/Cirrhosis	571	9	3.0	15	3.8	24	3.4	67	1.3	32	0.6	99	0.9
Congenital Anomalies	**740-759**	**1**	**0.1**	**-**	**-**	**1**	**0.1**	**18**	**0.4**	**16**	**0.4**	**34**	**0.4**
Perinatal Conditions	**760-779**	**1**	**0.1**	**2**	**0.3**	**3**	**0.2**	**17**	**0.4**	**5**	**0.1**	**22**	**0.3**
External Causes	**E800-E999**	**124**	**25.7**	**40**	**8.6**	**164**	**16.9**	**524**	**10.9**	**191**	**3.8**	**715**	**7.3**
Motor Vehicle Traffic Accidents	E810-E819	40	7.7	14	3.1	54	5.3	155	3.2	63	1.3	218	2.2
Accidental Poisoning	E850-E869	8	1.9	5	1.0	13	1.4	66	1.3	21	0.5	87	0.9
Accidental Falls	E880-E888	6	2.1	2	0.6	8	1.3	57	1.4	39	0.7	96	1.0
Suicide	E950-E959	24	4.4	5	1.1	29	2.7	139	2.8	28	0.5	167	1.6
Homicide	E960-E969	7	1.6	5	0.8	12	1.2	20	0.4	12	0.2	32	0.3
Fire and Flames	E890-E899	3	0.5	2	0.4	5	0.5	4	0.1	2	0.0	6	0.1
All Other Causes		25	7.4	28	8.5	53	8.0	307	6.9	287	5.4	594	6.1
Total Deaths		**307**	**94.3**	**236**	**75.7**	**543**	**84.6**	**4,032**	**86.8**	**2,839**	**52.9**	**6,871**	**68.8**
Alcohol-Related Deaths	see glossary	107	30.6	54	14.5	161	22.3	408	8.1	115	2.1	523	5.0
Medically Treatable Diseases	see glossary	4	0.8	8	1.4	12	1.1	13	0.2	16	0.3	29	0.3
Drug Induced Deaths	see glossary	4	0.8	6	1.5	10	1.2	85	1.7	42	0.9	127	1.3
Smoking-Attributable Mortality	see glossary	39	15.5	26	9.2	65	12.2	1,039	22.2	500	9.2	1,538	15.1

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

06 Fraser Valley

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**5**	**2.1**	**4**	**2.6**	**9**	**2.3**	**92**	**0.9**	**75**	**0.6**	**167**	**0.9**
AIDS/HIV Infections	042-044	4	1.3	-	-	4	0.6	34	0.4	2	0.0	36	0.2
Tuberculosis	010-018,137	1	0.9	1	0.9	2	0.9	3	0.0	5	0.0	8	0.0
Cancer	**140-208**	**25**	**15.9**	**30**	**18.2**	**55**	**17.0**	**2,074**	**20.4**	**1,712**	**14.2**	**3,786**	**17.0**
Lung	162	7	4.0	6	3.1	13	3.5	622	6.1	409	3.5	1,031	4.7
Female Breast	174	-	-	6	4.1	6	4.1	-	-	275	2.4	275	2.4
Colorectal	153-154	-	-	3	1.8	3	1.0	174	1.7	168	1.4	342	1.5
Cervical	180	-	-	2	1.0	2	1.0	-	-	16	0.2	16	0.2
Prostate	185	3	2.7	-	-	3	2.7	297	2.9	-	-	297	2.9
Endocrine/Nutritional/Metabolic	**240-279**	**7**	**4.9**	**5**	**2.2**	**12**	**3.6**	**199**	**2.0**	**192**	**1.5**	**391**	**1.7**
Diabetes	250	5	3.9	3	1.8	8	2.9	156	1.5	140	1.1	296	1.3
Circulatory System Diseases	**390-459**	**61**	**45.2**	**37**	**25.1**	**98**	**34.6**	**2,936**	**28.7**	**2,743**	**20.3**	**5,679**	**24.1**
Ischemic Heart	410-414, 429.2	38	27.9	14	10.4	52	18.7	1,730	16.9	1,356	10.0	3,086	13.2
Cerebrovascular/Stroke	430-434, 436-438	13	10.3	10	7.2	23	8.7	550	5.4	659	4.8	1,209	5.1
Diseases of Arteries	440-448	3	1.9	5	2.4	8	2.2	165	1.6	138	1.0	303	1.3
Respiratory System Diseases	**460-519**	**13**	**8.2**	**14**	**9.8**	**27**	**9.1**	**739**	**7.2**	**689**	**5.1**	**1,428**	**6.0**
Pneumonia/Influenza	480-487	7	4.3	6	4.2	13	4.3	300	2.9	349	2.5	649	2.7
Chronic Pulmonary Disease	491-492, 496	3	2.5	3	2.0	6	2.3	329	3.2	236	1.8	565	2.4
Asthma	493	2	1.1	1	0.8	3	1.0	19	0.2	26	0.2	45	0.2
Digestive System Diseases	**520-579**	**15**	**10.3**	**10**	**5.2**	**25**	**7.7**	**288**	**2.8**	**236**	**1.9**	**524**	**2.3**
Chronic Liver Disease/Cirrhosis	571	7	4.0	3	1.2	10	2.6	80	0.8	32	0.3	112	0.5
Congenital Anomalies	**740-759**	**3**	**0.6**	**3**	**0.6**	**6**	**0.6**	**44**	**0.4**	**43**	**0.4**	**87**	**0.4**
Perinatal Conditions	**760-779**	**2**	**0.3**	**-**	**-**	**2**	**0.2**	**25**	**0.3**	**19**	**0.2**	**44**	**0.2**
External Causes	**E800-E999**	**72**	**25.4**	**35**	**10.2**	**107**	**17.4**	**686**	**7.3**	**308**	**2.9**	**994**	**5.2**
Motor Vehicle Traffic Accidents	E810-E819	22	7.5	14	3.7	36	5.5	160	1.8	73	0.8	233	1.3
Accidental Poisoning	E850-E869	14	4.5	8	2.7	22	3.5	97	1.0	23	0.3	120	0.7
Accidental Falls	E880-E888	5	2.8	1	0.5	6	1.5	71	0.7	84	0.6	155	0.7
Suicide	E950-E959	16	5.4	7	1.9	23	3.6	188	2.0	55	0.6	243	1.3
Homicide	E960-E969	3	0.6	-	-	3	0.3	24	0.3	21	0.2	45	0.2
Fire and Flames	E890-E899	-	-	1	0.3	1	0.2	13	0.1	4	0.0	17	0.1
All Other Causes		24	8.6	15	5.0	39	6.8	587	5.8	590	4.5	1,177	5.1
Total Deaths		**227**	**121.6**	**153**	**79.0**	**380**	**99.2**	**7,670**	**75.8**	**6,607**	**51.6**	**14,277**	**62.9**
Alcohol-Related Deaths	see glossary	42	22.9	15	6.3	57	14.2	453	4.6	143	1.3	596	2.8
Medically Treatable Diseases	see glossary	3	0.8	3	1.1	6	1.0	18	0.2	30	0.3	48	0.3
Drug Induced Deaths	see glossary	13	4.2	10	3.4	23	3.7	117	1.3	60	0.6	177	1.0
Smoking-Attributable Mortality	see glossary	30	20.9	18	11.2	48	15.8	1,892	18.6	1,102	8.6	2,995	13.1

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
07 South Fraser Valley
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**6**	**4.0**	**-**	**-**	**6**	**1.8**	**253**	**1.2**	**164**	**0.6**	**417**	**0.9**
AIDS/HIV Infections	042-044	5	3.1	-	-	5	1.4	102	0.4	9	0.0	111	0.2
Tuberculosis	010-018,137	-	-	-	-	-	-	11	0.1	9	0.0	20	0.0
Cancer	**140-208**	**25**	**85.2**	**23**	**42.3**	**48**	**52.3**	**3,985**	**19.6**	**3,694**	**14.7**	**7,679**	**16.7**
Lung	162	5	8.9	4	10.3	9	9.1	1,140	5.6	900	3.6	2,040	4.5
Female Breast	174	-	-	3	3.3	3	3.3	-	-	648	2.6	648	2.6
Colorectal	153-154	3	7.0	2	5.7	5	6.1	358	1.6	305	1.2	663	1.4
Cervical	180	-	-	-	-	-	-	-	-	60	0.2	60	0.2
Prostate	185	3	10.2	-	-	3	10.2	498	2.6	-	-	498	2.6
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**7.7**	**3**	**4.9**	**6**	**6.2**	**394**	**2.0**	**394**	**1.5**	**788**	**1.7**
Diabetes	250	3	7.7	2	3.0	5	5.0	309	1.6	291	1.1	600	1.3
Circulatory System Diseases	**390-459**	**34**	**115.9**	**24**	**76.6**	**58**	**94.2**	**5,407**	**27.5**	**4,872**	**18.1**	**10,279**	**22.3**
Ischemic Heart	410-414, 429.2	20	67.7	10	34.8	30	49.6	3,309	16.7	2,403	8.9	5,712	12.4
Cerebrovascular/Stroke	430-434, 436-438	5	17.9	5	19.5	10	18.5	932	4.8	1,266	4.7	2,198	4.7
Diseases of Arteries	440-448	2	3.4	2	3.0	4	3.0	346	1.8	255	1.0	601	1.3
Respiratory System Diseases	**460-519**	**5**	**21.5**	**8**	**22.5**	**13**	**22.3**	**1,351**	**7.0**	**1,258**	**4.7**	**2,609**	**5.7**
Pneumonia/Influenza	480-487	3	12.9	3	9.0	6	10.9	518	2.7	570	2.1	1,088	2.3
Chronic Pulmonary Disease	491-492, 496	2	8.6	3	8.7	5	8.7	617	3.2	461	1.7	1,078	2.3
Asthma	493	-	-	-	-	-	-	33	0.2	52	0.2	85	0.2
Digestive System Diseases	**520-579**	**5**	**9.2**	**6**	**7.7**	**11**	**8.2**	**488**	**2.4**	**473**	**1.8**	**961**	**2.1**
Chronic Liver Disease/Cirrhosis	571	4	6.4	2	2.6	6	4.0	182	0.8	103	0.4	285	0.6
Congenital Anomalies	**740-759**	**3**	**0.7**	**-**	**-**	**3**	**0.4**	**87**	**0.4**	**65**	**0.3**	**152**	**0.3**
Perinatal Conditions	**760-779**	**1**	**0.2**	**1**	**0.2**	**2**	**0.2**	**71**	**0.3**	**73**	**0.3**	**144**	**0.3**
External Causes	**E800-E999**	**35**	**26.6**	**19**	**12.8**	**54**	**19.0**	**1,321**	**5.9**	**551**	**2.3**	**1,872**	**4.1**
Motor Vehicle Traffic Accidents	E810-E819	7	4.3	3	2.1	10	3.2	319	1.4	126	0.6	445	1.0
Accidental Poisoning	E850-E869	10	6.2	10	5.6	20	6.0	258	1.1	57	0.2	315	0.7
Accidental Falls	E880-E888	3	4.5	-	-	3	1.8	124	0.6	140	0.5	264	0.6
Suicide	E950-E959	9	6.2	-	-	9	2.7	335	1.5	95	0.4	430	0.9
Homicide	E960-E969	2	1.2	2	1.0	4	1.1	53	0.2	39	0.2	92	0.2
Fire and Flames	E890-E899	-	-	2	1.0	2	0.6	13	0.1	11	0.0	24	0.0
All Other Causes		9	11.7	12	27.6	21	19.8	1,017	5.1	1,170	4.4	2,187	4.7
Total Deaths		**126**	**282.7**	**96**	**194.5**	**222**	**224.4**	**14,374**	**71.3**	**12,714**	**48.7**	**27,088**	**58.8**
Alcohol-Related Deaths	see glossary	15	18.8	11	10.5	26	13.8	922	4.3	312	1.3	1,234	2.7
Medically Treatable Diseases	see glossary	2	2.1	-	-	2	0.8	73	0.3	79	0.3	152	0.3
Drug Induced Deaths	see glossary	11	6.8	10	6.5	21	6.8	290	1.3	105	0.5	395	0.9
Smoking-Attributable Mortality	see glossary	19	58.7	12	31.5	31	43.6	3,516	17.6	2,146	8.3	5,662	12.3

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
08 Simon Fraser
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**2**	**4.0**	**1**	**0.6**	**3**	**1.7**	**125**	**1.1**	**84**	**0.6**	**209**	**0.8**
AIDS/HIV Infections	042-044	-	-	-	-	-	-	56	0.4	7	0.1	63	0.2
Tuberculosis	010-018,137	-	-	-	-	-	-	3	0.0	2	0.0	5	0.0
Cancer	**140-208**	**26**	**128.6**	**23**	**90.5**	**49**	**99.9**	**2,148**	**22.3**	**2,030**	**15.5**	**4,178**	**18.1**
Lung	162	10	58.5	5	16.5	15	31.8	684	7.1	491	3.8	1,175	5.2
Female Breast	174	-	-	2	2.3	2	2.3	-	-	358	2.7	358	2.7
Colorectal	153-154	3	16.4	2	14.4	5	12.3	185	1.9	209	1.6	394	1.7
Cervical	180	-	-	-	-	-	-	-	-	37	0.3	37	0.3
Prostate	185	2	10.6	-	-	2	10.6	207	2.4	-	-	207	2.4
Endocrine/Nutritional/Metabolic	**240-279**	**4**	**17.0**	**5**	**21.5**	**9**	**19.6**	**201**	**2.1**	**259**	**1.9**	**460**	**2.0**
Diabetes	250	4	17.0	5	21.5	9	19.6	155	1.7	202	1.5	357	1.6
Circulatory System Diseases	**390-459**	**27**	**132.8**	**38**	**201.6**	**65**	**168.8**	**2,855**	**31.5**	**2,779**	**19.9**	**5,634**	**24.9**
Ischemic Heart	410-414, 429.2	13	56.0	16	95.1	29	75.9	1,616	17.6	1,283	9.3	2,899	12.8
Cerebrovascular/Stroke	430-434, 436-438	7	38.9	14	65.2	21	52.9	560	6.4	744	5.3	1,304	5.8
Diseases of Arteries	440-448	-	-	-	-	-	-	194	2.2	121	0.9	315	1.4
Respiratory System Diseases	**460-519**	**15**	**100.1**	**6**	**25.5**	**21**	**54.5**	**842**	**9.7**	**816**	**5.9**	**1,658**	**7.4**
Pneumonia/Influenza	480-487	5	38.6	4	21.0	9	28.1	365	4.3	400	2.8	765	3.4
Chronic Pulmonary Disease	491-492, 496	9	58.6	1	3.3	10	24.7	335	3.9	308	2.3	643	2.9
Asthma	493	-	-	-	-	-	-	19	0.2	27	0.2	46	0.2
Digestive System Diseases	**520-579**	**6**	**18.9**	**5**	**18.9**	**11**	**18.4**	**268**	**2.7**	**261**	**1.9**	**527**	**2.3**
Chronic Liver Disease/Cirrhosis	571	-	-	3	9.2	3	4.8	109	1.0	51	0.4	160	0.7
Congenital Anomalies	**740-759**	**-**	**-**	**2**	**0.9**	**2**	**0.5**	**39**	**0.3**	**46**	**0.4**	**85**	**0.3**
Perinatal Conditions	**760-779**	**-**	**-**	**-**	**-**	**-**	**-**	**31**	**0.2**	**32**	**0.3**	**63**	**0.3**
External Causes	**E800-E999**	**18**	**26.6**	**16**	**29.8**	**34**	**28.7**	**790**	**6.6**	**305**	**2.3**	**1,095**	**4.4**
Motor Vehicle Traffic Accidents	E810-E819	4	6.5	2	2.0	6	3.6	154	1.3	67	0.5	221	0.9
Accidental Poisoning	E850-E869	7	6.9	3	2.2	10	4.4	170	1.2	29	0.2	199	0.7
Accidental Falls	E880-E888	-	-	4	16.5	4	9.9	87	0.9	75	0.5	162	0.7
Suicide	E950-E959	1	0.9	5	5.0	6	3.3	222	1.8	68	0.5	290	1.1
Homicide	E960-E969	1	0.9	1	0.7	2	0.8	39	0.3	15	0.1	54	0.2
Fire and Flames	E890-E899	1	1.4	-	-	1	0.6	6	0.0	8	0.1	14	0.1
All Other Causes		11	35.8	8	20.3	19	22.3	556	5.9	738	5.4	1,294	5.6
Total Deaths		**109**	**466.0**	**104**	**409.6**	**213**	**414.5**	**7,853**	**82.4**	**7,350**	**54.1**	**15,203**	**66.1**
Alcohol-Related Deaths	see glossary	15	50.2	12	24.1	27	33.3	636	6.1	184	1.4	820	3.5
Medically Treatable Diseases	see glossary	-	-	-	-	-	-	30	0.2	46	0.3	76	0.3
Drug Induced Deaths	see glossary	7	15.7	7	7.2	14	11.1	196	1.5	63	0.5	259	1.0
Smoking-Attributable Mortality	see glossary	27	150.6	14	52.1	41	90.2	2,010	21.6	1,254	9.4	3,264	14.4

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

09 Coast Garibaldi

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**2**	**2.1**	**1**	**0.8**	**3**	**1.4**	**29**	**0.9**	**20**	**0.6**	**49**	**0.8**
AIDS/HIV Infections	042-044	1	0.5	-	-	1	0.2	11	0.3	-	-	11	0.2
Tuberculosis	010-018,137	-	-	1	0.8	1	0.4	1	0.0	2	0.1	3	0.0
Cancer	**140-208**	**14**	**15.3**	**12**	**16.1**	**26**	**15.8**	**667**	**21.9**	**510**	**14.9**	**1,177**	**18.0**
Lung	162	3	2.7	2	2.5	5	2.6	216	7.1	129	3.8	345	5.3
Female Breast	174	-	-	1	1.7	1	1.7	-	-	94	2.7	94	2.7
Colorectal	153-154	3	3.9	2	1.3	5	2.8	67	2.3	42	1.2	109	1.7
Cervical	180	-	-	-	-	-	-	-	-	4	0.1	4	0.1
Prostate	185	-	-	-	-	-	-	74	2.5	-	-	74	2.5
Endocrine/Nutritional/Metabolic	**240-279**	**6**	**5.9**	**5**	**7.8**	**11**	**7.0**	**58**	**2.0**	**51**	**1.5**	**109**	**1.7**
Diabetes	250	3	3.0	5	7.8	8	5.5	43	1.5	35	1.0	78	1.2
Circulatory System Diseases	**390-459**	**26**	**33.5**	**20**	**28.2**	**46**	**30.9**	**817**	**28.1**	**704**	**19.7**	**1,521**	**23.7**
Ischemic Heart	410-414, 429.2	10	12.2	8	11.6	18	12.1	449	15.2	316	8.8	765	11.9
Cerebrovascular/Stroke	430-434, 436-438	6	9.0	4	6.5	10	7.7	151	5.3	187	5.2	338	5.3
Diseases of Arteries	440-448	1	1.6	1	1.2	2	1.4	48	1.7	36	1.0	84	1.3
Respiratory System Diseases	**460-519**	**8**	**9.7**	**8**	**9.8**	**16**	**9.8**	**192**	**6.8**	**153**	**4.3**	**345**	**5.4**
Pneumonia/Influenza	480-487	7	8.1	4	5.8	11	7.0	75	2.7	68	1.9	143	2.2
Chronic Pulmonary Disease	491-492, 496	1	1.6	1	1.7	2	1.6	83	2.9	61	1.7	144	2.2
Asthma	493	-	-	1	1.2	1	0.6	5	0.2	8	0.2	13	0.2
Digestive System Diseases	**520-579**	**8**	**8.1**	**5**	**7.0**	**13**	**7.4**	**62**	**2.0**	**62**	**1.8**	**124**	**1.9**
Chronic Liver Disease/Cirrhosis	571	5	4.9	4	6.2	9	5.4	27	0.8	13	0.4	40	0.6
Congenital Anomalies	**740-759**	**-**	**-**	**1**	**0.5**	**1**	**0.2**	**9**	**0.3**	**4**	**0.1**	**13**	**0.2**
Perinatal Conditions	**760-779**	**2**	**0.7**	**1**	**0.4**	**3**	**0.5**	**6**	**0.2**	**6**	**0.2**	**12**	**0.2**
External Causes	**E800-E999**	**37**	**24.5**	**10**	**6.6**	**47**	**15.6**	**263**	**8.7**	**99**	**3.1**	**362**	**6.0**
Motor Vehicle Traffic Accidents	E810-E819	10	6.6	3	1.5	13	4.1	54	1.8	19	0.6	73	1.3
Accidental Poisoning	E850-E869	7	4.9	3	2.0	10	3.3	29	0.9	13	0.4	42	0.7
Accidental Falls	E880-E888	3	1.9	-	-	3	1.0	33	1.2	30	0.8	63	1.0
Suicide	E950-E959	8	4.6	1	0.4	9	2.5	72	2.3	19	0.6	91	1.5
Homicide	E960-E969	3	1.7	1	0.5	4	1.1	6	0.2	3	0.1	9	0.2
Fire and Flames	E890-E899	1	0.4	1	1.5	2	0.9	7	0.2	1	0.0	8	0.1
All Other Causes		13	11.3	9	9.6	22	10.5	154	5.3	176	5.0	330	5.2
Total Deaths		**116**	**111.0**	**72**	**86.7**	**188**	**98.0**	**2,257**	**78.2**	**1,785**	**51.2**	**4,042**	**63.1**
Alcohol-Related Deaths	see glossary	46	41.7	19	19.3	65	30.6	248	7.9	63	1.9	311	4.8
Medically Treatable Diseases	see glossary	2	1.2	2	1.5	4	1.3	6	0.2	7	0.2	13	0.2
Drug Induced Deaths	see glossary	6	4.3	2	1.5	8	2.8	34	1.0	22	0.7	56	0.9
Smoking-Attributable Mortality	see glossary	14	16.4	8	11.2	22	13.9	575	19.3	298	8.5	872	13.5

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
10 Central Vancouver Island
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	**ICD9 Codes**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**	**Deaths**	**ASMR**
Infectious/Parasitic Diseases	**001-139**	**15**	**3.4**	**8**	**1.9**	**23**	**2.6**	**107**	**1.1**	**68**	**0.5**	**175**	**0.8**
AIDS/HIV Infections	042-044	12	2.6	3	0.5	15	1.4	44	0.5	9	0.1	53	0.3
Tuberculosis	010-018,137	-	-	1	0.5	1	0.3	2	0.0	3	0.0	5	0.0
Cancer	**140-208**	**27**	**12.2**	**24**	**8.5**	**51**	**10.3**	**2,453**	**20.8**	**2,032**	**15.1**	**4,485**	**17.6**
Lung	162	6	2.9	2	0.9	8	1.8	709	5.9	540	4.0	1,249	4.9
Female Breast	174	-	-	2	0.4	2	0.4	-	-	316	2.4	316	2.4
Colorectal	153-154	6	3.1	2	0.9	8	1.8	239	2.0	171	1.2	410	1.6
Cervical	180	-	-	-	-	-	-	-	-	25	0.2	25	0.2
Prostate	185	2	1.0	-	-	2	1.0	322	2.8	-	-	322	2.8
Endocrine/Nutritional/Metabolic	**240-279**	**9**	**4.1**	**5**	**2.0**	**14**	**3.0**	**212**	**1.9**	**173**	**1.3**	**385**	**1.5**
Diabetes	250	6	2.8	3	1.3	9	2.1	170	1.5	124	0.9	294	1.1
Circulatory System Diseases	**390-459**	**79**	**37.0**	**78**	**30.4**	**157**	**33.5**	**3,284**	**28.4**	**2,658**	**18.3**	**5,942**	**23.0**
Ischemic Heart	410-414, 429.2	43	21.2	31	13.9	74	17.1	1,902	16.3	1,171	8.0	3,073	11.9
Cerebrovascular/Stroke	430-434, 436-438	16	7.1	26	8.6	42	8.0	541	4.8	677	4.7	1,218	4.7
Diseases of Arteries	440-448	4	1.6	1	0.5	5	1.0	267	2.3	174	1.2	441	1.7
Respiratory System Diseases	**460-519**	**27**	**11.4**	**19**	**5.9**	**46**	**8.4**	**840**	**7.3**	**707**	**4.9**	**1,547**	**5.9**
Pneumonia/Influenza	480-487	13	5.1	14	3.7	27	4.3	328	2.9	329	2.3	657	2.5
Chronic Pulmonary Disease	491-492, 496	8	3.9	1	0.5	9	2.1	395	3.4	281	1.9	676	2.6
Asthma	493	2	0.7	-	-	2	0.3	24	0.2	30	0.2	54	0.2
Digestive System Diseases	**520-579**	**19**	**7.9**	**21**	**6.3**	**40**	**6.9**	**236**	**2.0**	**278**	**2.0**	**514**	**2.0**
Chronic Liver Disease/Cirrhosis	571	7	2.0	10	2.9	17	2.5	79	0.7	58	0.5	137	0.6
Congenital Anomalies	**740-759**	**2**	**0.2**	**1**	**0.1**	**3**	**0.1**	**28**	**0.3**	**12**	**0.1**	**40**	**0.2**
Perinatal Conditions	**760-779**	**4**	**0.4**	**7**	**0.6**	**11**	**0.5**	**22**	**0.3**	**16**	**0.2**	**38**	**0.3**
External Causes	**E800-E999**	**107**	**19.8**	**63**	**11.4**	**170**	**15.3**	**749**	**8.0**	**314**	**2.8**	**1,063**	**5.4**
Motor Vehicle Traffic Accidents	E810-E819	22	3.9	13	2.1	35	3.0	180	2.1	67	0.7	247	1.4
Accidental Poisoning	E850-E869	7	1.5	8	1.4	15	1.4	101	1.2	20	0.2	121	0.7
Accidental Falls	E880-E888	4	1.0	4	1.6	8	1.4	93	0.9	117	0.8	210	0.8
Suicide	E950-E959	44	7.7	17	2.5	61	4.9	198	2.1	47	0.5	245	1.3
Homicide	E960-E969	11	1.6	6	0.9	17	1.3	21	0.2	12	0.1	33	0.2
Fire and Flames	E890-E899	2	0.8	2	0.4	4	0.5	10	0.1	8	0.1	18	0.1
All Other Causes		51	16.0	45	11.3	96	13.3	602	5.4	686	4.9	1,288	5.2
Total Deaths		**340**	**112.3**	**271**	**78.5**	**611**	**94.0**	**8,533**	**75.4**	**6,944**	**50.2**	**15,477**	**62.0**
Alcohol-Related Deaths	see glossary	94	28.1	52	12.4	146	19.7	642	5.7	191	1.5	833	3.5
Medically Treatable Diseases	see glossary	3	0.5	6	1.1	9	0.8	24	0.2	28	0.3	52	0.3
Drug Induced Deaths	see glossary	10	2.1	19	3.1	29	2.7	127	1.4	43	0.4	170	0.9
Smoking-Attributable Mortality	see glossary	39	18.2	23	8.8	63	13.1	2,242	19.1	1,252	8.9	3,494	13.5

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
11 Upper Island / Central Coast
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**5**	**2.8**	**8**	**3.9**	**13**	**3.3**	**36**	**0.8**	**24**	**0.5**	**60**	**0.7**
AIDS/HIV Infections	042-044	3	1.4	3	1.2	6	1.2	8	0.2	1	0.0	9	0.1
Tuberculosis	010-018,137	1	0.4	2	1.5	3	1.1	-	-	1	0.0	1	0.0
Cancer	**140-208**	**43**	**26.2**	**26**	**13.2**	**69**	**18.9**	**949**	**22.2**	**745**	**15.8**	**1,694**	**18.7**
Lung	162	8	5.5	3	1.4	11	3.2	282	6.4	184	3.9	466	5.1
Female Breast	174	-	-	5	2.9	5	2.9	-	-	120	2.5	120	2.5
Colorectal	153-154	6	3.9	3	1.6	9	2.7	60	1.4	41	0.9	101	1.1
Cervical	180	-	-	2	0.4	2	0.4	-	-	14	0.3	14	0.3
Prostate	185	3	2.7	-	-	3	2.7	117	3.1	-	-	117	3.1
Endocrine/Nutritional/Metabolic	**240-279**	**13**	**7.0**	**8**	**4.7**	**21**	**5.9**	**76**	**1.9**	**87**	**1.9**	**163**	**1.9**
Diabetes	250	10	5.7	6	3.6	16	4.7	64	1.6	58	1.2	122	1.4
Circulatory System Diseases	**390-459**	**61**	**40.3**	**59**	**34.2**	**120**	**36.9**	**1,091**	**27.4**	**908**	**19.5**	**1,999**	**23.4**
Ischemic Heart	410-414, 429.2	30	20.6	15	9.0	45	14.0	618	15.1	386	8.3	1,004	11.6
Cerebrovascular/Stroke	430-434, 436-438	8	5.7	19	9.9	27	8.0	184	4.8	235	5.0	419	5.0
Disease of Arteries	440-448	1	0.2	4	2.6	5	1.5	57	1.5	62	1.3	119	1.4
Respiratory System Diseases	**460-519**	**13**	**8.9**	**15**	**8.8**	**28**	**8.8**	**259**	**6.9**	**209**	**4.5**	**468**	**5.6**
Pneumonia/Influenza	480-487	6	3.7	6	3.4	12	3.5	83	2.3	80	1.7	163	2.0
Chronic Pulmonary Disease	491-492, 496	4	3.1	5	3.4	9	3.3	137	3.7	98	2.1	235	2.8
Asthma	493	1	0.2	-	-	1	0.1	5	0.1	2	0.0	7	0.1
Digestive System Diseases	**520-579**	**15**	**8.3**	**16**	**8.4**	**31**	**8.4**	**95**	**2.3**	**93**	**2.0**	**188**	**2.1**
Chronic Liver Disease/Cirrhosis	571	4	1.2	6	2.5	10	1.9	41	0.9	16	0.3	57	0.6
Congenital Anomalies	**740-759**	**1**	**0.2**	**-**	**-**	**1**	**0.1**	**7**	**0.2**	**14**	**0.3**	**21**	**0.2**
Perinatal Conditions	**760-779**	**1**	**0.2**	**5**	**0.8**	**6**	**0.5**	**16**	**0.4**	**15**	**0.4**	**31**	**0.4**
External Causes	**E800-E999**	**70**	**19.8**	**28**	**8.3**	**98**	**13.7**	**412**	**9.0**	**144**	**3.2**	**556**	**6.1**
Motor Vehicle Traffic Accidents	E810-E819	13	4.3	6	1.7	19	2.9	74	1.7	31	0.7	105	1.2
Accidental Poisoning	E850-E869	15	4.4	7	1.6	22	3.0	55	1.1	24	0.5	79	0.8
Accidental Falls	E880-E888	1	0.3	3	1.5	4	0.9	37	0.9	30	0.7	67	0.8
Suicide	E950-E959	18	4.5	3	0.7	21	2.5	115	2.4	25	0.6	140	1.5
Homicide	E960-E969	1	0.3	1	0.5	2	0.4	16	0.3	6	0.2	22	0.3
Fire and Flames	E890-E899	4	0.9	2	0.5	6	0.7	6	0.1	5	0.1	11	0.1
All Other Causes		42	17.8	27	10.1	69	13.7	227	5.6	273	5.9	500	5.8
Total Deaths		**264**	**131.3**	**192**	**92.6**	**456**	**110.3**	**3,168**	**76.7**	**2,512**	**54.0**	**5,680**	**65.0**
Alcohol-Related Deaths	see glossary	85	35.4	31	11.8	116	22.9	286	6.3	93	2.0	379	4.1
Medically Treatable Diseases	see glossary	2	0.7	5	1.2	7	1.0	11	0.2	13	0.3	24	0.2
Drug Induced Deaths	see glossary	13	3.9	7	1.7	20	2.7	72	1.5	36	0.7	108	1.1
Smoking-Attributable Mortality	see glossary	32	21.6	23	12.7	56	16.7	795	19.1	429	9.1	1,224	13.8

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
12 Cariboo
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**4**	**1.7**	**1**	**0.4**	**5**	**1.1**	**16**	**0.6**	**13**	**0.6**	**29**	**0.6**
AIDS/HIV Infections	042-044	1	0.4	-	-	1	0.2	5	0.2	1	0.1	6	0.1
Tuberculosis	010-018,137	-	-	-	-	-	-	1	0.0	-	-	1	0.0
Cancer	**140-208**	**28**	**16.6**	**23**	**13.5**	**51**	**15.1**	**477**	**20.6**	**401**	**16.5**	**878**	**18.4**
Lung	162	6	4.0	4	2.5	10	3.2	163	7.2	116	4.6	279	5.8
Female Breast	174	-	-	4	2.6	4	2.6	-	-	67	2.6	67	2.6
Colorectal	153-154	4	2.3	2	0.9	6	1.8	29	1.3	36	1.6	65	1.4
Cervical	180	-	-	-	-	-	-	-	-	11	0.5	11	0.5
Prostate	185	4	2.7	-	-	4	2.7	67	3.3	-	-	67	3.3
Endocrine/Nutritional/Metabolic	**240-279**	**5**	**3.2**	**3**	**1.6**	**8**	**2.3**	**34**	**1.4**	**39**	**1.8**	**73**	**1.6**
Diabetes	250	3	1.8	2	1.4	5	1.5	28	1.3	28	1.3	56	1.3
Circulatory System Diseases	**390-459**	**32**	**21.0**	**30**	**18.1**	**62**	**19.4**	**627**	**29.4**	**407**	**19.5**	**1,034**	**24.4**
Ischemic Heart	410-414, 429.2	12	8.5	9	6.0	21	7.1	346	15.3	162	7.6	508	11.5
Cerebrovascular/Stroke	430-434, 436-438	8	6.0	10	6.1	18	6.1	97	4.9	115	5.5	212	5.2
Diseases of Arteries	440-448	2	0.8	3	1.8	5	1.3	48	2.3	18	0.9	66	1.6
Respiratory System Diseases	**460-519**	**11**	**8.9**	**12**	**6.5**	**23**	**7.6**	**184**	**9.5**	**119**	**5.6**	**303**	**7.5**
Pneumonia/Influenza	480-487	8	6.5	9	4.9	17	5.6	58	3.0	51	2.5	109	2.7
Chronic Pulmonary Disease	491-492, 496	3	2.5	1	0.4	4	1.3	100	5.2	52	2.5	152	3.8
Asthma	493	-	-	-	-	-	-	5	0.2	3	0.1	8	0.2
Digestive System Diseases	**520-579**	**8**	**5.2**	**14**	**6.8**	**22**	**5.8**	**57**	**2.6**	**51**	**2.2**	**108**	**2.4**
Chronic Liver Disease/Cirrhosis	571	2	1.4	8	3.6	10	2.4	15	0.5	5	0.2	20	0.3
Congenital Anomalies	**740-759**	**3**	**0.6**	**1**	**0.2**	**4**	**0.4**	**11**	**0.4**	**3**	**0.1**	**14**	**0.3**
Perinatal Conditions	**760-779**	**2**	**0.4**	**1**	**0.2**	**3**	**0.3**	**8**	**0.3**	**5**	**0.2**	**13**	**0.3**
External Causes	**E800-E999**	**82**	**33.2**	**37**	**14.0**	**119**	**23.5**	**295**	**10.5**	**106**	**4.0**	**401**	**7.4**
Motor Vehicle Traffic Accidents	E810-E819	33	12.2	17	5.7	50	8.9	86	2.9	37	1.3	123	2.1
Accidental Poisoning	E850-E869	10	3.9	1	0.3	11	2.0	22	0.7	8	0.3	30	0.5
Accidental Falls	E880-E888	7	3.9	8	4.6	15	4.6	24	1.1	21	1.0	45	1.1
Suicide	E950-E959	15	5.7	3	0.8	18	3.2	72	2.5	11	0.4	83	1.5
Homicide	E960-E969	4	1.6	5	1.5	9	1.5	14	0.4	5	0.2	19	0.3
Fire and Flames	E890-E899	3	1.6	-	-	3	0.8	4	0.2	5	0.2	9	0.2
All Other Causes		24	12.4	24	12.9	48	12.8	147	7.1	101	4.9	248	6.0
Total Deaths		**199**	**103.2**	**146**	**74.5**	**345**	**88.2**	**1,856**	**82.4**	**1,246**	**55.5**	**3,101**	**68.9**
Alcohol-Related Deaths	see glossary	70	34.7	24	10.4	94	21.9	178	6.8	38	1.5	216	4.2
Medically Treatable Diseases	see glossary	2	0.9	3	1.1	5	1.0	9	0.3	13	0.5	22	0.4
Drug Induced Deaths	see glossary	6	2.5	-	-	6	1.2	30	1.0	9	0.3	39	0.7
Smoking-Attributable Mortality	see glossary	21	14.5	12	7.3	33	10.5	475	21.6	230	10.0	705	15.7

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

13 North West

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**12**	**1.5**	**12**	**2.2**	**24**	**1.8**	**12**	**0.7**	**11**	**0.6**	**23**	**0.7**
AIDS/HIV Infections	042-044	4	0.4	-	-	4	0.2	1	0.0	-	-	1	0.0
Tuberculosis	010-018,137	-	-	3	0.5	3	0.2	1	0.1	-	-	1	0.0
Cancer	**140-208**	**94**	**18.0**	**67**	**12.6**	**161**	**15.3**	**396**	**22.2**	**289**	**15.0**	**685**	**18.3**
Lung	162	19	3.7	13	2.8	32	3.3	133	7.1	76	4.0	209	5.5
Female Breast	174	-	-	16	2.4	16	2.4	-	-	50	2.4	50	2.4
Colorectal	153-154	12	2.2	5	1.1	17	1.6	31	1.9	22	1.2	53	1.5
Cervical	180	-	-	1	0.1	1	0.1	-	-	9	0.4	9	0.4
Prostate	185	10	2.2	-	-	10	2.2	30	2.6	-	-	30	2.6
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**0.7**	**16**	**2.9**	**19**	**1.8**	**29**	**2.0**	**39**	**2.5**	**68**	**2.3**
Diabetes	250	3	0.7	10	1.9	13	1.3	24	1.7	31	2.0	55	1.9
Circulatory System Diseases	**390-459**	**150**	**29.2**	**95**	**19.3**	**245**	**24.3**	**501**	**32.5**	**343**	**21.9**	**844**	**27.0**
Ischemic Heart	410-414, 429.2	75	14.4	34	6.9	109	10.7	282	16.4	138	8.9	420	12.7
Cerebrovascular/Stroke	430-434, 436-438	19	4.0	30	6.2	49	5.1	79	5.6	77	4.9	156	5.2
Diseases of Arteries	440-448	7	1.3	-	-	7	0.6	26	1.9	12	0.8	38	1.3
Respiratory System Diseases	**460-519**	**39**	**7.7**	**38**	**7.8**	**77**	**7.7**	**131**	**9.9**	**72**	**4.7**	**203**	**7.0**
Pneumonia/Influenza	480-487	26	4.9	22	4.5	48	4.6	66	5.2	34	2.3	100	3.6
Chronic Pulmonary Disease	491-492, 496	5	1.1	6	1.2	11	1.1	52	4.0	27	1.7	79	2.7
Asthma	493	-	-	1	0.2	1	0.1	-	-	6	0.4	6	0.2
Digestive System Diseases	**520-579**	**34**	**6.6**	**18**	**3.4**	**52**	**5.0**	**48**	**2.8**	**29**	**1.7**	**77**	**2.3**
Chronic Liver Disease/Cirrhosis	571	7	1.3	4	0.5	11	0.9	15	0.6	5	0.2	20	0.4
Congenital Anomalies	**740-759**	**4**	**0.4**	**2**	**0.1**	**6**	**0.2**	**14**	**0.5**	**6**	**0.2**	**20**	**0.3**
Perinatal Conditions	**760-779**	**5**	**0.3**	**7**	**0.5**	**12**	**0.4**	**9**	**0.3**	**7**	**0.2**	**16**	**0.3**
External Causes	**E800-E999**	**143**	**16.1**	**52**	**6.8**	**195**	**11.2**	**301**	**10.4**	**59**	**2.6**	**360**	**6.8**
Motor Vehicle Traffic Accidents	E810-E819	37	3.7	10	1.0	47	2.3	78	2.5	19	0.7	97	1.6
Accidental Poisoning	E850-E869	16	1.7	9	1.1	25	1.3	28	0.9	6	0.2	34	0.6
Accidental Falls	E880-E888	8	1.3	8	1.7	16	1.5	15	1.1	10	0.7	25	0.9
Suicide	E950-E959	36	3.8	9	1.0	45	2.4	66	2.1	9	0.3	75	1.3
Homicide	E960-E969	5	0.5	1	0.1	6	0.3	13	0.5	-	-	13	0.3
Fire and Flames	E890-E899	4	0.6	3	0.4	7	0.5	9	0.3	2	0.1	11	0.2
All Other Causes		**53**	**8.7**	**56**	**8.2**	**109**	**8.5**	**110**	**6.1**	**95**	**6.0**	**205**	**6.2**
Total Deaths		**537**	**89.1**	**363**	**63.7**	**900**	**76.3**	**1,581**	**87.3**	**980**	**56.5**	**2,801**	**71.2**
Alcohol-Related Deaths	see glossary	144	22.0	38	5.5	182	13.7	184	7.7	34	1.7	218	4.8
Medically Treatable Diseases	see glossary	10	1.4	6	0.8	16	1.1	7	0.2	12	0.4	19	0.3
Drug Induced Deaths	see glossary	12	1.3	16	2.0	28	1.7	29	0.9	10	0.4	39	0.7
Smoking-Attributable Mortality	see glossary	82	15.9	39	7.9	120	11.9	371	22.4	161	9.3	532	15.4

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
14 Peace Liard
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**1**	**2.0**	**-**	**-**	**1**	**0.8**	**12**	**0.7**	**11**	**0.6**	**23**	**0.6**
AIDS/HIV Infections	042-044	-	-	-	-	-	-	4	0.1	1	0.0	5	0.1
Tuberculosis	010-018,137	-	-	-	-	-	-	1	0.1	-	-	1	0.0
Cancer	**140-208**	**10**	**19.3**	**12**	**18.8**	**22**	**18.5**	**364**	**22.6**	**256**	**14.6**	**620**	**18.4**
Lung	162	2	4.8	5	8.1	7	6.4	128	7.8	58	3.5	186	5.6
Female Breast	174	-	-	-	-	-	-	-	-	52	2.8	52	2.8
Colorectal	153-154	-	-	-	-	-	-	23	1.5	22	1.2	45	1.3
Cervical	180	-	-	1	2.0	1	2.0	-	-	3	0.1	3	0.1
Prostate	185	1	2.1	-	-	1	2.1	56	4.0	-	-	56	4.0
Endocrine/Nutritional/Metabolic	**240-279**	**-**	**-**	**-**	**-**	**-**	**-**	**38**	**2.3**	**35**	**2.2**	**73**	**2.3**
Diabetes	250	-	-	-	-	-	-	29	1.8	23	1.4	52	1.6
Circulatory System Diseases	**390-459**	**15**	**24.7**	**15**	**25.6**	**30**	**25.2**	**441**	**30.1**	**313**	**19.7**	**754**	**24.8**
Ischemic Heart	410-414, 429.2	7	11.6	6	11.1	13	11.4	264	17.2	171	10.8	435	14.1
Cerebrovascular/Stroke	430-434, 436-438	2	4.5	4	4.8	6	4.7	63	4.7	58	3.6	121	4.1
Diseases of Arteries	440-448	-	-	1	2.0	1	1.1	19	1.3	11	0.7	30	1.0
Respiratory System Diseases	**460-519**	**10**	**20.1**	**1**	**2.0**	**11**	**10.1**	**157**	**11.3**	**89**	**5.6**	**246**	**8.2**
Pneumonia/Influenza	480-487	6	10.8	-	-	6	4.8	63	4.6	41	2.5	104	3.4
Chronic Pulmonary Disease	491-492, 496	2	4.8	-	-	2	2.2	80	5.9	36	2.3	116	4.0
Asthma	493	-	-	-	-	-	-	3	0.1	4	0.2	7	0.2
Digestive System Diseases	**520-579**	**2**	**2.8**	**3**	**3.2**	**5**	**3.0**	**53**	**3.3**	**25**	**1.5**	**78**	**2.4**
Chronic Liver Disease/Cirrhosis	571	2	2.8	2	2.2	4	2.4	15	0.7	5	0.3	20	0.5
Congenital Anomalies	**740-759**	**2**	**1.7**	**1**	**0.3**	**3**	**0.9**	**2**	**0.1**	**3**	**0.1**	**5**	**0.1**
Perinatal Conditions	**760-779**	**1**	**0.2**	**2**	**0.6**	**3**	**0.4**	**8**	**0.3**	**9**	**0.3**	**17**	**0.3**
External Causes	**E800-E999**	**29**	**27.1**	**14**	**10.0**	**43**	**17.6**	**231**	**9.7**	**61**	**2.7**	**292**	**6.3**
Motor Vehicle Traffic Accidents	E810-E819	14	15.6	6	3.3	20	8.6	81	2.9	22	0.9	103	1.9
Accidental Poisoning	E850-E869	3	2.2	3	1.6	6	1.9	14	0.5	5	0.2	19	0.3
Accidental Falls	E880-E888	-	-	-	-	-	-	24	1.9	9	0.6	33	1.1
Suicide	E950-E959	3	1.8	-	-	3	0.8	48	1.9	13	0.6	61	1.3
Homicide	E960-E969	3	3.5	1	1.0	4	2.1	11	0.4	2	0.1	13	0.2
Fire and Flames	E890-E899	4	2.7	1	1.0	5	1.8	3	0.2	-	-	3	0.1
All Other Causes		9	10.3	8	7.2	17	8.7	107	6.6	107	6.2	214	6.4
Total Deaths		**79**	**108.3**	**56**	**67.8**	**135**	**85.2**	**1,413**	**87.0**	**909**	**53.6**	**2,322**	**68.8**
Alcohol-Related Deaths	see glossary	22	27.6	12	10.9	34	18.4	125	6.1	22	1.1	147	3.6
Medically Treatable Diseases	see glossary	2	2.8	-	-	2	1.2	8	0.3	8	0.3	16	0.3
Drug Induced Deaths	see glossary	3	2.2	3	1.6	6	1.9	12	0.4	9	0.4	21	0.4
Smoking-Attributable Mortality	see glossary	10	19.7	8	12.4	18	15.5	359	23.4	148	9.1	506	15.9

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
15 Northern Interior
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**7**	**2.1**	**8**	**3.4**	**15**	**2.8**	**41**	**1.3**	**30**	**0.9**	**71**	**1.1**
AIDS/HIV Infections	042-044	3	0.9	-	-	3	0.4	11	0.2	1	0.0	12	0.1
Tuberculosis	010-018,137	1	0.4	5	2.9	6	1.7	3	0.1	1	0.0	4	0.1
Cancer	**140-208**	**46**	**24.0**	**25**	**11.9**	**71**	**18.2**	**703**	**23.0**	**558**	**16.3**	**1,261**	**19.4**
Lung	162	13	7.0	2	0.9	15	4.1	228	7.3	141	4.2	369	5.7
Female Breast	174	-	-	3	1.1	3	1.1	-	-	98	2.7	98	2.7
Colorectal	153-154	5	2.6	2	0.9	7	1.8	62	2.0	42	1.4	104	1.7
Cervical	180	-	-	2	0.8	2	0.8	-	-	12	0.3	12	0.3
Prostate	185	5	3.0	-	-	5	3.0	78	3.2	-	-	78	3.2
Endocrine/Nutritional/Metabolic	**240-279**	**6**	**2.0**	**3**	**1.5**	**9**	**1.8**	**77**	**2.8**	**80**	**2.6**	**157**	**2.8**
Diabetes	250	3	1.4	2	1.1	5	1.3	53	1.9	53	1.8	106	1.8
Circulatory System Diseases	**390-459**	**54**	**29.4**	**43**	**21.7**	**97**	**25.8**	**841**	**30.8**	**547**	**19.4**	**1,388**	**24.9**
Ischemic Heart	410-414, 429.2	23	12.6	10	5.3	33	9.1	468	15.8	215	7.6	683	11.6
Cerebrovascular/Stroke	430-434, 436-438	10	5.7	12	5.2	22	5.5	145	5.9	146	5.2	291	5.5
Diseases of Arteries	440-448	1	0.5	-	-	1	0.3	47	1.9	33	1.2	80	1.5
Respiratory System Diseases	**460-519**	**15**	**8.1**	**15**	**7.5**	**30**	**7.8**	**245**	**10.5**	**159**	**5.7**	**404**	**7.8**
Pneumonia/Influenza	480-487	8	4.1	11	5.8	19	4.9	95	4.4	69	2.5	164	3.4
Chronic Pulmonary Disease	491-492, 496	3	1.6	2	0.9	5	1.3	120	4.9	68	2.4	188	3.6
Asthma	493	-	-	-	-	-	-	4	0.1	3	0.1	7	0.1
Digestive System Diseases	**520-579**	**8**	**3.6**	**20**	**8.1**	**28**	**5.9**	**104**	**3.2**	**85**	**2.7**	**189**	**3.0**
Chronic Liver Disease/Cirrhosis	571	3	1.1	11	4.1	14	2.7	36	0.9	31	0.8	67	0.8
Congenital Anomalies	**740-759**	**1**	**0.1**	**3**	**0.4**	**4**	**0.3**	**23**	**0.5**	**13**	**0.3**	**36**	**0.4**
Perinatal Conditions	**760-779**	**5**	**0.6**	**-**	**-**	**5**	**0.3**	**19**	**0.4**	**21**	**0.4**	**40**	**0.4**
External Causes	**E800-E999**	**101**	**25.3**	**55**	**13.3**	**156**	**19.0**	**483**	**10.0**	**136**	**3.3**	**619**	**6.7**
Motor Vehicle Traffic Accidents	E810-E819	25	6.2	20	5.2	45	5.7	157	3.2	59	1.3	216	2.2
Accidental Poisoning	E850-E869	11	3.3	5	1.0	16	2.1	43	0.8	12	0.2	55	0.5
Accidental Falls	E880-E888	3	1.2	4	1.8	7	1.5	19	0.8	25	0.9	44	0.8
Suicide	E950-E959	26	5.9	8	1.4	34	3.5	100	1.8	9	0.2	109	1.0
Homicide	E960-E969	12	2.6	6	1.1	18	1.9	25	0.5	6	0.1	31	0.3
Fire and Flames	E890-E899	6	0.9	4	0.6	10	0.7	9	0.2	6	0.1	15	0.2
All Other Causes		**26**	**9.9**	**26**	**10.6**	**52**	**10.2**	**185**	**6.6**	**178**	**5.9**	**363**	**6.2**
Total Deaths		**269**	**105.1**	**198**	**78.4**	**467**	**91.9**	**2,721**	**89.1**	**1,807**	**57.7**	**4,528**	**72.8**
Alcohol-Related Deaths	see glossary	45	18.9	34	11.9	79	15.5	225	5.8	89	2.5	314	4.1
Medically Treatable Diseases	see glossary	3	0.9	7	2.0	10	1.5	16	0.3	22	0.5	38	0.4
Drug Induced Deaths	see glossary	13	3.6	9	1.9	22	2.7	52	1.0	18	0.4	70	0.7
Smoking-Attributable Mortality	see glossary	37	19.4	17	8.6	54	14.2	653	22.8	301	9.8	954	15.9

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
16 Vancouver
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**70**	**15.8**	**16**	**3.8**	**86**	**9.6**	**1,290**	**5.0**	**231**	**0.7**	**1,521**	**2.9**
AIDS/HIV Infections	042-044	56	10.5	8	1.4	64	5.9	1,039	3.9	48	0.2	1,087	2.1
Tuberculosis	010-018,137	1	0.2	2	0.4	3	0.3	27	0.1	14	0.0	41	0.1
Cancer	**140-208**	**37**	**30.9**	**43**	**22.5**	**80**	**26.0**	**4,496**	**19.7**	**4,007**	**12.9**	**8,503**	**15.8**
Lung	162	9	6.8	8	4.5	17	5.3	1,334	5.9	895	2.9	2,229	4.2
Female Breast	174	-	-	8	4.3	8	4.3	-	-	647	2.2	647	2.2
Colorectal	153-154	3	3.7	5	3.5	8	3.5	482	2.1	406	1.2	888	1.6
Cervical	180	-	-	2	0.4	2	0.4	-	-	62	0.2	62	0.2
Prostate	185	7	8.3	-	-	7	8.3	455	2.0	-	-	455	2.0
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**3.0**	**12**	**3.6**	**15**	**3.1**	**499**	**2.2**	**532**	**1.5**	**1,031**	**1.8**
Diabetes	250	3	3.0	7	2.3	10	2.5	386	1.7	351	1.0	737	1.3
Circulatory System Diseases	**390-459**	**71**	**46.9**	**61**	**44.5**	**132**	**46.8**	**6,340**	**28.0**	**6,553**	**17.8**	**12,893**	**22.3**
Ischemic Heart	410-414, 429.2	32	19.6	27	20.2	59	20.7	3,588	15.9	3,067	8.3	6,655	11.6
Cerebrovascular/Stroke	430-434, 436-438	12	11.6	7	5.5	19	8.2	1,277	5.7	1,756	4.8	3,033	5.2
Diseases of Arteries	440-448	2	2.8	5	3.4	7	3.2	317	1.4	316	0.8	633	1.1
Respiratory System Diseases	**460-519**	**31**	**24.3**	**23**	**12.6**	**54**	**17.4**	**2,053**	**9.1**	**1,910**	**5.1**	**3,963**	**6.7**
Pneumonia/Influenza	480-487	14	8.2	15	7.8	29	8.0	952	4.2	1,127	2.9	2,079	3.5
Chronic Pulmonary Disease	491-492, 496	8	10.8	2	2.0	10	5.5	792	3.5	504	1.4	1,296	2.2
Asthma	493	-	-	-	-	-	-	43	0.2	55	0.2	98	0.2
Digestive System Diseases	**520-579**	**26**	**7.9**	**43**	**13.9**	**69**	**11.3**	**742**	**3.2**	**703**	**2.0**	**1,445**	**2.6**
Chronic Liver Disease/Cirrhosis	571	16	4.1	30	8.7	46	6.6	291	1.2	128	0.4	419	0.8
Congenital Anomalies	**740-759**	**1**	**0.2**	**-**	**-**	**1**	**0.1**	**88**	**0.5**	**66**	**0.3**	**154**	**0.4**
Perinatal Conditions	**760-779**	**6**	**0.7**	**4**	**0.5**	**10**	**0.6**	**89**	**0.5**	**58**	**0.4**	**147**	**0.4**
External Causes	**E800-E999**	**176**	**36.0**	**129**	**25.2**	**305**	**30.4**	**2,275**	**9.0**	**851**	**2.9**	**3,126**	**5.9**
Motor Vehicle Traffic Accidents	E810-E819	13	3.0	9	1.8	22	2.3	207	0.9	121	0.5	328	0.7
Accidental Poisoning	E850-E869	91	17.6	82	14.9	173	16.2	864	3.3	181	0.7	1,045	2.0
Accidental Falls	E880-E888	14	3.8	6	2.5	20	3.2	269	1.2	233	0.6	502	0.9
Suicide	E950-E959	21	3.7	13	2.3	34	3.0	545	2.1	163	0.6	708	1.4
Homicide	E960-E969	15	2.7	10	1.8	25	2.3	135	0.5	50	0.2	185	0.4
Fire and Flames	E890-E899	1	0.2	-	-	1	0.1	23	0.1	6	0.0	29	0.1
All Other Causes		84	31.7	57	14.2	141	21.7	1,561	6.8	1,748	5.0	3,309	5.8
Total Deaths		**505**	**197.4**	**388**	**140.7**	**893**	**167.1**	**19,433**	**84.0**	**16,659**	**48.8**	**36,092**	**64.7**
Alcohol-Related Deaths	see glossary	177	49.4	127	28.0	304	37.9	1,923	8.0	467	1.7	2,390	4.6
Medically Treatable Diseases	see glossary	14	3.4	19	3.6	33	3.5	98	0.4	72	0.3	170	0.3
Drug Induced Deaths	see glossary	83	15.7	80	14.5	163	15.1	928	3.5	238	0.9	1,166	2.2
Smoking-Attributable Mortality	see glossary	41	31.8	26	15.9	66	22.7	4,328	19.1	2,586	7.6	6,914	12.4

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

17 Burnaby

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**1**	**6.8**	**2**	**1.5**	**3**	**3.5**	**125**	**1.6**	**54**	**0.5**	**179**	**1.0**
AIDS/HIV Infections	042-044	-	-	1	0.8	1	0.5	67	0.8	4	0.0	71	0.4
Tuberculosis	010-018,137	-	-	-	-	-	-	8	0.1	4	0.0	12	0.1
Cancer	**140-208**	**11**	**141.8**	**8**	**34.4**	**19**	**67.6**	**1,652**	**23.5**	**1,492**	**14.0**	**3,144**	**16.7**
Lung	162	4	51.4	2	4.7	6	18.9	494	6.9	366	3.5	860	4.6
Female Breast	174	-	-	-	-	-	-	-	-	249	2.5	249	2.5
Colorectal	153-154	1	6.8	-	-	1	2.6	156	2.2	125	1.1	281	1.5
Cervical	180	-	-	-	-	-	-	-	-	16	0.2	16	0.2
Prostate	185	2	39.3	-	-	2	39.3	207	3.2	-	-	207	3.2
Endocrine/Nutritional/Metabolic	**240-279**	**-**	**-**	**1**	**10.7**	**1**	**7.8**	**176**	**2.6**	**200**	**1.7**	**376**	**1.9**
Diabetes	250	-	-	-	-	-	-	136	2.0	137	1.1	273	1.4
Circulatory System Diseases	**390-459**	**15**	**224.5**	**11**	**88.7**	**26**	**129.8**	**2,404**	**36.2**	**2,443**	**19.7**	**4,847**	**24.3**
Ischemic Heart	410-414, 429.2	10	173.1	3	23.1	13	66.8	1,439	21.5	1,146	9.2	2,585	13.0
Cerebrovascular/Stroke	430-434, 436-438	2	29.7	3	25.6	5	26.4	442	6.7	645	5.2	1,087	5.4
Diseases of Arteries	440-448	2	17.4	-	-	2	6.5	131	2.0	136	1.1	267	1.3
Respiratory System Diseases	**460-519**	**4**	**96.8**	**5**	**43.8**	**9**	**59.1**	**699**	**10.9**	**532**	**4.3**	**1,231**	**6.1**
Pneumonia/Influenza	480-487	1	28.7	2	21.4	3	23.4	298	4.7	294	2.3	592	2.9
Chronic Pulmonary Disease	491-492, 496	3	68.0	1	10.7	4	27.3	318	4.9	164	1.4	482	2.4
Asthma	493	-	-	1	1.1	1	0.7	7	0.1	20	0.2	27	0.1
Digestive System Diseases	**520-579**	**4**	**14.8**	**2**	**1.7**	**6**	**6.6**	**240**	**3.3**	**265**	**2.3**	**505**	**2.6**
Chronic Liver Disease/Cirrhosis	571	3	13.3	1	0.8	4	5.5	96	1.2	39	0.4	135	0.8
Congenital Anomalies	**740-759**	**1**	**0.5**	**-**	**-**	**1**	**0.2**	**22**	**0.3**	**21**	**0.3**	**43**	**0.3**
Perinatal Conditions	**760-779**	**2**	**0.9**	**-**	**-**	**2**	**0.5**	**27**	**0.4**	**17**	**0.3**	**44**	**0.4**
External Causes	**E800-E999**	**14**	**14.6**	**5**	**13.4**	**19**	**15.4**	**472**	**6.0**	**212**	**2.1**	**684**	**3.9**
Motor Vehicle Traffic Accidents	E810-E819	2	1.5	2	1.5	4	1.5	78	1.0	36	0.4	114	0.7
Accidental Poisoning	E850-E869	4	4.1	1	0.7	5	2.1	112	1.3	21	0.2	133	0.8
Accidental Falls	E880-E888	1	1.3	1	10.7	2	8.3	70	1.0	72	0.6	142	0.7
Suicide	E950-E959	4	3.5	-	-	4	1.5	128	1.6	36	0.4	164	1.0
Homicide	E960-E969	2	1.6	1	0.5	3	0.9	29	0.3	9	0.1	38	0.2
Fire and Flames	E890-E899	-	-	-	-	-	-	6	0.1	3	0.0	9	0.0
All Other Causes		3	30.4	5	23.4	8	25.3	442	6.6	497	4.2	939	4.8
Total Deaths		**55**	**531.0**	**39**	**217.7**	**94**	**315.8**	**6,259**	**91.3**	**5,733**	**49.4**	**11,992**	**62.1**
Alcohol-Related Deaths	see glossary	11	85.9	2	1.7	13	27.5	449	6.0	123	1.2	572	3.1
Medically Treatable Diseases	see glossary	-	-	-	-	-	-	19	0.2	20	0.2	39	0.2
Drug Induced Deaths	see glossary	3	3.1	1	0.7	4	1.7	128	1.5	43	0.5	171	1.0
Smoking-Attributable Mortality	see glossary	12	194.3	6	35.6	17	82.5	1,601	23.5	928	8.1	2,530	13.1

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

18 North Shore

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**3**	**5.4**	**5**	**5.5**	**8**	**5.2**	**109**	**1.3**	**45**	**0.4**	**154**	**0.8**
AIDS/HIV Infections	042-044	2	1.7	2	1.6	4	1.6	71	0.8	5	0.1	76	0.4
Tuberculosis	010-018,137	-	-	1	2.0	1	1.3	2	0.0	1	0.0	3	0.0
Cancer	**140-208**	**9**	**19.9**	**17**	**22.5**	**26**	**21.6**	**1,480**	**19.0**	**1,511**	**14.1**	**2,991**	**16.0**
Lung	162	-	-	4	7.7	4	4.9	393	5.0	316	2.9	709	3.8
Female Breast	174	-	-	1	0.7	1	0.7	-	-	279	2.6	279	2.6
Colorectal	153-154	2	4.6	2	1.6	4	2.8	145	1.8	158	1.4	303	1.6
Cervical	180	-	-	2	1.9	2	1.9	-	-	17	0.2	17	0.2
Prostate	185	-	-	-	-	-	-	198	2.6	-	-	198	2.6
Endocrine/Nutritional/Metabolic	**240-279**	**5**	**11.0**	**1**	**2.0**	**6**	**5.8**	**146**	**1.9**	**120**	**1.0**	**266**	**1.4**
Diabetes	250	4	9.6	1	2.0	5	5.2	108	1.4	86	0.7	194	1.0
Circulatory System Diseases	**390-459**	**23**	**55.5**	**14**	**22.4**	**37**	**35.7**	**1,894**	**25.1**	**2,211**	**18.3**	**4,105**	**21.3**
Ischemic Heart	410-414, 429.2	13	31.8	7	13.5	20	21.5	1,069	14.0	946	7.8	2,015	10.5
Cerebrovascular/Stroke	430-434, 436-438	3	8.8	4	5.3	7	6.2	373	5.0	652	5.4	1,025	5.3
Diseases of Arteries	440-448	1	2.0	1	2.0	2	2.2	126	1.7	115	1.0	241	1.3
Respiratory System Diseases	**460-519**	**3**	**8.2**	**7**	**11.7**	**10**	**10.4**	**488**	**6.6**	**667**	**5.5**	**1,155**	**6.0**
Pneumonia/Influenza	480-487	1	3.7	6	10.1	7	7.5	224	3.1	391	3.2	615	3.1
Chronic Pulmonary Disease	491-492, 496	2	4.5	1	1.6	3	2.9	197	2.6	197	1.7	394	2.1
Asthma	493	-	-	-	-	-	-	9	0.1	19	0.2	28	0.2
Digestive System Diseases	**520-579**	**6**	**10.8**	**7**	**8.2**	**13**	**9.2**	**155**	**2.0**	**220**	**1.9**	**375**	**2.0**
Chronic Liver Disease/Cirrhosis	571	3	6.2	5	6.3	8	6.1	46	0.6	43	0.4	89	0.5
Congenital Anomalies	**740-759**	-	-	-	-	-	-	**21**	**0.3**	**17**	**0.3**	**38**	**0.3**
Perinatal Conditions	**760-779**	-	-	-	-	-	-	**12**	**0.2**	**9**	**0.2**	**21**	**0.2**
External Causes	**E800-E999**	**24**	**21.9**	**3**	**2.7**	**27**	**11.7**	**333**	**4.5**	**231**	**2.3**	**564**	**3.4**
Motor Vehicle Traffic Accidents	E810-E819	5	3.6	2	1.9	7	2.8	44	0.6	28	0.3	72	0.5
Accidental Poisoning	E850-E869	8	8.0	-	-	8	3.7	57	0.8	23	0.3	80	0.5
Accidental Falls	E880-E888	2	1.5	-	-	2	0.8	62	0.8	95	0.8	157	0.8
Suicide	E950-E959	4	3.4	-	-	4	1.6	104	1.4	45	0.5	149	0.9
Homicide	E960-E969	2	1.6	1	0.8	3	1.1	8	0.1	5	0.1	13	0.1
Fire and Flames	E890-E899	-	-	-	-	-	-	1	0.0	4	0.0	5	0.0
All Other Causes		4	3.5	3	2.9	7	3.3	438	5.9	687	5.9	1,125	5.9
Total Deaths		**77**	**136.2**	**57**	**77.9**	**134**	**102.9**	**5,076**	**66.8**	**5,718**	**49.9**	**10,794**	**57.3**
Alcohol-Related Deaths	see glossary	28	43.3	8	8.7	36	23.1	315	4.0	166	1.6	481	2.6
Medically Treatable Diseases	see glossary	-	-	3	2.8	3	1.5	17	0.2	25	0.3	42	0.2
Drug Induced Deaths	see glossary	5	4.5	1	0.8	6	2.5	81	1.1	43	0.5	124	0.8
Smoking-Attributable Mortality	see glossary	10	21.7	9	14.7	19	17.8	1,214	15.8	896	7.8	2,111	11.1

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region

19 Richmond

British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**1**	**5.1**	**-**	**-**	**1**	**2.3**	**79**	**1.6**	**43**	**0.6**	**122**	**0.9**
AIDS/HIV Infections	042-044	-	-	-	-	-	-	35	0.6	4	0.1	39	0.3
Tuberculosis	010-018,137	-	-	-	-	-	-	1	0.0	3	0.0	4	0.0
Cancer	**140-208**	**2**	**55.4**	**7**	**67.7**	**9**	**70.5**	**1,005**	**24.2**	**919**	**12.7**	**1,924**	**14.7**
Lung	162	1	37.1	2	22.0	3	27.5	302	7.5	209	2.9	511	3.9
Female Breast	174	-	-	1	2.8	1	2.8	-	-	168	2.3	168	2.3
Colorectal	153-154	-	-	-	-	-	-	110	2.7	88	1.2	198	1.5
Cervical	180	-	-	-	-	-	-	-	-	16	0.2	16	0.2
Prostate	185	-	-	-	-	-	-	108	2.8	-	-	108	2.8
Endocrine/Nutritional/Metabolic	**240-279**	**1**	**18.4**	**1**	**17.7**	**2**	**23.6**	**91**	**2.3**	**93**	**1.2**	**184**	**1.4**
Diabetes	250	-	-	1	17.7	1	13.1	66	1.7	66	0.9	132	1.0
Circulatory System Diseases	**390-459**	**4**	**190.3**	**3**	**52.8**	**7**	**89.4**	**1,255**	**31.4**	**1,166**	**15.1**	**2,421**	**18.7**
Ischemic Heart	410-414, 429.2	3	139.2	3	52.8	6	76.3	772	19.3	557	7.2	1,329	10.3
Cerebrovascular/Stroke	430-434, 436-438	1	51.1	-	-	1	13.1	232	5.8	306	3.9	538	4.1
Diseases of Arteries	440-448	-	-	-	-	-	-	69	1.7	50	0.6	119	0.9
Respiratory System Diseases	**460-519**	**2**	**69.4**	**2**	**35.4**	**4**	**49.8**	**342**	**8.7**	**335**	**4.3**	**677**	**5.2**
Pneumonia/Influenza	480-487	-	-	-	-	-	-	151	3.8	158	2.0	309	2.4
Chronic Pulmonary Disease	491-492, 496	1	51.1	-	-	1	13.1	123	3.3	113	1.4	236	1.8
Asthma	493	-	-	1	17.7	1	13.1	7	0.2	11	0.1	18	0.1
Digestive System Diseases	**520-579**	**-**	**-**	**2**	**9.3**	**2**	**5.1**	**113**	**2.6**	**129**	**1.7**	**242**	**1.8**
Chronic Liver Disease/Cirrhosis	571	-	-	1	2.8	1	1.7	34	0.7	21	0.3	55	0.4
Congenital Anomalies	**740-759**	**1**	**1.6**	**-**	**-**	**1**	**0.8**	**14**	**0.2**	**10**	**0.2**	**24**	**0.2**
Perinatal Conditions	**760-779**	**-**	**-**	**2**	**3.2**	**2**	**1.8**	**19**	**0.3**	**15**	**0.3**	**34**	**0.3**
External Causes	**E800-E999**	**5**	**20.0**	**3**	**23.0**	**8**	**26.3**	**254**	**4.5**	**135**	**1.9**	**389**	**2.9**
Motor Vehicle Traffic Accidents	E810-E819	2	6.6	-	-	2	3.5	45	0.7	29	0.4	74	0.6
Accidental Poisoning	E850-E869	-	-	1	2.5	1	1.4	41	0.6	12	0.2	53	0.4
Accidental Falls	E880-E888	1	3.3	1	17.7	2	14.7	32	0.8	37	0.5	69	0.5
Suicide	E950-E959	-	-	1	2.8	1	1.5	71	1.2	26	0.4	97	0.7
Homicide	E960-E969	1	6.9	-	-	1	3.4	8	0.1	4	0.1	12	0.1
Fire and Flames	E890-E899	-	-	-	-	-	-	7	0.1	-	-	7	0.1
All Other Causes		2	43.1	4	44.5	6	44.1	212	5.2	281	3.7	493	3.8
Total Deaths		**18**	**403.3**	**24**	**253.6**	**42**	**313.3**	**3,384**	**81.2**	**3,126**	**41.6**	**6,510**	**50.0**
Alcohol-Related Deaths	see glossary	1	5.1	3	8.5	4	7.4	173	3.8	68	0.9	241	1.8
Medically Treatable Diseases	see glossary	1	5.1	-	-	1	2.3	11	0.2	17	0.2	28	0.2
Drug Induced Deaths	see glossary	-	-	2	5.3	2	3.0	54	0.9	29	0.4	83	0.6
Smoking-Attributable Mortality	see glossary	3	117.7	3	35.1	5	58.3	849	20.8	510	6.8	1,359	10.4

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Age Standardized Mortality Rates by Health Region
20 Capital
British Columbia, 1991-1999

		Status Indians						Other Residents					
		Male		Female		Total		Male		Female		Total	
Causes of Death	ICD9 Codes	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR	Deaths	ASMR
Infectious/Parasitic Diseases	**001-139**	**7**	**4.7**	**5**	**3.2**	**12**	**3.9**	**224**	**1.5**	**135**	**0.5**	**359**	**1.0**
AIDS/HIV Infections	042-044	5	1.8	2	0.6	7	1.2	141	1.0	7	0.1	148	0.5
Tuberculosis	010-018,137	1	1.3	1	1.2	2	1.2	2	0.0	8	0.0	10	0.0
Cancer	**140-208**	**28**	**28.6**	**28**	**26.2**	**56**	**27.1**	**3,797**	**20.8**	**3,768**	**15.4**	**7,565**	**17.5**
Lung	162	4	4.4	5	6.0	9	5.2	1,112	6.1	842	3.6	1,954	4.6
Female Breast	174	-	-	7	6.2	7	6.2	-	-	672	3.0	672	3.0
Colorectal	153-154	2	1.9	1	1.2	3	1.5	308	1.7	345	1.3	653	1.5
Cervical	180	-	-	-	-	-	-	-	-	42	0.2	42	0.2
Prostate	185	2	3.0	-	-	2	3.0	563	2.9	-	-	563	2.9
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**3.4**	**5**	**2.7**	**8**	**2.9**	**341**	**1.9**	**401**	**1.4**	**742**	**1.6**
Diabetes	250	1	1.4	2	1.7	3	1.6	243	1.3	259	0.9	502	1.1
Circulatory System Diseases	**390-459**	**42**	**49.5**	**28**	**30.0**	**70**	**38.7**	**4,948**	**25.9**	**5,610**	**17.8**	**10,558**	**21.2**
Ischemic Heart	410-414, 429.2	22	28.2	11	12.8	33	19.7	2,605	13.8	2,285	7.3	4,890	10.1
Cerebrovascular/Stroke	430-434, 436-438	5	5.7	6	6.1	11	5.8	964	4.9	1,515	4.8	2,479	4.9
Diseases of Arteries	440-448	4	3.7	1	0.3	5	1.8	355	1.8	321	1.0	676	1.3
Respiratory System Diseases	**460-519**	**10**	**12.6**	**15**	**16.4**	**25**	**14.6**	**1,417**	**7.2**	**1,598**	**5.1**	**3,015**	**6.0**
Pneumonia/Influenza	480-487	5	5.3	5	5.5	10	5.4	554	2.8	798	2.4	1,352	2.6
Chronic Pulmonary Disease	491-492, 496	5	7.3	3	3.9	8	5.5	624	3.2	554	1.9	1,178	2.4
Asthma	493	-	-	2	1.5	2	0.8	39	0.2	51	0.2	90	0.2
Digestive System Diseases	**520-579**	**10**	**5.7**	**8**	**7.8**	**18**	**6.8**	**429**	**2.4**	**489**	**1.7**	**918**	**2.0**
Chronic Liver Disease/Cirrhosis	571	7	3.5	3	2.1	10	2.7	142	0.9	74	0.3	216	0.6
Congenital Anomalies	**740-759**	**5**	**2.3**	**2**	**0.4**	**7**	**1.3**	**55**	**0.4**	**47**	**0.3**	**102**	**0.4**
Perinatal Conditions	**760-779**	**4**	**0.7**	**-**	**-**	**4**	**0.4**	**31**	**0.3**	**19**	**0.2**	**50**	**0.3**
External Causes	**E800-E999**	**65**	**29.6**	**28**	**10.4**	**93**	**19.3**	**931**	**6.1**	**618**	**2.8**	**1,549**	**4.4**
Motor Vehicle Traffic Accidents	E810-E819	11	3.6	3	0.9	14	2.2	105	0.8	52	0.3	157	0.6
Accidental Poisoning	E850-E869	13	5.3	7	2.4	20	3.7	197	1.4	51	0.3	248	0.9
Accidental Falls	E880-E888	7	5.4	2	2.5	9	3.9	190	1.0	295	0.9	485	1.0
Suicide	E950-E959	19	6.1	8	2.2	27	4.0	259	1.7	112	0.7	371	1.2
Homicide	E960-E969	1	0.2	1	0.3	2	0.3	29	0.2	19	0.1	48	0.2
Fire and Flames	E690-E899	6	4.0	3	0.8	9	2.2	10	0.1	6	0.0	16	0.0
All Other Causes		18	12.4	15	10.5	33	11.3	1,204	6.4	1,820	6.1	3,024	6.3
Total Deaths		**192**	**149.5**	**134**	**107.6**	**326**	**126.3**	**13,377**	**72.9**	**14,505**	**51.3**	**27,882**	**60.7**
Alcohol-Related Deaths	see glossary	41	26.3	9	5.5	50	14.8	939	5.5	345	1.5	1,284	3.3
Medically Treatable Diseases	see glossary	-	-	2	0.8	2	0.4	23	0.2	45	0.3	68	0.2
Drug Induced Deaths	see glossary	10	4.0	12	3.3	22	3.6	235	1.6	108	0.7	343	1.1
Smoking-Attributable Mortality	see glossary	23	27.5	13	14.6	37	20.3	3,372	18.1	2,318	8.3	5,689	12.3

Notes: Gender unknown are excluded.
ASMR per 10,000 Standard population (Canada Census 1991).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Appendix 5

Potential Years of Life Lost (Age Under 75 Years) by Health Region

Potential Years of Life Lost (Age Under 75 Years) by Health Region

Provincial Total

British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**144**	**5,084**	**10.0**	**67**	**1,988**	**3.7**	**211**	**7,072**	**6.6**	**2,315**	**69,657**	**4.4**	**510**	**11,532**	**0.8**	**2,825**	**81,219**	**2.6**
AIDS/HIV Infections	042-044	102	3,745	7.5	20	655	1.2	122	4,400	4.1	1,893	57,357	3.6	104	3,917	0.3	1,797	61,274	1.9
Tuberculosis	010-018,137	5	68	0.2	12	215	0.5	17	283	0.4	40	610	0.0	22	155	0.0	62	765	0.0
Cancer	**140-208**	**352**	**6,032**	**16.6**	**304**	**5,685**	**13.9**	**656**	**11,697**	**15.2**	**19,601**	**232,515**	**14.2**	**16,520**	**224,178**	**13.5**	**36,121**	**456,691**	**13.8**
Lung	162	88	1,220	3.8	56	745	2.2	144	1,965	3.0	6,297	65,813	4.0	4,386	50,725	3.0	10,683	116,538	3.5
Female Breast	174	-	-	-	58	1,225	2.8	58	1,225	2.8	-	-	-	3,226	52,170	3.1	3,226	52,170	3.1
Colorectal	153-154	39	508	1.7	21	373	0.9	60	880	1.3	1,711	18,548	1.1	1,171	14,023	0.8	2,882	32,570	1.0
Cervical	180	-	-	-	16	430	0.9	16	430	0.9	-	-	-	321	6,723	0.4	321	6,723	0.4
Prostate	185	24	175	0.7	-	-	-	24	175	0.7	1,453	10,088	0.6	-	-	-	1,453	10,088	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**62**	**1,223**	**3.1**	**69**	**1,309**	**3.2**	**131**	**2,532**	**3.1**	**1,560**	**21,488**	**1.3**	**1,035**	**13,748**	**0.9**	**2,595**	**35,215**	**1.1**
Diabetes	250	43	563	1.9	44	660	1.9	87	1,223	1.9	1,157	13,395	0.8	742	7,565	0.5	1,899	20,949	0.6
Circulatory System Diseases	**390-459**	**524**	**8,406**	**24.0**	**323**	**5,370**	**13.6**	**847**	**13,776**	**18.8**	**17,866**	**193,865**	**11.8**	**8,313**	**78,810**	**4.7**	**26,179**	**272,675**	**8.2**
Ischemic Heart	410-414, 429.2	276	4,000	12.3	107	1,228	3.9	383	5,228	7.9	11,293	119,810	7.2	3,953	31,840	1.9	15,246	151,649	4.5
Cerebrovascular/Stroke	430-434, 436-438	78	1,002	3.2	95	1,818	4.3	173	2,820	3.8	2,520	25,713	1.6	2,000	21,007	1.3	4,520	46,720	1.4
Diseases of Arteries	440-448	23	542	1.2	19	328	0.8	42	869	1.0	1,030	9,694	0.6	476	4,180	0.3	1,506	13,874	0.4
Respiratory System Diseases	**460-519**	**148**	**2,923**	**7.0**	**127**	**2,773**	**5.9**	**275**	**5,696**	**6.4**	**3,884**	**34,344**	**2.1**	**2,256**	**21,043**	**1.3**	**5,820**	**55,387**	**1.7**
Pneumonia/Influenza	480-487	77	1,845	4.1	65	1,697	3.2	142	3,541	3.6	1,065	13,019	0.8	645	7,520	0.5	1,710	20,538	0.6
Chronic Pulmonary Disease	491-492, 496	36	280	1.2	20	220	0.7	56	500	0.9	1,741	11,893	0.7	1,142	7,385	0.4	2,883	19,278	0.6
Asthma	493	6	170	0.3	6	155	0.3	12	325	0.3	149	2,133	0.1	135	1,818	0.1	284	3,960	0.1
Digestive System Diseases	**520-579**	**169**	**3,509**	**9.0**	**181**	**4,038**	**9.2**	**350**	**7,548**	**9.1**	**2,391**	**36,258**	**2.2**	**1,393**	**18,493**	**1.1**	**3,784**	**54,850**	**1.7**
Chronic Liver Disease/Cirrhosis	571	84	1,949	4.8	112	2,660	5.9	196	4,609	5.4	1,234	19,790	1.2	554	8,460	0.5	1,788	28,250	0.8
Congenital Anomalies	**740-759**	**28**	**1,843**	**2.1**	**19**	**1,257**	**1.5**	**47**	**3,100**	**1.8**	**509**	**31,098**	**2.3**	**390**	**22,414**	**1.7**	**899**	**53,492**	**2.0**
Perinatal Conditions	**760-779**	**39**	**2,906**	**3.0**	**33**	**2,459**	**2.7**	**72**	**5,364**	**2.8**	**482**	**34,396**	**2.6**	**372**	**27,712**	**2.2**	**854**	**62,108**	**2.4**
External Causes	**E800-E999**	**1,189**	**47,152**	**85.9**	**534**	**21,374**	**35.3**	**1,693**	**68,526**	**59.3**	**10,439**	**371,468**	**24.3**	**3,194**	**106,170**	**7.1**	**13,633**	**477,638**	**15.8**
Motor Vehicle Traffic Accidents	E810-E819	287	12,429	21.7	132	5,521	9.0	419	17,950	15.1	2,259	92,845	6.2	907	33,902	2.3	3,166	126,746	4.3
Accidental Poisoning	E850-E869	227	8,463	16.7	158	5,985	10.2	385	14,448	13.2	2,253	80,352	5.1	532	18,345	1.2	2,785	98,697	3.2
Accidental Falls	E880-E888	63	1,812	3.8	23	575	1.2	86	2,387	2.4	543	13,447	0.9	201	3,252	0.2	744	16,698	0.5
Suicide	E950-E959	282	11,605	20.5	62	3,595	5.8	344	15,200	12.8	2,910	95,985	6.2	796	24,375	1.6	3,706	120,360	3.9
Homicide	E960-E969	75	3,303	5.8	45	1,894	3.1	120	5,196	4.3	501	19,866	1.3	229	9,934	0.7	730	29,800	1.0
Fire and Flames	E890-E899	38	1,662	2.6	22	897	1.4	60	2,558	2.0	140	4,793	0.3	64	2,091	0.1	204	6,883	0.2
All Other Causes		345	12,749	21.6	283	10,457	17.0	628	23,206	19.2	3,875	79,233	5.1	2,723	50,058	3.3	6,598	129,291	4.2
Total Deaths		**2,970**	**91,836**	**182.3**	**1,940**	**88,776**	**165.9**	**4,910**	**148,612**	**142.3**	**62,582**	**1,104,399**	**70.3**	**36,696**	**573,964**	**36.7**	**99,278**	**1,678,363**	**53.6**
Alcohol-Related Deaths	see glossary	962	27,116	59.5	460	13,384	26.0	1,422	40,500	41.9	7,520	141,127	8.7	2,017	34,222	2.1	9,537	175,348	5.4
Medically Treatable Diseases	see glossary	53	1,703	3.6	69	2,233	4.2	122	3,935	3.9	438	12,690	0.8	505	14,568	0.9	943	27,458	0.9
Drug Induced Deaths	see glossary	199	7,508	14.8	190	7,192	12.2	389	14,700	13.4	2,570	90,189	5.8	889	28,538	1.9	3,459	118,727	3.8
Smoking-Attributable Mortality	see glossary	320	4,562	14.3	170	2,685	7.2	491	7,247	10.6	14,851	160,619	9.7	6,875	74,849	4.4	21,726	235,469	7.0

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
01/02 East and West Kootenay
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	1	33	5.0	-	-	-	1	33	2.3	25	583	0.8	18	360	0.4	43	882	0.6
AIDS/HIV Infections	042-044	1	33	5.0	-	-	-	1	33	2.3	11	358	0.6	-	-	-	11	358	0.3
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	**140-208**	9	128	34.0	8	95	22.2	17	223	28.0	937	10,670	17.8	725	9,652	13.5	1,662	20,321	13.8
Lung	162	6	75	23.1	2	15	5.3	8	90	14.0	281	2,643	4.6	206	2,395	3.3	487	5,038	3.3
Female Breast	174	-	-	-	4	70	12.1	4	70	12.1	-	-	-	137	2,173	3.0	137	2,173	3.0
Colorectal	153-154	-	-	-	-	-	-	-	-	-	76	845	1.4	53	623	0.9	129	1,468	1.0
Cervical	180	-	-	-	1	8	3.3	1	8	3.3	-	-	-	11	203	0.3	11	203	0.3
Prostate	185	-	-	-	-	-	-	-	-	-	87	543	1.2	-	-	-	87	543	1.2
Endocrine/Nutritional/Metabolic	**240-279**	2	87	8.5	-	-	-	2	87	4.2	77	992	1.7	54	624	1.0	131	1,616	1.2
Diabetes	250	-	-	-	-	-	-	-	-	-	55	486	0.9	38	296	0.4	93	783	0.5
Circulatory System Diseases	**390-459**	11	208	41.7	8	75	21.9	19	283	29.8	670	8,955	15.3	403	4,009	5.6	1,273	12,965	8.8
Ischemic Heart	410-414, 429.2	6	135	23.9	5	28	13.0	11	163	16.8	584	5,840	9.8	216	1,900	2.6	780	7,740	5.1
Cerebrovascular/Stroke	430-434, 436-438	3	23	8.4	2	30	5.2	5	53	6.9	112	990	1.8	81	938	1.4	193	1,928	1.4
Diseases of Arteries	440-448	-	-	-	-	-	-	-	-	-	59	433	0.8	21	113	0.1	80	546	0.4
Respiratory System Diseases	**460-519**	5	63	15.6	-	-	-	5	63	7.7	151	1,326	2.4	94	900	1.2	245	2,234	1.5
Pneumonia/Influenza	480-487	3	53	11.3	-	-	-	3	53	5.4	47	503	0.8	28	405	0.6	75	907	0.6
Chronic Pulmonary Disease	491-492, 496	2	10	4.2	-	-	-	2	10	2.3	78	435	1.0	48	305	0.4	126	740	0.5
Asthma	493	-	-	-	-	-	-	-	-	-	4	85	0.1	3	28	0.0	7	113	0.1
Digestive System Diseases	**520-579**	1	28	4.3	3	68	11.5	4	95	8.1	104	1,366	2.1	67	713	1.0	171	2,078	1.4
Chronic Liver Disease/Cirrhosis	571	1	28	4.3	2	50	7.7	3	78	6.2	54	830	1.2	24	285	0.4	78	1,115	0.7
Congenital Anomalies	**740-759**	-	-	-	-	-	-	-	-	-	22	1,348	2.6	14	739	1.4	36	2,087	2.0
Perinatal Conditions	**760-779**	1	75	4.4	-	-	-	1	75	2.3	16	1,192	2.4	13	969	2.0	29	2,161	2.2
External Causes	**E800-E999**	18	670	84.9	6	206	25.9	24	875	55.0	534	19,639	32.0	166	5,636	9.6	700	25,274	29.8
Motor Vehicle Traffic Accidents	E810-E819	5	223	26.8	2	100	10.6	7	323	18.0	153	6,567	10.5	66	2,424	4.1	219	8,991	7.4
Accidental Poisoning	E850-E869	-	-	-	3	93	11.5	3	93	6.5	38	1,220	1.9	13	403	0.7	51	1,623	1.3
Accidental Falls	E880-E888	1	3	1.3	1	13	3.8	2	15	2.7	21	743	1.3	8	180	0.3	29	922	0.8
Suicide	E950-E959	4	190	21.4	-	-	-	4	190	10.7	162	5,225	8.5	31	793	1.2	193	6,018	4.9
Homicide	E960-E969	-	-	-	-	-	-	-	-	-	21	847	1.4	15	781	1.3	36	1,628	1.4
Fire and Flames	E890-E899	3	63	9.6	-	-	-	3	63	5.0	12	402	0.7	2	60	0.1	14	462	0.4
All Other Causes		3	78	12.0	4	241	17.7	7	319	14.7	162	3,158	5.5	109	2,015	3.2	271	5,173	4.1
Total Deaths		51	1,367	210.4	29	694	99.2	80	2,060	152.1	2,896	49,204	82.8	1,863	25,545	39.0	4,961	74,749	58.5
Alcohol-Related Deaths	see glossary	20	515	86.9	9	240	34.1	29	755	58.0	363	6,963	11.4	94	1,580	2.3	457	8,543	6.4
Medically Treatable Diseases	see glossary	1	38	5.4	-	-	-	1	38	2.3	18	540	0.8	18	490	0.7	36	1,030	0.8
Drug Induced Deaths	see glossary	1	48	6.1	3	93	11.5	4	140	9.3	43	1,423	2.3	30	750	1.3	73	2,173	1.8
Smoking-Attributable Mortality	see glossary	12	172	43.3	3	35	9.7	15	207	25.6	700	7,197	12.0	311	3,428	4.6	1,011	10,624	6.9

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
03 North Okanagan
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**1**	**38**	**3.2**	**1**	**8**	**1.0**	**2**	**45**	**1.9**	**23**	**645**	**1.8**	**11**	**118**	**0.3**	**34**	**762**	**0.9**
AIDS/HIV Infections	042-044	1	38	3.2	1	8	1.0	2	45	1.9	10	320	0.8	1	48	0.2	11	368	0.5
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	**140-208**	**5**	**138**	**10.8**	**8**	**170**	**15.4**	**13**	**308**	**13.2**	**714**	**8,180**	**15.4**	**571**	**7,323**	**13.5**	**1,285**	**15,503**	**14.5**
Lung	162	1	3	0.4	2	35	3.5	3	38	2.1	231	2,358	4.2	141	1,653	2.9	372	4,010	3.6
Female Breast	174	-	-	-	-	-	-	-	-	-	-	-	-	125	2,023	3.8	125	2,023	3.8
Colorectal	153-154	1	18	2.0	-	-	-	1	18	0.9	63	738	1.3	35	378	0.7	98	1,115	1.0
Cervical	180	-	-	-	2	45	4.1	2	45	4.1	-	-	-	6	105	0.2	6	105	0.2
Prostate	185	-	-	-	-	-	-	-	-	-	56	435	0.7	-	-	-	56	435	0.7
Endocrine/Nutritional/Metabolic	**240-279**	**1**	**38**	**3.2**	**2**	**19**	**1.4**	**3**	**48**	**2.1**	**51**	**618**	**1.2**	**32**	**360**	**0.7**	**83**	**977**	**0.9**
Diabetes	250	-	-	-	1	8	1.0	1	8	0.6	40	450	0.8	27	238	0.4	67	688	0.6
Circulatory System Diseases	**390-459**	**13**	**163**	**18.9**	**5**	**88**	**7.3**	**18**	**250**	**13.0**	**689**	**6,822**	**12.0**	**314**	**2,850**	**5.5**	**1,003**	**9,672**	**8.7**
Ischemic Heart	410-414, 429.2	8	100	11.3	2	60	4.2	10	160	7.8	414	3,900	6.9	126	1,055	1.8	540	4,955	4.3
Cerebrovascular/Stroke	430-434, 436-438	-	-	-	1	18	1.8	1	18	0.9	100	955	1.8	77	873	1.7	177	1,828	1.7
Diseases of Arteries	440-448	1	13	1.6	-	-	-	1	13	0.8	55	428	0.8	35	243	0.4	90	670	0.6
Respiratory System Diseases	**460-519**	**6**	**160**	**14.4**	**8**	**199**	**14.0**	**14**	**359**	**13.8**	**111**	**942**	**1.8**	**83**	**858**	**1.1**	**194**	**1,800**	**1.5**
Pneumonia/Influenza	480-487	4	115	10.5	3	162	8.9	7	277	9.4	27	422	0.9	25	268	0.5	52	690	0.7
Chronic Pulmonary Disease	491-492, 496	1	3	0.4	2	15	2.0	3	18	1.3	58	360	0.6	46	270	0.4	104	630	0.5
Asthma	493	-	-	-	-	-	-	-	-	-	3	18	0.0	4	40	0.1	7	58	0.0
Digestive System Diseases	**520-579**	**2**	**25**	**3.2**	**7**	**163**	**14.2**	**9**	**188**	**9.0**	**88**	**1,227**	**2.4**	**39**	**483**	**0.8**	**127**	**1,698**	**1.8**
Chronic Liver Disease/Cirrhosis	571	2	25	3.2	6	125	11.9	8	150	7.6	40	490	0.9	22	265	0.5	62	755	0.7
Congenital Anomalies	**740-759**	-	-	-	**2**	**127**	**7.4**	**2**	**127**	**3.8**	**14**	**778**	**2.1**	**15**	**640**	**1.8**	**29**	**1,418**	**2.0**
Perinatal Conditions	**760-779**	-	-	-	**1**	**75**	**3.8**	**1**	**75**	**1.8**	**10**	**745**	**2.2**	**7**	**522**	**1.8**	**17**	**1,267**	**1.9**
External Causes	**E800-E999**	**32**	**1,245**	**94.3**	**11**	**348**	**25.8**	**43**	**1,592**	**59.4**	**325**	**11,306**	**28.6**	**130**	**4,553**	**11.7**	**455**	**15,859**	**20.3**
Motor Vehicle Traffic Accidents	E810-E819	14	610	44.8	4	150	10.9	18	760	27.7	116	4,650	11.7	52	2,147	5.7	168	6,797	8.8
Accidental Poisoning	E850-E869	2	75	5.7	1	48	3.7	3	123	4.7	24	1,015	2.9	13	433	1.2	37	1,448	2.0
Accidental Falls	E880-E888	3	13	2.1	1	33	2.5	4	45	2.3	11	168	0.3	10	140	0.3	21	308	0.3
Suicide	E950-E959	5	233	18.1	1	43	2.7	6	275	10.1	85	2,693	6.8	26	730	1.6	111	3,423	4.2
Homicide	E960-E969	1	38	3.2	3	68	5.8	4	105	4.3	12	460	1.2	9	368	1.1	21	827	1.1
Fire and Flames	E890-E899	3	152	10.1	1	8	1.0	4	160	5.5	5	118	0.3	2	105	0.2	7	223	0.3
All Other Causes		4	75	6.8	5	68	6.4	9	143	6.9	119	2,912	7.0	84	1,297	2.9	203	4,209	5.0
Total Deaths		**64**	**1,990**	**154.8**	**50**	**1,253**	**97.4**	**114**	**3,133**	**124.7**	**2,144**	**33,970**	**74.3**	**1,296**	**18,861**	**40.0**	**3,430**	**52,851**	**57.3**
Alcohol-Related Deaths	see glossary	30	815	70.7	8	195	16.7	38	1,010	42.5	289	5,068	11.5	80	1,195	2.5	349	6,263	7.0
Medically Treatable Diseases	see glossary	2	75	6.3	2	45	4.1	4	120	5.1	10	325	0.8	6	180	0.4	16	505	0.6
Drug Induced Deaths	see glossary	-	-	-	1	48	3.7	1	48	1.9	37	1,338	3.6	24	775	2.0	61	2,113	2.8
Smoking-Attrib./table Mortality	see glossary	7	91	10.4	6	99	10.0	14	189	10.2	549	5,504	9.8	243	2,495	4.4	792	7,999	7.1

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
04 South Okanagan Similkameen
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**2**	**55**	**3.7**	**1**	**23**	**1.5**	**3**	**78**	**2.5**	**65**	**1,578**	**1.9**	**20**	**435**	**0.5**	**85**	**2,013**	**1.2**
AIDS/HIV Infections	042-044	1	28	1.9	-	-	-	1	28	0.9	33	1,158	1.5	4	145	0.2	37	1,303	0.8
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	2	30	0.0	2	5	0.0	4	35	0.0
Cancer	**140-208**	**10**	**195**	**13.9**	**6**	**120**	**8.5**	**16**	**315**	**11.1**	**1,420**	**14,535**	**13.8**	**1,121**	**13,436**	**12.4**	**2,541**	**27,973**	**13.1**
Lung	162	2	20	2.1	1	13	1.4	3	33	1.7	437	4,328	3.9	295	3,223	2.8	732	7,550	3.4
Female Breast	174	-	-	-	3	93	5.2	3	93	5.2	-	-	-	199	2,823	2.7	199	2,823	2.7
Colorectal	153-154	1	18	1.7	-	-	-	1	18	0.8	118	1,025	0.9	80	845	0.7	198	1,870	0.8
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	17	306	0.3	17	306	0.3
Prostate	185	1	3	0.5	-	-	-	1	3	0.5	135	868	0.7	-	-	-	135	868	0.7
Endocrine/Nutritional/Metabolic	**240-279**	**1**	**8**	**1.0**	**3**	**68**	**4.6**	**4**	**75**	**3.0**	**102**	**1,479**	**1.6**	**56**	**740**	**0.7**	**158**	**2,219**	**1.2**
Diabetes	250	-	-	-	2	50	3.2	2	50	1.7	71	878	0.9	33	383	0.4	104	1,260	0.6
Circulatory System Diseases	**390-459**	**21**	**283**	**25.8**	**9**	**190**	**11.6**	**30**	**472**	**18.2**	**1,225**	**11,755**	**11.1**	**547**	**4,566**	**4.1**	**1,772**	**16,322**	**7.5**
Ischemic Heart	410-414, 429.2	15	218	19.5	1	8	1.0	16	225	9.7	725	6,858	6.3	253	1,786	1.5	978	8,645	3.8
Cerebrovascular/Stroke	430-434, 436-438	3	48	3.9	5	93	6.4	8	140	5.2	173	1,533	1.5	128	1,175	1.1	301	2,708	1.3
Diseases of Arteries	440-448	-	-	-	1	3	0.4	1	3	0.2	80	730	0.7	33	303	0.3	113	1,033	0.5
Respiratory System Diseases	**460-519**	**12**	**182**	**13.6**	**4**	**115**	**6.7**	**16**	**297**	**10.3**	**253**	**2,259**	**2.2**	**155**	**1,413**	**1.3**	**408**	**3,672**	**1.7**
Pneumonia/Influenza	480-487	4	70	6.0	2	70	3.7	6	140	5.0	77	929	1.0	50	545	0.5	127	1,474	0.7
Chronic Pulmonary Disease	491-492, 496	6	30	4.4	1	28	1.6	7	58	3.0	119	663	0.5	66	385	0.3	185	1,048	0.4
Asthma	493	1	8	1.0	-	-	-	1	8	0.5	8	95	0.1	13	213	0.3	21	308	0.2
Digestive System Diseases	**520-579**	**12**	**250**	**19.6**	**2**	**35**	**2.9**	**14**	**285**	**10.6**	**155**	**2,179**	**2.2**	**85**	**953**	**0.9**	**240**	**3,132**	**1.5**
Chronic Liver Disease/Cirrhosis	571	6	110	9.2	2	35	2.9	8	145	5.9	67	988	1.0	41	523	0.5	108	1,510	0.7
Congenital Anomalies	**740-759**	**1**	**75**	**2.3**	**1**	**53**	**2.6**	**2**	**127**	**2.5**	**26**	**1,485**	**2.2**	**19**	**1,047**	**1.6**	**45**	**2,532**	**1.9**
Perinatal Conditions	**760-779**	**2**	**149**	**4.5**	**-**	**-**	**-**	**2**	**149**	**2.3**	**26**	**1,937**	**3.0**	**24**	**1,788**	**2.9**	**50**	**3,725**	**2.9**
External Causes	**E800-E999**	**29**	**1,183**	**70.9**	**11**	**482**	**22.8**	**40**	**1,664**	**45.1**	**549**	**18,519**	**24.4**	**192**	**5,935**	**7.8**	**741**	**24,454**	**16.0**
Motor Vehicle Traffic Accidents	E810-E819	12	535	30.0	5	240	10.8	17	775	20.1	149	5,825	7.9	53	1,608	2.1	202	7,432	5.0
Accidental Poisoning	E850-E869	2	80	5.2	1	18	1.4	3	98	3.1	50	1,625	2.2	18	450	0.5	68	2,075	1.3
Accidental Falls	E880-E888	2	110	5.2	-	-	-	2	110	2.6	31	388	0.4	15	193	0.2	46	580	0.3
Suicide	E950-E959	7	238	15.3	1	18	1.4	8	255	7.8	176	5,705	7.3	49	1,583	2.0	225	7,288	4.6
Homicide	E960-E969	1	28	1.9	-	-	-	1	28	0.9	22	815	1.1	18	817	1.1	40	1,632	1.1
Fire and Flames	E890-E899	-	-	-	1	43	2.1	1	43	1.2	10	446	0.6	6	260	0.4	16	706	0.5
All Other Causes		6	125	9.8	5	188	10.4	11	313	9.5	231	3,558	4.1	192	2,933	3.2	423	6,490	3.6
Total Deaths		**96**	**2,503**	**165.2**	**42**	**1,271**	**71.6**	**138**	**3,774**	**115.2**	**4,062**	**59,283**	**66.5**	**2,411**	**33,248**	**35.2**	**6,483**	**92,530**	**50.6**
Alcohol-Related Deaths	see glossary	40	1,010	74.4	16	475	28.3	56	1,485	49.2	474	8,717	10.0	142	2,262	2.5	616	10,979	6.2
Medically Treatable Diseases	see glossary	2	55	3.7	3	83	5.1	5	138	4.4	27	803	1.0	28	825	1.0	55	1,628	1.0
Drug Induced Deaths	see glossary	1	43	2.9	1	18	1.4	2	60	2.0	69	2,098	2.8	37	1,018	1.2	106	3,115	2.0
Smoking-Attributable Mortality	see glossary	17	216	20.3	4	95	6.4	21	312	13.0	1,000	9,791	9.0	452	4,641	4.0	1,452	14,432	6.4

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
05 Thompson
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**4**	**120**	**2.6**	**2**	**50**	**1.1**	**6**	**170**	**1.8**	**33**	**712**	**1.4**	**16**	**265**	**0.5**	**49**	**977**	**1.0**
AIDS/HIV Infections	042-044	2	65	1.4	-	-	-	2	65	0.6	11	333	0.7	1	28	0.0	12	360	0.4
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	-	-	-	1	8	0.0	1	8	0.0
Cancer	**140-208**	**18**	**325**	**6.9**	**25**	**403**	**10.5**	**43**	**728**	**9.4**	**664**	**8,035**	**14.4**	**534**	**7,225**	**13.4**	**1,198**	**15,260**	**13.9**
Lung	162	7	93	2.7	3	28	1.0	10	120	1.8	246	2,545	4.5	157	1,903	3.4	403	4,448	4.0
Female Breast	174	-	-	-	6	95	2.6	6	95	2.6	-	-	-	103	1,688	3.1	103	1,688	3.1
Colorectal	153-154	-	-	-	3	43	1.2	3	43	0.6	49	538	1.0	42	450	0.8	91	988	0.9
Cervical	180	-	-	-	3	88	1.7	3	88	1.7	-	-	-	11	143	0.3	11	143	0.3
Prostate	185	2	15	0.7	-	-	-	2	15	0.7	47	328	0.6	-	-	-	47	328	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**4**	**70**	**1.9**	**7**	**103**	**3.1**	**11**	**173**	**2.5**	**57**	**817**	**1.5**	**36**	**517**	**1.1**	**93**	**1,334**	**1.3**
Diabetes	250	4	70	1.9	5	63	2.2	9	133	2.0	37	508	0.9	29	313	0.6	66	820	0.8
Circulatory System Diseases	**390-459**	**45**	**643**	**18.5**	**34**	**470**	**12.9**	**79**	**1,113**	**15.7**	**724**	**8,085**	**14.6**	**303**	**3,144**	**6.1**	**1,027**	**11,229**	**10.4**
Ischemic Heart	410-414, 429.2	21	293	8.6	11	113	3.6	32	405	6.0	480	5,010	8.8	133	1,153	2.1	613	6,163	5.6
Cerebrovascular/Stroke	430-434, 436-438	10	115	3.7	10	160	4.4	20	275	4.0	90	1,095	1.9	62	735	1.4	152	1,830	1.7
Diseases of Arteries	440-448	1	3	0.1	3	28	0.8	4	30	0.5	35	488	1.0	26	205	0.4	61	693	0.7
Respiratory System Diseases	**460-519**	**12**	**202**	**5.0**	**21**	**328**	**7.8**	**33**	**530**	**6.5**	**178**	**1,647**	**3.1**	**84**	**832**	**1.7**	**262**	**2,479**	**2.4**
Pneumonia/Influenza	480-487	6	65	1.9	10	150	3.5	16	215	2.8	49	538	1.0	21	268	0.5	70	805	0.8
Chronic Pulmonary Disease	491-492, 496	2	15	0.7	1	13	0.4	3	28	0.5	89	528	1.0	46	300	0.6	135	828	0.8
Asthma	493	-	-	-	3	73	1.4	3	73	0.7	12	125	0.2	9	78	0.1	21	203	0.2
Digestive System Diseases	**520-579**	**14**	**275**	**6.9**	**24**	**495**	**12.0**	**38**	**770**	**9.5**	**106**	**1,590**	**2.9**	**58**	**895**	**1.7**	**164**	**2,486**	**2.3**
Chronic Liver Disease/Cirrhosis	571	8	150	3.9	15	343	8.0	23	493	6.0	55	1,023	1.8	30	495	0.9	85	1,518	1.4
Congenital Anomalies	**740-759**	**1**	**75**	**1.0**	**-**	**-**	**-**	**1**	**75**	**0.5**	**18**	**1,090**	**2.5**	**14**	**870**	**2.3**	**32**	**1,960**	**2.4**
Perinatal Conditions	**760-779**	**1**	**75**	**1.0**	**2**	**149**	**2.1**	**3**	**224**	**1.5**	**17**	**1,257**	**3.3**	**5**	**373**	**1.0**	**22**	**1,630**	**2.2**
External Causes	**E800-E999**	**120**	**4,932**	**91.7**	**37**	**1,517**	**27.5**	**157**	**6,449**	**58.8**	**460**	**16,821**	**36.7**	**141**	**4,636**	**10.2**	**601**	**21,456**	**23.6**
Motor Vehicle Traffic Accidents	E810-E819	38	1,695	30.3	13	553	10.1	51	2,248	20.0	144	5,740	12.5	55	2,102	4.7	199	7,842	8.7
Accidental Poisoning	E850-E869	8	235	5.2	5	163	3.2	13	398	4.1	65	2,228	4.9	20	655	1.6	85	2,883	3.2
Accidental Falls	E880-E888	4	100	2.1	1	48	0.9	5	148	1.5	25	733	1.6	8	95	0.2	33	828	0.9
Suicide	E950-E959	24	1,060	19.3	5	223	3.8	29	1,283	11.3	130	4,385	9.4	24	655	1.3	154	5,040	5.4
Homicide	E960-E969	7	248	5.1	5	218	3.8	12	465	4.4	18	722	1.6	12	564	1.3	30	1,286	1.4
Fire and Flames	E890-E899	3	128	2.2	2	60	1.3	5	188	1.8	3	78	0.1	2	40	0.1	5	118	0.1
All Other Causes		21	661	12.9	20	594	11.5	41	1,255	12.3	155	3,113	6.5	80	1,368	3.0	235	4,481	4.8
Total Deaths		**240**	**7,377**	**149.9**	**172**	**4,108**	**88.5**	**412**	**11,484**	**118.6**	**2,412**	**43,176**	**86.9**	**1,271**	**20,123**	**41.0**	**3,683**	**63,299**	**64.3**
Alcohol-Related Deaths	see glossary	99	2,898	60.2	48	1,310	27.4	147	4,208	43.5	343	7,588	15.7	93	1,788	3.6	436	9,375	9.7
Medically Treatable Diseases	see glossary	4	145	2.7	8	290	5.3	12	435	4.1	13	418	0.9	16	370	0.7	29	788	0.8
Drug Induced Deaths	see glossary	4	135	2.8	6	165	3.3	10	300	3.1	84	2,960	6.4	36	1,105	2.5	120	4,065	4.5
Smoking-Attributable Mortality	see glossary	25	335	10.0	17	249	6.7	42	584	8.3	595	6,294	11.0	248	2,806	5.1	844	9,099	8.2

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
06 Fraser Valley
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**5**	**148**	**5.0**	**3**	**43**	**1.8**	**8**	**190**	**3.2**	**70**	**1,765**	**2.0**	**27**	**722**	**0.8**	**97**	**2,487**	**1.4**
AIDS/HIV Infections	042-044	4	145	4.7	-	-	-	4	145	2.1	34	1,085	1.2	2	117	0.1	36	1,202	0.7
Tuberculosis	010-018,137	1	3	0.2	1	3	0.2	2	5	0.2	1	8	0.0	1	8	0.0	2	15	0.0
Cancer	**140-208**	**18**	**355**	**15.4**	**21**	**363**	**14.7**	**39**	**718**	**15.0**	**1,228**	**14,634**	**15.8**	**999**	**12,487**	**13.4**	**2,227**	**27,120**	**14.6**
Lung	162	7	128	5.6	4	95	3.4	11	223	4.4	407	4,373	4.7	267	3,003	3.2	674	7,375	3.9
Female Breast	174	-	-	-	3	48	2.0	3	48	2.0	-	-	-	180	2,495	2.7	180	2,495	2.7
Colorectal	153-154	-	-	-	2	25	1.4	2	25	0.7	99	1,038	1.1	79	1,058	1.2	178	2,095	1.1
Cervical	180	-	-	-	2	35	1.5	2	35	1.5	-	-	-	14	245	0.3	14	245	0.3
Prostate	185	-	-	-	-	-	-	-	-	-	115	658	0.7	-	-	-	115	658	0.7
Endocrine/Nutritional/Metabolic	**240-279**	**7**	**68**	**3.9**	**5**	**148**	**4.6**	**12**	**215**	**4.3**	**93**	**1,134**	**1.2**	**64**	**993**	**1.0**	**157**	**2,127**	**1.1**
Diabetes	250	5	33	2.2	3	38	2.0	8	70	2.1	70	645	0.7	47	488	0.5	117	1,133	0.6
Circulatory System Diseases	**390-459**	**37**	**525**	**26.3**	**20**	**365**	**13.5**	**57**	**890**	**19.6**	**1,100**	**11,363**	**12.1**	**575**	**5,374**	**5.6**	**1,675**	**16,737**	**8.8**
Ischemic Heart	410-414, 429.2	25	323	17.8	6	65	3.3	31	388	10.1	699	7,090	7.6	308	2,482	2.5	1,007	9,572	5.0
Cerebrovascular/Stroke	430-434, 436-438	6	65	4.0	4	60	2.4	10	125	3.2	153	1,520	1.6	101	1,063	1.1	254	2,582	1.4
Diseases of Arteries	440-448	1	75	1.1	5	113	4.0	6	187	2.7	68	665	0.7	40	340	0.3	108	1,025	0.5
Respiratory System Diseases	**460-519**	**9**	**285**	**8.4**	**6**	**105**	**4.1**	**15**	**390**	**6.2**	**209**	**1,996**	**2.1**	**152**	**1,444**	**1.5**	**361**	**3,440**	**1.8**
Pneumonia/Influenza	480-487	4	172	4.4	2	40	1.5	6	212	2.9	64	879	0.9	44	492	0.5	108	1,371	0.7
Chronic Pulmonary Disease	491-492, 496	2	15	1.3	2	20	1.2	4	35	1.3	102	730	0.8	80	505	0.5	182	1,235	0.6
Asthma	493	2	65	1.6	-	-	-	2	65	0.8	8	80	0.1	5	88	0.1	13	168	0.1
Digestive System Diseases	**520-579**	**13**	**188**	**9.5**	**8**	**170**	**6.3**	**21**	**358**	**7.8**	**164**	**2,457**	**2.6**	**89**	**1,252**	**1.4**	**243**	**3,709**	**2.0**
Chronic Liver Disease/Cirrhosis	571	7	123	5.6	3	88	2.6	10	210	4.0	66	1,135	1.2	26	340	0.4	92	1,475	0.8
Congenital Anomalies	**740-759**	**3**	**167**	**3.5**	**3**	**182**	**3.5**	**6**	**368**	**3.4**	**40**	**2,492**	**2.7**	**36**	**2,091**	**2.3**	**76**	**4,583**	**2.5**
Perinatal Conditions	**760-779**	**2**	**149**	**2.3**	-	-	-	**2**	**149**	**1.2**	**25**	**1,863**	**2.0**	**19**	**1,416**	**1.6**	**44**	**3,278**	**1.8**
External Causes	**E800-E999**	**69**	**2,784**	**84.3**	**35**	**1,357**	**36.9**	**104**	**4,141**	**58.9**	**587**	**21,722**	**25.1**	**206**	**6,891**	**8.3**	**803**	**28,612**	**16.9**
Motor Vehicle Traffic Accidents	E810-E819	22	935	27.2	14	570	14.6	36	1,505	20.6	148	6,195	7.3	64	2,090	2.5	212	8,284	5.0
Accidental Poisoning	E850-E869	14	520	17.1	8	275	8.2	22	795	12.2	94	3,360	3.8	23	798	1.0	117	4,158	2.5
Accidental Falls	E880-E888	3	98	3.3	1	18	0.8	4	115	2.0	32	750	0.9	12	260	0.3	44	1,010	0.6
Suicide	E950-E959	16	640	20.1	7	313	8.4	23	953	13.7	171	5,943	6.8	52	1,650	2.0	223	7,593	4.5
Homicide	E960-E969	3	184	3.5	-	-	-	3	184	1.7	24	830	1.0	17	757	0.9	41	1,587	0.9
Fire and Flames	E890-E899	-	-	-	1	33	0.9	1	33	0.5	11	357	0.4	4	115	0.1	15	472	0.3
All Other Causes		23	991	23.6	13	657	14.0	36	1,648	18.7	233	5,500	6.0	152	2,599	2.9	385	8,099	4.5
Total Deaths		**186**	**5,677**	**182.1**	**114**	**3,388**	**99.3**	**300**	**9,065**	**138.3**	**3,749**	**64,923**	**71.7**	**2,319**	**35,267**	**38.8**	**6,068**	**100,189**	**55.4**
Alcohol-Related Deaths	see glossary	39	923	35.6	14	415	12.8	53	1,338	23.5	347	6,143	6.8	106	1,752	1.9	453	7,895	4.4
Medically Treatable Diseases	see glossary	3	156	4.3	3	73	2.5	6	230	3.4	18	450	0.5	30	840	1.0	48	1,290	0.7
Drug Induced Deaths	see glossary	13	496	16.3	10	320	10.0	23	818	12.8	113	3,878	4.4	57	1,723	2.1	170	5,600	3.3
Smoking-Attributable Mortality	see glossary	23	326	16.8	12	193	8.0	34	519	12.2	913	9,923	10.6	445	4,556	4.8	1,358	14,480	7.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH REGION
07 SOUTH FRASER VALLEY
BRITISH COLUMBIA, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**6**	**240**	**16.7**	**-**	**-**	**-**	**6**	**240**	**7.3**	**190**	**5,136**	**2.3**	**80**	**1,881**	**0.9**	**270**	**7,017**	**1.6**
AIDS/HIV Infections	042-044	5	208	13.5	-	-	-	5	208	5.9	102	3,275	1.5	9	373	0.2	111	3,647	0.8
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	7	123	0.1	4	35	0.0	11	158	0.0
Cancer	**140-208**	**17**	**278**	**36.5**	**18**	**280**	**26.3**	**35**	**538**	**30.2**	**2,377**	**30,001**	**13.7**	**2,233**	**32,105**	**14.2**	**4,610**	**62,106**	**13.9**
Lung	162	5	73	10.7	2	30	3.2	7	103	6.1	739	8,128	3.8	610	7,250	3.2	1,349	15,378	3.5
Female Breast	174	-	-	-	3	53	4.9	3	53	4.9	-	-	-	447	7,413	3.2	447	7,413	3.2
Colorectal	153-154	2	45	6.0	1	8	1.4	3	53	3.0	206	2,365	1.1	142	1,855	0.8	348	4,220	1.0
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	45	1,123	0.5	45	1,123	0.5
Prostate	185	1	18	3.0	-	-	-	1	18	3.0	172	1,265	0.6	-	-	-	172	1,265	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**2**	**30**	**5.3**	**3**	**23**	**3.5**	**5**	**53**	**4.0**	**200**	**2,866**	**1.3**	**138**	**1,715**	**0.8**	**338**	**4,581**	**1.1**
Diabetes	250	2	30	5.3	2	20	3.0	4	50	3.7	152	1,947	0.9	100	1,055	0.5	252	3,002	0.7
Circulatory System Diseases	**390-459**	**13**	**166**	**25.6**	**7**	**78**	**9.2**	**20**	**245**	**15.8**	**2,169**	**24,549**	**11.3**	**1,091**	**10,807**	**4.9**	**3,260**	**35,356**	**8.1**
Ischemic Heart	410-414, 429.2	8	105	15.1	2	10	1.9	10	115	7.4	1,421	15,443	7.1	544	4,390	2.0	1,965	19,833	4.5
Cerebrovascular/Stroke	430-434, 436-438	2	10	2.4	-	-	-	2	10	1.1	292	3,332	1.5	271	3,008	1.3	563	6,340	1.4
Diseases of Arteries	440-448	2	30	5.3	2	20	3.0	4	50	3.7	113	1,172	0.6	56	635	0.3	169	1,807	0.4
Respiratory System Diseases	**460-519**	**-**	**-**	**-**	**3**	**48**	**4.9**	**3**	**48**	**3.1**	**400**	**3,919**	**1.9**	**269**	**2,660**	**1.2**	**669**	**6,579**	**1.5**
Pneumonia/Influenza	480-487	-	-	-	1	13	1.6	1	13	0.9	117	1,308	0.6	65	873	0.4	182	2,180	0.5
Chronic Pulmonary Disease	491-492, 496	-	-	-	1	18	1.6	1	18	1.1	194	1,365	0.7	140	965	0.5	334	2,330	0.6
Asthma	493	-	-	-	-	-	-	-	-	-	17	338	0.2	22	335	0.2	39	673	0.2
Digestive System Diseases	**520-579**	**5**	**68**	**11.1**	**6**	**95**	**7.8**	**11**	**163**	**8.9**	**280**	**4,074**	**1.8**	**187**	**2,595**	**1.2**	**467**	**6,669**	**1.5**
Chronic Liver Disease/Cirrhosis	571	4	65	10.4	2	30	2.5	6	95	5.5	153	2,248	1.0	75	1,368	0.6	228	3,615	0.8
Congenital Anomalies	**740-759**	**3**	**217**	**5.4**	**-**	**-**	**-**	**3**	**217**	**2.8**	**84**	**5,155**	**2.3**	**63**	**4,035**	**1.9**	**147**	**9,190**	**2.1**
Perinatal Conditions	**760-779**	**1**	**75**	**1.6**	**1**	**75**	**1.7**	**2**	**149**	**1.6**	**71**	**5,268**	**2.3**	**73**	**5,439**	**2.5**	**144**	**10,706**	**2.4**
External Causes	**E800-E999**	**35**	**1,503**	**103.1**	**19**	**678**	**39.9**	**54**	**2,180**	**68.5**	**1,162**	**43,213**	**20.0**	**374**	**12,807**	**6.0**	**1,536**	**56,020**	**13.1**
Motor Vehicle Traffic Accidents	E810-E819	7	353	21.5	3	93	6.1	10	445	13.6	303	12,731	6.0	111	4,227	2.0	414	16,958	4.0
Accidental Poisoning	E850-E869	10	465	30.3	10	395	22.0	20	860	26.0	255	9,278	4.3	54	1,890	0.9	309	11,168	2.6
Accidental Falls	E880-E888	3	83	7.2	-	-	-	3	83	3.1	49	1,427	0.6	23	348	0.2	72	1,774	0.4
Suicide	E950-E959	9	383	27.1	-	-	-	9	383	11.9	307	10,533	4.9	88	2,850	1.4	395	13,383	3.1
Homicide	E960-E969	2	90	5.8	2	100	5.6	4	190	5.5	53	2,191	1.0	36	1,562	0.7	89	3,753	0.9
Fire and Flames	E890-E899	-	-	-	2	75	4.1	2	75	2.3	12	475	0.2	11	342	0.1	23	817	0.2
All Other Causes		9	324	16.7	7	148	11.2	16	471	13.8	444	9,168	4.1	308	6,407	2.9	752	15,575	3.5
Total Deaths		**91**	**2,900**	**222.0**	**84**	**1,402**	**104.3**	**155**	**4,302**	**158.0**	**7,377**	**133,348**	**61.0**	**4,816**	**80,449**	**36.4**	**12,193**	**213,796**	**48.7**
Alcohol-Related Deaths	see glossary	15	425	37.4	11	298	19.4	26	722	26.7	705	12,707	5.7	217	3,603	1.6	922	16,310	3.7
Medically Treatable Diseases	see glossary	2	55	5.8	-	-	-	2	55	2.4	73	2,098	1.0	79	2,493	1.1	152	4,590	1.0
Drug Induced Deaths	see glossary	11	508	33.0	10	360	20.8	21	868	26.4	281	10,183	4.7	95	3,133	1.5	376	13,315	3.1
Smoking-Attributable Mortality	see glossary	10	121	20.3	6	80	8.5	16	201	13.2	1,733	19,532	8.9	919	10,387	4.6	2,652	29,919	6.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH REGION
08 SIMON FRASER
BRITISH COLUMBIA, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**2**	**55**	**9.4**	**1**	**68**	**4.2**	**3**	**123**	**5.7**	**99**	**2,959**	**2.2**	**34**	**765**	**0.6**	**133**	**3,723**	**1.4**
AIDS/HIV Infections	042-044	-	-	-	-	-	-	-	-	-	56	1,905	1.4	7	213	0.2	63	2,118	0.8
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	1	8	0.0	1	8	0.0	2	15	0.0
Cancer	**140-208**	**20**	**325**	**85.0**	**15**	**238**	**37.0**	**35**	**563**	**54.5**	**1,345**	**17,802**	**15.1**	**1,209**	**18,427**	**14.8**	**2,554**	**36,229**	**14.9**
Lung	162	7	93	27.7	4	55	9.8	11	148	16.2	452	5,120	4.5	315	4,098	3.4	767	9,218	3.9
Female Breast	174	-	-	-	2	55	6.1	2	55	6.1	-	-	-	240	4,440	3.4	240	4,440	3.4
Colorectal	153-154	3	33	12.0	-	-	-	3	33	4.2	107	1,438	1.2	96	1,320	1.1	203	2,758	1.2
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	31	688	0.5	31	688	0.5
Prostate	185	1	18	5.3	-	-	-	1	18	5.3	70	485	0.5	-	-	-	70	485	0.5
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**53**	**12.4**	**3**	**43**	**7.9**	**6**	**95**	**9.9**	**102**	**1,589**	**1.4**	**97**	**1,473**	**1.3**	**199**	**3,162**	**1.3**
Diabetes	250	3	53	12.4	3	43	7.9	6	95	9.9	75	1,103	0.9	70	705	0.6	145	1,807	0.8
Circulatory System Diseases	**390-459**	**16**	**275**	**66.7**	**14**	**245**	**37.7**	**30**	**520**	**51.4**	**1,272**	**14,962**	**12.8**	**595**	**5,678**	**4.8**	**1,867**	**20,639**	**8.9**
Ischemic Heart	410-414, 429.2	9	178	37.6	4	65	10.2	13	243	22.6	803	9,183	7.9	310	2,565	2.2	1,113	11,748	5.0
Cerebrovascular/Stroke	430-434, 436-438	4	45	17.1	7	113	18.5	11	158	18.0	197	2,193	1.9	139	1,443	1.2	336	3,635	1.5
Diseases of Arteries	440-448	-	-	-	-	-	-	-	-	-	76	725	0.6	20	210	0.2	96	935	0.4
Respiratory System Diseases	**460-519**	**9**	**88**	**33.7**	**4**	**30**	**5.6**	**13**	**118**	**16.0**	**272**	**3,036**	**2.7**	**198**	**1,837**	**1.6**	**470**	**4,873**	**2.1**
Pneumonia/Influenza	480-487	2	10	6.7	2	5	1.7	4	15	3.5	86	1,185	1.0	54	670	0.6	140	1,855	0.8
Chronic Pulmonary Disease	491-492, 496	6	60	21.6	1	3	0.9	7	63	8.9	121	848	0.8	116	810	0.7	237	1,658	0.8
Asthma	493	-	-	-	-	-	-	-	-	-	13	248	0.2	10	140	0.1	23	388	0.2
Digestive System Diseases	**520-579**	**5**	**133**	**20.6**	**3**	**83**	**10.6**	**8**	**215**	**14.9**	**173**	**2,787**	**2.3**	**88**	**1,300**	**1.1**	**261**	**4,087**	**1.7**
Chronic Liver Disease/Cirrhosis	571	-	-	-	2	70	7.3	2	70	4.0	95	1,473	1.2	31	553	0.4	126	2,025	0.8
Congenital Anomalies	**740-759**	**-**	**-**	**-**	**2**	**142**	**6.8**	**2**	**142**	**3.4**	**38**	**2,621**	**2.2**	**43**	**2,200**	**1.9**	**81**	**4,821**	**2.0**
Perinatal Conditions	**760-779**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**31**	**2,307**	**1.9**	**32**	**2,384**	**2.1**	**63**	**4,691**	**2.0**
External Causes	**E800-E999**	**17**	**713**	**78.9**	**14**	**505**	**48.1**	**31**	**1,218**	**61.9**	**685**	**24,930**	**19.9**	**212**	**7,302**	**6.1**	**897**	**32,232**	**13.1**
Motor Vehicle Traffic Accidents	E810-E819	4	140	18.6	2	70	7.0	6	210	11.3	138	5,958	5.0	59	2,352	2.1	197	8,310	3.5
Accidental Poisoning	E850-E869	7	308	31.1	3	128	10.0	10	435	20.0	168	6,170	4.7	29	958	0.7	197	7,128	2.8
Accidental Falls	E880-E888	-	-	-	2	45	6.0	2	45	3.4	41	1,038	0.9	12	170	0.1	53	1,208	0.5
Suicide	E950-E959	1	58	5.4	5	183	17.6	6	240	12.6	208	6,795	5.4	66	2,195	1.8	274	8,990	3.6
Homicide	E960-E969	1	58	5.4	1	53	3.8	2	110	4.9	37	1,552	1.2	13	607	0.5	50	2,159	0.9
Fire and Flames	E890-E899	1	33	4.6	-	-	-	1	33	2.1	6	280	0.2	7	222	0.2	13	502	0.2
All Other Causes		10	441	33.7	6	274	18.9	16	715	24.0	274	6,424	5.3	225	4,391	3.7	499	10,815	4.5
Total Deaths		**82**	**2,081**	**340.5**	**62**	**1,626**	**176.6**	**144**	**3,707**	**241.7**	**4,291**	**79,515**	**65.7**	**2,733**	**45,755**	**37.9**	**7,024**	**125,270**	**51.8**
Alcohol-Related Deaths	see glossary	14	315	58.7	11	333	34.2	25	648	43.3	493	8,588	6.9	126	2,110	1.7	619	10,698	4.3
Medically Treatable Diseases	see glossary	-	-	-	-	-	-	-	-	-	30	1,020	0.8	46	1,425	1.1	76	2,445	0.9
Drug Induced Deaths	see glossary	6	230	27.8	7	238	24.2	13	468	25.7	192	6,810	5.2	57	1,838	1.4	249	8,648	3.4
Smoking-Attributable Mortality	see glossary	18	247	70.5	10	150	23.0	28	396	41.6	1,067	12,459	10.7	527	6,259	5.2	1,593	18,718	7.9

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH REGION
09 COAST GARIBALDI
BRITISH COLUMBIA, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**1**	**43**	**2.3**	**1**	**23**	**1.8**	**2**	**65**	**1.9**	**21**	**438**	**1.3**	**7**	**113**	**0.4**	**28**	**550**	**0.9**
AIDS/HIV Infections	042-044	1	43	2.3	-	-	-	1	43	1.1	10	285	0.9	-	-	-	10	285	0.5
Tuberculosis	010-018,137	-	-	-	1	23	1.8	1	23	0.8	-	-	-	1	8	0.0	1	8	0.0
Cancer	**140-208**	**10**	**210**	**16.1**	**7**	**123**	**10.5**	**17**	**333**	**13.5**	**414**	**4,835**	**15.1**	**326**	**4,195**	**13.6**	**740**	**9,030**	**14.3**
Lung	162	3	53	4.6	2	35	2.4	5	88	3.7	137	1,458	4.5	89	863	2.8	226	2,320	3.7
Female Breast	174	-	-	-	-	-	-	-	-	-	-	-	-	65	1,023	3.3	65	1,023	3.3
Colorectal	153-154	2	20	1.9	2	55	3.8	4	75	2.9	34	380	1.2	21	228	0.7	55	608	1.0
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	4	45	0.1	4	45	0.1
Prostate	185	-	-	-	-	-	-	-	-	-	33	293	0.9	-	-	-	33	293	0.9
Endocrine/Nutritional/Metabolic	**240-279**	**5**	**93**	**6.9**	**3**	**23**	**3.5**	**8**	**115**	**5.4**	**30**	**405**	**1.3**	**17**	**368**	**1.4**	**47**	**773**	**1.4**
Diabetes	250	3	43	3.5	3	23	3.5	6	65	3.6	20	205	0.7	13	158	0.5	33	363	0.6
Circulatory System Diseases	**390-459**	**12**	**225**	**18.0**	**12**	**165**	**17.6**	**24**	**390**	**18.0**	**345**	**3,738**	**11.8**	**173**	**1,803**	**6.0**	**518**	**5,540**	**9.0**
Ischemic Heart	410-414, 429.2	5	113	7.2	5	58	6.6	10	170	7.2	220	2,400	7.5	86	685	2.2	306	3,085	4.9
Cerebrovascular/Stroke	430-434, 436-438	1	13	1.6	2	15	2.1	3	28	1.8	49	443	1.4	36	515	1.7	85	958	1.5
Diseases of Arteries	440-448	-	-	-	1	13	1.6	1	13	0.8	19	193	0.6	7	73	0.2	26	265	0.4
Respiratory System Diseases	**460-519**	**4**	**90**	**5.9**	**4**	**130**	**7.8**	**8**	**220**	**6.7**	**58**	**485**	**1.5**	**40**	**270**	**0.9**	**98**	**735**	**1.2**
Pneumonia/Influenza	480-487	4	90	5.9	1	23	1.8	5	113	3.8	18	145	0.5	12	105	0.3	30	250	0.4
Chronic Pulmonary Disease	491-492, 496	-	-	-	-	-	-	-	-	-	26	170	0.5	21	103	0.3	47	273	0.4
Asthma	493	-	-	-	1	13	1.6	1	13	0.8	4	65	0.3	4	40	0.1	8	105	0.2
Digestive System Diseases	**520-579**	**7**	**148**	**11.9**	**5**	**53**	**5.9**	**12**	**200**	**8.8**	**39**	**568**	**1.8**	**23**	**283**	**0.9**	**62**	**850**	**1.3**
Chronic Liver Disease/Cirrhosis	571	4	105	7.3	4	30	4.1	8	135	5.6	24	335	1.0	11	183	0.6	35	518	0.8
Congenital Anomalies	**740-759**	-	-	-	**1**	**38**	**1.8**	**1**	**38**	**1.0**	**9**	**585**	**2.3**	**3**	**172**	**0.7**	**12**	**756**	**1.5**
Perinatal Conditions	**760-779**	**2**	**149**	**5.4**	**1**	**75**	**2.8**	**3**	**224**	**4.1**	**6**	**447**	**1.8**	**6**	**447**	**1.9**	**12**	**894**	**1.9**
External Causes	**E800-E999**	**36**	**1,345**	**75.9**	**10**	**350**	**20.0**	**46**	**1,695**	**47.9**	**235**	**8,426**	**29.9**	**63**	**2,087**	**7.9**	**298**	**10,513**	**19.4**
Motor Vehicle Traffic Accidents	E810-E819	10	345	20.3	3	118	6.1	13	463	13.3	51	2,243	8.1	16	590	2.1	67	2,832	5.3
Accidental Poisoning	E850-E869	6	255	14.5	3	93	5.5	9	348	9.7	29	1,023	3.4	13	463	1.7	42	1,485	2.6
Accidental Falls	E880-E888	3	98	5.7	-	-	-	3	98	3.0	15	408	1.4	5	23	0.1	20	430	0.8
Suicide	E950-E959	6	345	17.7	1	63	2.9	9	408	10.3	70	2,145	7.5	18	590	2.2	88	2,735	4.9
Homicide	E960-E969	3	118	6.9	1	48	2.6	4	165	4.6	3	183	0.7	2	80	0.3	7	263	0.5
Fire and Flames	E890-E899	1	58	2.4	1	8	1.2	2	65	1.9	6	170	0.6	1	8	0.0	7	178	0.3
All Other Causes		12	404	22.2	7	200	11.9	19	604	17.2	73	1,496	5.1	51	900	3.0	124	2,395	4.1
Total Deaths		**89**	**2,706**	**164.6**	**51**	**1,176**	**83.5**	**140**	**3,882**	**124.4**	**1,230**	**21,401**	**72.0**	**709**	**10,635**	**36.7**	**1,939**	**32,036**	**55.1**
Alcohol-Related Deaths	see glossary	38	1,165	73.0	17	388	28.1	55	1,553	50.2	202	4,190	13.8	51	928	3.1	253	5,118	8.6
Medically Treatable Diseases	see glossary	2	65	3.9	2	45	3.6	4	110	3.6	6	175	0.6	7	143	0.5	13	318	0.5
Drug Induced Deaths	see glossary	5	218	12.4	2	55	3.7	7	273	7.8	34	1,160	3.9	22	720	2.7	56	1,880	3.3
Smoking-Attributable Mortality	see glossary	8	146	12.4	5	86	8.0	14	232	10.5	301	3,231	9.9	137	1,375	4.4	438	4,606	7.3

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
10 Central Vancouver Island
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**15**	**542**	**11.0**	**7**	**250**	**3.9**	**22**	**792**	**7.1**	**81**	**2,412**	**2.9**	**32**	**709**	**0.8**	**113**	**3,121**	**1.9**
AIDS/HIV Infections	042-044	12	415	9.1	3	103	1.8	15	518	5.0	44	1,545	1.9	9	362	0.5	53	1,907	1.2
Tuberculosis	010-018,137	-	-	-	1	3	0.1	1	3	0.1	1	3	0.0	3	18	0.0	4	20	0.0
Cancer	**140-208**	**23**	**328**	**10.3**	**17**	**417**	**8.4**	**40**	**745**	**9.3**	**1,438**	**15,365**	**14.1**	**1,234**	**15,638**	**14.7**	**2,672**	**31,003**	**14.4**
Lung	162	5	63	2.1	1	8	0.4	6	70	1.2	462	4,330	3.8	372	4,140	3.7	834	8,470	3.7
Female Breast	174	-	-	-	2	55	1.2	2	55	1.2	-	-	-	200	3,190	3.0	200	3,190	3.0
Colorectal	153-154	4	40	1.7	2	20	0.9	6	60	1.3	144	1,360	1.2	77	833	0.8	221	2,193	1.0
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	20	355	0.4	20	355	0.4
Prostate	185	2	15	0.7	-	-	-	2	15	0.7	123	928	0.8	-	-	-	123	928	0.8
Endocrine/Nutritional/Metabolic	**240-279**	**6**	**127**	**3.0**	**3**	**43**	**1.3**	**9**	**170**	**2.1**	**95**	**1,332**	**1.3**	**61**	**890**	**1.0**	**156**	**2,222**	**1.1**
Diabetes	250	5	53	2.3	2	20	0.7	7	73	1.5	67	848	0.8	43	478	0.4	110	1,325	0.6
Circulatory System Diseases	**390-459**	**51**	**937**	**24.8**	**44**	**845**	**20.3**	**95**	**1,782**	**22.5**	**1,401**	**14,410**	**13.2**	**650**	**5,964**	**5.8**	**2,051**	**20,373**	**9.4**
Ischemic Heart	410-414, 429.2	26	395	12.3	16	155	6.0	42	550	8.9	897	9,018	8.0	304	2,430	2.1	1,201	11,448	5.1
Cerebrovascular/Stroke	430-434, 436-438	11	220	5.6	15	443	8.3	26	662	7.2	178	1,937	2.0	160	1,690	1.7	338	3,627	1.8
Diseases of Arteries	440-448	4	60	1.9	-	-	-	4	60	0.9	104	835	0.8	53	507	0.5	157	1,342	0.6
Respiratory System Diseases	**460-519**	**17**	**496**	**9.6**	**13**	**486**	**7.5**	**30**	**982**	**8.5**	**253**	**2,157**	**2.0**	**190**	**1,640**	**1.5**	**443**	**3,797**	**1.7**
Pneumonia/Influenza	480-487	8	314	4.9	11	466	6.6	19	779	5.8	71	678	0.6	52	620	0.6	123	1,298	0.6
Chronic Pulmonary Disease	491-492, 496	5	63	2.2	1	8	0.4	3	70	1.3	135	848	0.7	102	630	0.5	237	1,478	0.6
Asthma	493	2	45	1.2	-	-	-	2	45	0.5	10	100	0.1	11	98	0.1	21	198	0.1
Digestive System Diseases	**520-579**	**14**	**280**	**7.7**	**19**	**438**	**10.3**	**33**	**718**	**9.1**	**139**	**1,863**	**1.7**	**108**	**1,305**	**1.2**	**247**	**3,168**	**1.5**
Chronic Liver Disease/Cirrhosis	571	7	178	4.2	9	218	5.0	16	395	4.7	69	978	0.9	42	585	0.6	111	1,563	0.7
Congenital Anomalies	**740-759**	**2**	**149**	**1.4**	**1**	**75**	**0.7**	**3**	**224**	**1.1**	**24**	**1,339**	**1.8**	**11**	**679**	**1.0**	**35**	**2,017**	**1.4**
Perinatal Conditions	**760-779**	**4**	**296**	**2.8**	**7**	**522**	**5.0**	**11**	**820**	**3.9**	**22**	**1,639**	**2.4**	**16**	**1,192**	**1.9**	**38**	**2,831**	**2.2**
External Causes	**E800-E999**	**105**	**4,768**	**78.4**	**60**	**2,555**	**37.9**	**165**	**7,323**	**56.8**	**626**	**21,871**	**27.3**	**171**	**5,589**	**7.0**	**797**	**27,460**	**17.3**
Motor Vehicle Traffic Accidents	E810-E819	22	1,030	16.4	12	565	7.9	34	1,595	11.9	158	6,315	8.3	57	2,145	2.9	215	8,459	5.6
Accidental Poisoning	E850-E869	7	238	5.2	8	300	5.0	15	538	5.0	99	3,702	4.7	19	623	0.8	118	4,325	2.7
Accidental Falls	E880-E888	4	115	2.8	2	30	1.1	6	145	1.8	30	840	1.0	10	190	0.2	40	1,030	0.6
Suicide	E950-E959	43	2,013	33.0	17	758	11.0	60	2,770	21.3	183	5,683	6.9	44	1,430	1.7	227	7,113	4.3
Homicide	E960-E969	11	552	8.1	6	270	3.9	17	822	5.9	20	595	0.7	10	305	0.3	30	900	0.5
Fire and Flames	E890-E899	1	38	0.8	2	70	1.3	3	108	1.0	7	270	0.3	5	88	0.1	12	357	0.2
All Other Causes		39	1,758	24.9	40	1,576	23.0	79	3,334	24.0	260	4,701	5.4	179	3,423	3.9	439	8,124	4.7
Total Deaths		**276**	**9,682**	**173.8**	**211**	**7,204**	**118.3**	**487**	**16,886**	**144.3**	**4,339**	**67,086**	**72.1**	**2,652**	**37,027**	**30.6**	**6,991**	**104,113**	**55.5**
Alcohol-Related Deaths	see glossary	86	2,645	56.8	50	1,490	28.8	136	4,135	42.0	522	9,665	10.0	140	2,350	2.4	662	12,015	6.2
Medically Treatable Diseases	see glossary	3	138	2.3	6	200	3.7	9	338	3.0	24	665	0.7	28	780	0.9	52	1,445	0.8
Drug Induced Deaths	see glossary	10	345	7.3	19	738	11.9	29	1,083	9.8	124	4,435	5.5	38	1,225	1.5	162	5,660	3.5
Smoking-Attributable Mortality	see glossary	28	414	13.5	15	280	7.2	43	694	10.3	1,144	11,481	10.1	572	5,840	5.2	1,716	17,321	7.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH REGION
11 UPPER ISLAND / CENTRAL COAST
BRITISH COLUMBIA, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**4**	**100**	**3.3**	**6**	**147**	**4.5**	**10**	**247**	**3.8**	**23**	**677**	**1.5**	**8**	**120**	**0.3**	**31**	**797**	**0.9**
AIDS/HIV Infections	042-044	3	88	2.8	3	53	2.0	6	140	2.3	8	310	0.7	1	38	0.1	9	348	0.4
Tuberculosis	010-018,137	1	13	0.6	-	-	-	1	13	0.3	-	-	-	-	-	-	-	-	-
Cancer	**140-208**	**31**	**598**	**20.8**	**16**	**350**	**10.8**	**47**	**948**	**15.5**	**634**	**7,370**	**14.6**	**477**	**6,473**	**13.9**	**1,111**	**13,843**	**14.2**
Lung	162	4	75	2.6	2	40	1.4	6	115	1.9	210	2,355	4.6	127	1,508	3.2	337	3,863	4.0
Female Breast	174	-	-	-	2	50	1.5	2	50	1.5	-	-	-	89	1,228	2.6	89	1,228	2.6
Colorectal	153-154	4	55	2.3	2	25	0.8	6	80	1.6	37	433	0.9	24	325	0.7	61	758	0.8
Cervical	180	-	-	-	2	75	1.6	2	75	1.6	-	-	-	11	218	0.5	11	218	0.5
Prostate	185	1	3	0.2	-	-	-	1	3	0.2	40	260	0.6	-	-	-	40	260	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**11**	**250**	**8.0**	**7**	**48**	**2.7**	**18**	**297**	**5.3**	**43**	**435**	**0.9**	**23**	**198**	**0.5**	**66**	**632**	**0.7**
Diabetes	250	9	118	5.5	5	33	1.9	14	150	3.6	35	303	0.6	17	108	0.2	52	410	0.4
Circulatory System Diseases	**390-459**	**45**	**635**	**25.1**	**33**	**513**	**18.6**	**78**	**1,147**	**21.7**	**518**	**5,560**	**11.0**	**232**	**2,390**	**5.1**	**750**	**7,950**	**8.2**
Ischemic Heart	410-414, 429.2	21	258	11.0	9	98	4.6	30	355	7.5	333	3,783	7.4	105	1,073	2.3	438	4,855	4.9
Cerebrovascular/Stroke	430-434, 436-438	7	53	2.9	12	235	7.4	19	288	5.3	73	603	1.2	58	670	1.4	131	1,273	1.3
Diseases of Arteries	440-448	1	58	1.3	2	20	1.1	3	78	1.2	26	260	0.5	12	125	0.3	38	385	0.4
Respiratory System Diseases	**460-519**	**7**	**177**	**5.0**	**8**	**125**	**4.6**	**15**	**302**	**4.8**	**82**	**970**	**2.0**	**63**	**643**	**1.4**	**145**	**1,612**	**1.7**
Pneumonia/Influenza	480-487	4	105	2.7	3	68	2.1	7	172	2.5	16	330	0.6	11	113	0.2	27	442	0.4
Chronic Pulmonary Disease	491-492, 496	2	20	0.9	2	5	0.3	4	25	0.6	44	320	0.7	35	228	0.5	79	548	0.6
Asthma	493	1	53	1.3	-	-	-	1	53	0.7	4	65	0.1	2	65	0.1	6	130	0.1
Digestive System Diseases	**520-579**	**13**	**223**	**8.6**	**11**	**193**	**6.6**	**24**	**415**	**7.5**	**54**	**805**	**1.6**	**41**	**570**	**1.2**	**95**	**1,374**	**1.4**
Chronic Liver Disease/Cirrhosis	571	4	115	3.7	6	95	3.5	10	210	3.5	33	508	1.0	13	153	0.3	46	660	0.7
Congenital Anomalies	**740-759**	**1**	**75**	**1.3**	**-**	**-**	**-**	**1**	**75**	**0.6**	**5**	**368**	**1.0**	**13**	**606**	**1.5**	**18**	**974**	**1.2**
Perinatal Conditions	**760-779**	**1**	**75**	**1.3**	**5**	**373**	**6.6**	**6**	**447**	**3.9**	**16**	**1,192**	**3.2**	**15**	**1,118**	**3.1**	**31**	**2,310**	**3.2**
External Causes	**E800-E999**	**69**	**2,983**	**80.5**	**26**	**1,111**	**26.1**	**95**	**4,094**	**52.0**	**376**	**14,090**	**32.4**	**108**	**3,838**	**9.1**	**484**	**17,928**	**21.1**
Motor Vehicle Traffic Accidents	E810-E819	12	540	15.0	6	290	6.7	18	830	10.6	72	3,005	7.4	28	1,140	2.8	100	4,145	5.2
Accidental Poisoning	E850-E869	15	578	16.9	7	273	6.5	22	850	11.4	55	1,958	4.2	23	788	1.8	78	2,745	3.0
Accidental Falls	E880-E888	1	38	1.1	2	82	1.8	3	120	1.4	16	425	0.9	4	25	0.1	20	450	0.5
Suicide	E950-E959	18	865	22.3	3	133	3.1	21	998	12.5	109	3,758	8.3	25	798	1.9	134	4,555	5.2
Homicide	E960-E969	1	33	1.0	1	13	0.7	2	45	0.8	16	777	1.8	5	252	0.7	21	1,029	1.3
Fire and Flames	E890-E899	4	215	4.5	2	65	1.6	6	280	3.2	6	280	0.6	5	178	0.4	11	457	0.5
All Other Causes		35	1,363	33.8	21	1,006	21.9	56	2,368	27.7	124	2,525	5.6	99	1,990	4.7	223	4,514	5.2
Total Deaths		**217**	**6,475**	**187.7**	**133**	**3,864**	**102.6**	**350**	**10,339**	**142.9**	**1,876**	**33,990**	**73.7**	**1,079**	**17,942**	**40.8**	**2,955**	**51,932**	**57.8**
Alcohol-Related Deaths	see glossary	80	2,190	71.1	31	688	21.0	111	2,878	44.8	230	4,535	9.7	66	1,135	2.5	296	5,670	6.2
Medically Treatable Diseases	see glossary	2	65	1.9	5	193	4.7	7	258	3.6	11	338	0.6	13	358	0.8	24	695	0.7
Drug Induced Deaths	see glossary	13	468	14.2	7	278	6.5	20	745	10.2	69	2,438	5.5	34	1,080	2.4	103	3,518	4.0
Smoking-Attributable Mortality	see glossary	22	295	12.2	14	242	8.3	36	537	10.2	488	5,256	10.2	204	2,384	5.0	672	7,640	7.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
12 Cariboo
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**4**	**137**	**4.2**	**1**	**23**	**1.0**	**5**	**160**	**2.5**	**13**	**360**	**1.4**	**6**	**200**	**0.8**	**19**	**560**	**1.1**
AIDS/HIV Infections	042-044	1	38	1.4	-	-	-	1	38	0.7	5	193	0.8	1	48	0.2	6	240	0.5
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	1	3	0.0	-	-	-	1	3	0.0
Cancer	**140-208**	**24**	**395**	**18.0**	**17**	**328**	**14.2**	**41**	**723**	**16.0**	**320**	**3,600**	**11.8**	**287**	**4,433**	**15.8**	**607**	**8,033**	**13.7**
Lung	162	4	70	3.1	2	25	1.6	6	95	2.3	115	888	3.0	99	1,413	5.0	214	2,300	4.0
Female Breast	174	-	-	-	4	35	2.2	4	35	2.2	-	-	-	50	985	3.4	50	985	3.4
Colorectal	153-154	4	45	2.8	1	43	1.4	5	88	2.1	19	218	0.7	22	255	0.9	41	473	0.8
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	9	193	0.8	9	193	0.8
Prostate	185	3	33	1.7	-	-	-	3	33	1.7	28	250	0.8	-	-	-	28	250	0.8
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**68**	**3.1**	**2**	**30**	**1.6**	**5**	**98**	**2.3**	**22**	**305**	**1.0**	**19**	**430**	**1.6**	**41**	**735**	**1.3**
Diabetes	250	2	45	2.1	1	8	0.6	3	53	1.3	16	210	0.7	15	223	0.9	31	433	0.8
Circulatory System Diseases	**390-459**	**22**	**442**	**19.6**	**18**	**280**	**13.1**	**40**	**722**	**16.4**	**333**	**3,897**	**12.9**	**137**	**1,528**	**5.6**	**470**	**5,425**	**9.5**
Ischemic Heart	410-414, 429.2	8	95	5.8	6	45	3.1	14	140	4.5	215	2,528	8.3	66	645	2.4	281	3,173	5.5
Cerebrovascular/Stroke	430-434, 436-438	4	55	3.1	5	58	3.2	9	113	3.2	39	438	1.5	32	480	1.7	71	918	1.6
Diseases of Arteries	440-448	2	87	2.3	2	35	1.8	4	122	2.0	25	238	0.8	5	53	0.2	30	290	0.5
Respiratory System Diseases	**460-519**	**4**	**55**	**3.0**	**5**	**143**	**5.6**	**9**	**198**	**4.3**	**69**	**628**	**2.2**	**43**	**840**	**2.0**	**112**	**1,167**	**2.1**
Pneumonia/Influenza	480-487	3	48	2.5	3	98	3.5	6	145	3.0	22	225	0.7	13	158	0.6	35	383	0.7
Chronic Pulmonary Disease	491-492, 496	1	8	0.5	1	33	1.2	2	40	0.9	36	260	0.9	20	195	0.7	56	455	0.8
Asthma	493	-	-	-	-	-	-	-	-	-	5	63	0.2	2	15	0.1	7	78	0.1
Digestive System Diseases	**520-579**	**5**	**118**	**5.6**	**12**	**305**	**12.9**	**17**	**423**	**9.4**	**31**	**403**	**1.5**	**29**	**453**	**1.6**	**60**	**935**	**1.5**
Chronic Liver Disease/Cirrhosis	571	1	28	1.2	8	210	8.9	9	238	5.2	13	283	0.9	5	113	0.4	18	395	0.6
Congenital Anomalies	**740-759**	**3**	**224**	**4.5**	**1**	**75**	**1.5**	**4**	**298**	**3.1**	**10**	**681**	**2.8**	**3**	**184**	**0.7**	**13**	**865**	**1.8**
Perinatal Conditions	**760-779**	**2**	**149**	**3.0**	**1**	**75**	**1.5**	**3**	**224**	**2.3**	**8**	**596**	**2.5**	**5**	**373**	**1.6**	**13**	**969**	**2.1**
External Causes	**E800-E999**	**60**	**2,910**	**102.0**	**30**	**1,335**	**37.5**	**110**	**4,245**	**68.7**	**273**	**9,536**	**34.3**	**88**	**3,549**	**13.1**	**361**	**13,084**	**24.0**
Motor Vehicle Traffic Accidents	E810-E819	33	1,303	43.9	17	718	20.7	50	2,020	32.0	84	3,187	11.3	37	1,517	5.6	121	4,704	8.6
Accidental Poisoning	E850-E869	10	335	13.2	1	48	1.5	11	383	7.1	22	760	2.7	8	290	1.0	30	1,050	1.9
Accidental Falls	E880-E888	6	160	6.3	1	58	1.4	7	218	3.7	14	435	1.6	7	168	0.7	21	602	1.2
Suicide	E950-E959	15	558	18.8	3	153	4.1	18	710	11.2	70	2,460	9.1	10	395	1.5	80	2,855	5.4
Homicide	E960-E969	4	140	5.5	5	218	6.5	9	358	6.0	13	392	1.3	5	255	0.9	18	647	1.1
Fire and Flames	E890-E899	3	48	2.3	-	-	-	3	48	1.1	2	100	0.3	4	237	0.8	6	337	0.6
All Other Causes		20	666	22.0	15	370	14.7	35	1,036	18.3	68	1,514	5.3	32	629	2.5	100	2,143	4.0
Total Deaths		**167**	**5,163**	**185.1**	**102**	**2,961**	**104.1**	**269**	**8,123**	**143.2**	**1,147**	**21,597**	**75.6**	**649**	**12,316**	**45.3**	**1,796**	**33,913**	**61.0**
Alcohol-Related Deaths	see glossary	63	1,828	70.4	22	685	25.2	85	2,513	47.1	143	2,758	9.3	30	495	1.7	173	3,253	5.7
Medically Treatable Diseases	see glossary	2	55	2.5	3	103	3.5	5	158	3.0	9	253	0.7	13	423	1.6	22	675	1.1
Drug Induced Deaths	see glossary	6	200	8.0	-	-	-	6	200	3.8	30	1,000	3.6	9	308	1.0	39	1,307	2.3
Smoking-Attributable Mortality	see glossary	13	207	10.6	7	110	5.8	20	317	8.2	280	2,865	9.3	136	1,799	6.4	417	4,664	7.9

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
13 North West
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**10**	**441**	**4.2**	**9**	**237**	**2.6**	**19**	**678**	**3.4**	**9**	**183**	**0.7**	**6**	**80**	**0.3**	**15**	**263**	**0.5**
AIDS/HIV Infections	042-044	4	160	1.8	-	-	-	4	160	0.8	1	43	0.1	-	-	-	1	43	0.1
Tuberculosis	010-018,137	-	-	-	2	65	0.8	2	65	0.4	-	-	-	-	-	-	-	-	-
Cancer	**140-208**	**63**	**1,058**	**15.4**	**48**	**790**	**12.1**	**111**	**1,848**	**13.8**	**298**	**4,260**	**15.1**	**209**	**3,498**	**13.8**	**507**	**7,758**	**14.5**
Lung	162	14	185	3.1	12	110	2.2	26	295	2.6	106	1,360	4.8	57	833	3.5	163	2,193	4.2
Female Breast	174	-	-	-	14	320	4.0	14	320	4.0	-	-	-	40	770	2.9	40	770	2.9
Colorectal	153-154	8	135	2.1	1	13	0.3	9	148	1.2	22	200	0.8	14	235	0.9	36	435	0.8
Cervical	180	-	-	-	1	23	0.3	1	23	0.3	-	-	-	8	170	0.6	8	170	0.6
Prostate	185	4	30	0.7	-	-	-	4	30	0.7	9	38	0.2	-	-	-	9	38	0.2
Endocrine/Nutritional/Metabolic	**240-279**	**3**	**23**	**0.5**	**13**	**300**	**3.5**	**16**	**322**	**2.0**	**18**	**220**	**0.8**	**12**	**232**	**0.9**	**30**	**452**	**0.9**
Diabetes	250	3	23	0.5	8	150	1.9	11	173	1.2	14	130	0.5	10	135	0.6	24	265	0.5
Circulatory System Diseases	**390-459**	**86**	**1,405**	**20.9**	**36**	**585**	**8.3**	**122**	**1,970**	**14.6**	**298**	**4,090**	**14.4**	**126**	**1,445**	**6.3**	**424**	**5,535**	**10.7**
Ischemic Heart	410-414, 429.2	45	728	11.1	10	165	2.4	55	893	6.7	197	2,753	9.5	49	503	2.3	246	3,255	6.2
Cerebrovascular/Stroke	430-434, 436-438	10	120	1.9	11	143	2.2	21	263	2.1	39	508	1.9	28	400	1.6	67	908	1.8
Diseases of Arteries	440-448	5	103	1.5	-	-	-	5	103	0.7	13	173	0.6	2	5	0.0	15	178	0.4
Respiratory System Diseases	**460-519**	**20**	**325**	**5.0**	**20**	**275**	**4.6**	**40**	**600**	**4.7**	**57**	**758**	**2.8**	**24**	**210**	**1.0**	**81**	**968**	**2.0**
Pneumonia/Influenza	480-487	12	260	3.6	10	140	2.4	22	400	3.0	24	365	1.3	8	65	0.3	32	430	0.9
Chronic Pulmonary Disease	491-492, 496	2	20	0.4	4	45	0.9	6	65	0.6	22	240	1.0	13	128	0.6	35	368	0.8
Asthma	493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Digestive System Diseases	**520-579**	**24**	**350**	**5.6**	**9**	**168**	**2.5**	**33**	**518**	**4.1**	**32**	**490**	**1.7**	**12**	**220**	**0.9**	**44**	**710**	**1.3**
Chronic Liver Disease/Cirrhosis	571	7	98	1.6	4	100	1.3	11	198	1.4	14	235	0.8	4	85	0.3	18	320	0.6
Congenital Anomalies	**740-759**	**4**	**229**	**1.9**	**2**	**142**	**1.0**	**6**	**371**	**1.5**	**14**	**964**	**3.2**	**8**	**395**	**1.4**	**20**	**1,359**	**2.3**
Perinatal Conditions	**760-779**	**5**	**373**	**2.5**	**7**	**522**	**3.8**	**12**	**894**	**3.2**	**9**	**671**	**2.3**	**7**	**522**	**1.8**	**16**	**1,192**	**2.1**
External Causes	**E800-E999**	**138**	**5,644**	**58.5**	**45**	**1,687**	**16.6**	**183**	**7,331**	**36.7**	**295**	**10,352**	**32.8**	**44**	**1,965**	**6.7**	**329**	**12,217**	**20.7**
Motor Vehicle Traffic Accidents	E810-E819	37	1,677	16.3	9	403	3.8	46	2,080	9.9	77	3,303	10.5	18	805	3.0	95	4,108	7.0
Accidental Poisoning	E850-E869	16	640	6.7	9	318	3.3	25	958	5.0	28	855	2.6	6	210	0.8	34	1,065	1.8
Accidental Falls	E880-E888	5	148	1.8	4	30	0.6	9	178	1.2	6	175	0.5	1	13	0.1	7	188	0.3
Suicide	E950-E959	35	1,503	15.4	9	373	3.6	44	1,875	9.2	66	2,095	6.8	9	368	1.4	75	2,463	4.3
Homicide	E960-E969	5	257	2.5	1	43	0.4	6	300	1.4	12	465	1.6	-	-	-	12	465	0.8
Fire and Flames	E890-E899	4	120	1.4	2	75	0.8	6	195	1.1	9	317	1.0	2	120	0.4	11	437	0.7
All Other Causes		37	1,282	12.1	44	1,542	15.7	81	2,824	14.0	76	1,763	5.7	32	599	2.3	108	2,362	4.1
Total Deaths		**390**	**11,126**	**126.8**	**233**	**6,226**	**70.9**	**623**	**17,354**	**98.0**	**1,096**	**23,749**	**79.5**	**478**	**9,065**	**35.4**	**1,574**	**32,814**	**59.1**
Alcohol-Related Deaths	see glossary	126	3,517	42.1	35	953	11.2	161	4,470	26.3	168	3,515	11.6	27	448	1.8	195	3,963	7.1
Medically Treatable Diseases	see glossary	10	265	3.5	6	195	2.2	16	460	2.8	7	213	0.7	12	275	1.0	19	488	0.8
Drug Induced Deaths	see glossary	12	430	4.9	16	510	5.5	28	940	5.2	29	913	2.8	9	353	1.3	38	1,265	2.1
Smoking-Attributable Mortality	see glossary	50	727	11.9	24	299	5.3	75	1,026	8.6	247	3,303	11.6	91	1,237	5.2	338	4,540	8.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
14 Peace Liard
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**1**	**13**	**2.6**	**-**	**-**	**-**	**1**	**13**	**1.1**	**8**	**185**	**0.7**	**6**	**287**	**1.1**	**14**	**472**	**0.9**
AIDS/HIV Infections	042-044	-	-	-	-	-	-	-	-	-	4	160	0.6	1	53	0.2	5	213	0.4
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	1	8	0.0	-	-	-	1	8	0.0
Cancer	**140-208**	**8**	**125**	**16.4**	**8**	**95**	**10.6**	**16**	**220**	**12.7**	**246**	**3,110**	**13.9**	**167**	**2,698**	**12.8**	**413**	**5,808**	**13.4**
Lung	162	1	8	1.9	3	33	3.1	4	40	2.4	93	1,108	5.0	39	413	2.3	132	1,520	3.7
Female Breast	174	-	-	-	-	-	-	-	-	-	-	-	-	40	675	3.1	40	675	3.1
Colorectal	153-154	-	-	-	-	-	-	-	-	-	13	163	0.7	16	270	1.3	29	433	1.0
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	3	83	0.3	3	83	0.3
Prostate	185	1	3	0.5	-	-	-	1	3	0.5	30	190	1.1	-	-	-	30	190	1.1
Endocrine/Nutritional/Metabolic	**240-279**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**26**	**477**	**1.9**	**16**	**145**	**0.8**	**42**	**622**	**1.4**
Diabetes	250	-	-	-	-	-	-	-	-	-	20	290	1.2	12	110	0.6	32	400	0.9
Circulatory System Diseases	**390-459**	**10**	**235**	**18.9**	**6**	**95**	**9.2**	**16**	**330**	**13.9**	**210**	**2,667**	**12.5**	**81**	**1,030**	**5.1**	**291**	**3,917**	**9.1**
Ischemic Heart	410-414, 429.2	5	88	8.7	2	15	2.2	7	103	5.3	145	2,038	8.8	44	450	2.4	189	2,488	5.8
Cerebrovascular/Stroke	430-434, 436-438	1	3	0.5	3	78	6.5	4	80	3.9	20	250	1.1	17	243	1.2	37	493	1.2
Diseases of Arteries	440-448	-	-	-	-	-	-	-	-	-	11	93	0.5	4	20	0.1	15	113	0.3
Respiratory System Diseases	**460-519**	**6**	**60**	**9.0**	**-**	**-**	**-**	**6**	**60**	**3.9**	**60**	**835**	**3.5**	**32**	**435**	**2.0**	**92**	**1,270**	**2.8**
Pneumonia/Influenza	480-487	5	58	8.4	-	-	-	5	58	3.6	18	400	1.5	13	252	1.1	31	652	1.3
Chronic Pulmonary Disease	491-492, 496	-	-	-	-	-	-	-	-	-	32	255	1.3	13	83	0.5	45	338	0.9
Asthma	493	-	-	-	-	-	-	-	-	-	3	58	0.2	3	78	0.3	6	135	0.3
Digestive System Diseases	**520-579**	**2**	**40**	**5.0**	**3**	**58**	**6.0**	**5**	**98**	**5.6**	**29**	**498**	**2.0**	**8**	**125**	**0.6**	**37**	**623**	**1.3**
Chronic Liver Disease/Cirrhosis	571	2	40	5.0	2	40	4.1	4	80	4.5	14	235	1.0	3	53	0.2	17	288	0.6
Congenital Anomalies	**740-759**	**2**	**85**	**4.8**	**1**	**75**	**2.2**	**3**	**160**	**3.2**	**1**	**43**	**0.2**	**3**	**224**	**0.8**	**4**	**266**	**0.5**
Perinatal Conditions	**760-779**	**1**	**75**	**1.9**	**2**	**149**	**4.4**	**3**	**224**	**3.0**	**8**	**596**	**2.1**	**9**	**671**	**2.5**	**17**	**1,267**	**2.3**
External Causes	**E800-E999**	**29**	**1,047**	**74.0**	**13**	**533**	**31.1**	**42**	**1,579**	**50.7**	**210**	**7,739**	**28.6**	**50**	**2,123**	**8.2**	**260**	**9,862**	**18.9**
Motor Vehicle Traffic Accidents	E810-E819	14	435	34.5	6	275	15.1	20	710	23.6	81	3,573	13.0	22	1,074	4.0	103	4,646	8.8
Accidental Poisoning	E850-E869	3	113	8.3	3	138	7.4	6	250	7.9	14	460	1.7	5	198	0.8	19	658	1.2
Accidental Falls	E880-E888	-	-	-	-	-	-	-	-	-	6	85	0.4	2	65	0.2	8	150	0.3
Suicide	E950-E959	3	143	9.0	-	-	-	3	143	4.0	48	1,445	5.5	12	430	1.8	60	1,875	3.7
Homicide	E960-E969	3	83	8.1	1	18	1.9	4	100	4.7	11	452	1.6	2	80	0.3	13	532	1.0
Fire and Flames	E890-E899	4	189	8.6	1	18	1.9	5	207	5.3	2	55	0.2	-	-	-	2	55	0.1
All Other Causes		7	312	16.1	7	250	15.4	14	561	15.8	59	1,557	5.9	47	1,158	4.8	106	2,714	5.4
Total Deaths		**66**	**1,990**	**148.6**	**40**	**1,253**	**78.8**	**106**	**3,243**	**110.0**	**857**	**17,926**	**71.3**	**419**	**8,893**	**38.7**	**1,276**	**26,819**	**50.0**
Alcohol-Related Deaths	see glossary	22	485	46.4	12	352	24.2	34	837	34.4	108	2,250	8.9	17	473	2.0	125	2,723	5.7
Medically Treatable Diseases	see glossary	2	45	5.4	-	-	-	2	45	2.3	8	275	0.9	8	330	1.2	16	605	1.1
Drug Induced Deaths	see glossary	3	113	8.3	3	138	7.4	6	250	7.9	12	390	1.4	9	328	1.3	21	718	1.4
Smoking-Attributable Mortality	see glossary	6	101	12.3	4	68	6.4	11	169	8.9	205	2,522	11.3	69	796	4.2	274	3,318	8.0

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region

15 Northern Interior

British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**6**	**259**	**5.3**	**8**	**212**	**5.3**	**14**	**471**	**5.3**	**28**	**805**	**1.5**	**16**	**330**	**0.7**	**44**	**1,135**	**1.1**
AIDS/HIV Infections	042-044	3	93	2.7	-	-	-	3	93	1.3	11	448	0.9	1	33	0.1	12	480	0.5
Tuberculosis	010-018,137	1	18	0.8	5	58	2.6	6	75	1.7	1	3	0.0	1	3	0.0	2	5	0.0
Cancer	**140-208**	**29**	**398**	**17.3**	**16**	**330**	**11.2**	**45**	**728**	**14.3**	**518**	**6,475**	**14.0**	**407**	**7,213**	**16.0**	**925**	**13,688**	**15.0**
Lung	162	7	78	3.5	1	28	0.8	8	105	2.1	177	1,928	4.4	107	1,468	3.6	284	3,395	4.0
Female Breast	174	-	-	-	3	73	2.1	3	73	2.1	-	-	-	72	1,465	3.1	72	1,465	3.1
Colorectal	153-154	3	38	1.8	1	28	0.8	4	65	1.3	46	535	1.2	25	318	0.7	71	853	1.0
Cervical	180	-	-	-	1	38	0.9	1	38	0.9	-	-	-	11	303	0.6	11	303	0.6
Prostate	185	3	13	0.9	-	-	-	3	13	0.9	38	270	0.7	-	-	-	38	270	0.7
Endocrine/Nutritional/Metabolic	**240-279**	**5**	**205**	**4.6**	**3**	**38**	**1.9**	**8**	**242**	**3.2**	**45**	**815**	**1.7**	**40**	**552**	**1.4**	**85**	**1,367**	**1.5**
Diabetes	250	2	35	1.5	2	20	1.2	4	55	1.3	33	468	1.0	29	268	0.7	62	735	0.9
Circulatory System Diseases	**390-459**	**33**	**363**	**16.0**	**23**	**493**	**15.6**	**56**	**855**	**15.9**	**484**	**6,427**	**13.4**	**202**	**2,330**	**5.9**	**686**	**8,757**	**9.9**
Ischemic Heart	410-414, 429.2	17	173	8.1	8	100	4.7	25	273	6.4	315	4,168	8.5	84	895	2.3	399	5,063	5.7
Cerebrovascular/Stroke	430-434, 436-438	4	25	1.6	6	210	5.0	10	235	3.5	64	807	1.8	51	623	1.5	115	1,430	1.6
Diseases of Arteries	440-448	-	-	-	-	-	-	-	-	-	21	248	0.5	15	153	0.4	36	400	0.5
Respiratory System Diseases	**460-519**	**7**	**98**	**3.4**	**5**	**185**	**4.0**	**12**	**282**	**3.7**	**94**	**1,035**	**2.4**	**54**	**645**	**1.6**	**148**	**1,680**	**2.0**
Pneumonia/Influenza	480-487	3	68	1.6	3	88	2.3	6	155	2.0	22	290	0.6	17	193	0.5	39	482	0.6
Chronic Pulmonary Disease	491-492, 496	1	13	0.7	1	23	0.7	2	35	0.7	55	528	1.3	27	248	0.7	82	775	1.0
Asthma	493	-	-	-	-	-	-	-	-	-	3	63	0.1	1	63	0.1	4	125	0.1
Digestive System Diseases	**520-579**	**7**	**170**	**4.4**	**16**	**370**	**12.1**	**23**	**540**	**8.5**	**78**	**1,355**	**2.6**	**44**	**740**	**1.6**	**122**	**2,095**	**2.2**
Chronic Liver Disease/Cirrhosis	571	3	105	2.3	10	245	7.6	13	350	5.1	33	608	1.2	25	533	1.1	58	1,140	1.1
Congenital Anomalies	**740-759**	**1**	**75**	**0.9**	**3**	**202**	**2.8**	**4**	**276**	**1.9**	**20**	**1,412**	**2.9**	**11**	**709**	**1.5**	**31**	**2,120**	**2.2**
Perinatal Conditions	**760-779**	**5**	**373**	**4.5**	-	-	-	**5**	**373**	**2.3**	**19**	**1,416**	**3.0**	**21**	**1,565**	**3.3**	**40**	**2,980**	**3.1**
External Causes	**E800-E999**	**100**	**4,239**	**94.6**	**54**	**2,281**	**46.2**	**154**	**6,520**	**69.0**	**451**	**17,225**	**32.3**	**108**	**4,281**	**8.4**	**559**	**21,506**	**20.8**
Motor Vehicle Traffic Accidents	E810-E819	24	1,055	23.4	20	785	16.7	44	1,840	19.7	147	6,237	11.7	55	2,409	4.7	202	8,646	8.3
Accidental Poisoning	E850-E869	11	368	10.0	5	208	4.4	16	575	7.1	42	1,510	2.8	12	475	1.0	54	1,985	1.9
Accidental Falls	E880-E888	3	78	1.9	3	58	2.2	6	135	2.1	9	168	0.3	6	105	0.2	15	273	0.3
Suicide	E950-E959	26	1,170	25.4	8	405	7.3	34	1,575	15.8	99	3,538	6.6	9	353	0.7	108	3,890	3.8
Homicide	E960-E969	12	545	11.3	6	285	5.3	18	830	8.2	25	1,113	2.2	6	250	0.5	31	1,363	1.3
Fire and Flames	E890-E899	6	359	5.6	4	262	3.7	10	621	4.6	8	190	0.4	6	245	0.4	14	435	0.4
All Other Causes		18	735	14.3	17	628	12.9	35	1,363	13.6	103	2,599	5.2	74	2,211	4.7	177	4,810	5.0
Total Deaths		**211**	**6,911**	**165.4**	**145**	**4,737**	**112.0**	**356**	**11,648**	**137.6**	**1,940**	**39,561**	**79.0**	**977**	**20,574**	**45.1**	**2,917**	**60,135**	**62.8**
Alcohol-Related Deaths	see glossary	39	968	28.5	29	838	22.9	68	1,805	25.6	196	3,810	7.4	71	1,358	2.9	267	5,168	5.3
Medically Treatable Diseases	see glossary	3	98	2.6	7	233	5.8	10	330	4.3	16	430	0.8	22	625	1.3	38	1,055	1.0
Drug Induced Deaths	see glossary	13	478	12.1	9	378	7.9	22	855	9.9	51	1,783	3.3	17	578	1.1	68	2,360	2.3
Smoking-Attributable Mortality	see glossary	21	277	11.9	9	166	6.0	30	443	8.9	421	5,079	10.9	173	2,269	5.6	594	7,348	8.5

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region

16 Vancouver

British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	**69**	**2,435**	**47.4**	**16**	**515**	**10.1**	**85**	**2,950**	**28.6**	**1,194**	**38,675**	**15.1**	**112**	**2,970**	**1.2**	**1,306**	**41,645**	**8.3**
AIDS/HIV Infections	042-044	56	2,050	38.6	8	305	5.5	64	2,355	21.9	1,038	35,690	13.9	47	1,758	0.7	1,085	37,448	7.5
Tuberculosis	010-018,137	1	28	0.6	2	65	1.3	3	93	1.0	18	350	0.1	5	58	0.0	23	408	0.1
Cancer	**140-208**	**26**	**542**	**17.5**	**34**	**770**	**19.3**	**60**	**1,312**	**18.4**	**2,669**	**34,073**	**14.9**	**2,005**	**27,109**	**11.8**	**4,694**	**61,181**	**13.3**
Lung	162	8	120	4.7	7	118	3.8	15	238	4.2	842	9,395	4.1	475	5,178	2.2	1,317	14,573	3.2
Female Breast	174	-	-	-	6	135	2.9	6	135	2.9	-	-	-	387	6,388	2.7	387	6,388	2.7
Colorectal	153-154	2	10	1.0	4	45	1.6	6	55	1.3	281	3,043	1.3	162	1,810	0.8	443	4,853	1.0
Cervical	180	-	-	-	2	60	1.2	2	60	1.2	-	-	-	44	885	0.4	44	885	0.4
Prostate	185	3	23	2.0	-	-	-	3	23	2.0	155	1,078	0.5	-	-	-	155	1,078	0.5
Endocrine/Nutritional/Metabolic	**240-279**	**2**	**30**	**1.0**	**11**	**370**	**7.5**	**13**	**400**	**4.3**	**216**	**3,018**	**1.4**	**151**	**1,702**	**0.8**	**367**	**4,720**	**1.1**
Diabetes	250	2	30	1.0	6	160	3.6	8	190	2.3	179	2,053	0.9	110	1,020	0.4	289	3,073	0.7
Circulatory System Diseases	**390-459**	**57**	**1,083**	**38.4**	**29**	**498**	**14.5**	**86**	**1,580**	**25.9**	**2,588**	**30,103**	**13.2**	**1,083**	**10,162**	**4.4**	**3,671**	**40,265**	**8.8**
Ischemic Heart	410-414, 429.2	27	503	18.3	13	168	6.1	40	670	12.0	1,568	16,940	7.4	511	3,953	1.7	2,079	20,893	4.5
Cerebrovascular/Stroke	430-434, 436-438	7	98	4.7	2	40	1.1	9	138	2.8	406	4,360	1.9	294	2,780	1.2	700	7,140	1.5
Diseases of Arteries	440-448	-	-	-	2	60	1.3	2	60	0.7	110	1,105	0.5	42	380	0.2	152	1,485	0.3
Respiratory System Diseases	**460-519**	**21**	**515**	**13.9**	**15**	**415**	**8.7**	**36**	**929**	**11.1**	**612**	**6,341**	**2.8**	**258**	**2,531**	**1.1**	**870**	**8,872**	**2.0**
Pneumonia/Influenza	480-487	11	313	7.4	10	317	6.1	21	630	6.7	221	2,762	1.2	87	947	0.4	308	3,709	0.8
Chronic Pulmonary Disease	491-492, 496	2	10	1.0	-	-	-	2	10	0.4	272	2,075	0.9	113	763	0.3	385	2,838	0.6
Asthma	493	-	-	-	-	-	-	-	-	-	20	335	0.1	12	150	0.1	32	485	0.1
Digestive System Diseases	**520-579**	**26**	**667**	**17.6**	**40**	**1,020**	**24.3**	**66**	**1,707**	**21.1**	**444**	**7,321**	**3.1**	**208**	**2,737**	**1.2**	**652**	**10,058**	**2.2**
Chronic Liver Disease/Cirrhosis	571	16	445	10.5	29	763	17.7	45	1,208	14.3	240	4,170	1.7	88	1,295	0.5	328	5,465	1.1
Congenital Anomalies	**740-759**	**1**	**38**	**0.6**	**-**	**-**	**-**	**1**	**38**	**0.3**	**86**	**5,222**	**3.1**	**59**	**3,555**	**2.2**	**145**	**8,777**	**2.6**
Perinatal Conditions	**760-779**	**6**	**447**	**5.6**	**4**	**298**	**4.1**	**10**	**745**	**4.9**	**89**	**6,631**	**4.0**	**58**	**4,319**	**2.8**	**147**	**10,949**	**3.4**
External Causes	**E800-E999**	**176**	**6,635**	**129.6**	**128**	**4,857**	**91.7**	**304**	**11,492**	**110.0**	**2,021**	**69,330**	**27.9**	**540**	**16,896**	**7.2**	**2,561**	**86,225**	**17.7**
Motor Vehicle Traffic Accidents	E810-E819	13	528	11.0	9	318	6.2	22	845	8.4	186	6,802	3.0	94	2,936	1.3	280	9,738	2.2
Accidental Poisoning	E850-E869	91	3,328	63.7	82	3,135	59.0	173	6,463	61.2	860	30,205	11.8	176	6,205	2.6	1,036	36,410	7.3
Accidental Falls	E880-E888	14	440	9.8	5	163	3.6	19	603	6.6	125	3,005	1.2	27	563	0.2	152	3,567	0.7
Suicide	E950-E959	21	903	16.6	13	513	9.4	34	1,415	13.0	512	17,570	7.0	145	4,123	1.7	657	21,693	4.4
Homicide	E960-E969	15	658	12.4	10	400	7.4	25	1,058	9.9	134	5,260	2.2	41	1,657	0.7	175	6,917	1.4
Fire and Flames	E890-E899	1	28	0.6	-	-	-	1	28	0.3	20	710	0.3	3	23	0.0	23	733	0.2
All Other Causes		78	2,590	53.6	54	2,012	37.7	132	4,602	45.2	726	14,471	6.4	423	8,044	3.8	1,149	22,514	5.1
Total Deaths		**462**	**15,000**	**325.4**	**331**	**10,754**	**217.9**	**793**	**25,753**	**269.8**	**10,665**	**215,182**	**91.8**	**4,897**	**80,022**	**36.4**	**15,562**	**295,204**	**64.4**
Alcohol-Related Deaths	see glossary	174	5,237	118.4	126	4,055	82.5	300	9,292	99.6	1,584	31,105	12.7	333	6,283	2.6	1,917	37,388	7.7
Medically Treatable Diseases	see glossary	14	425	9.6	19	618	12.0	33	1,043	10.8	98	2,730	1.1	72	1,915	0.8	170	4,645	1.0
Drug Induced Deaths	see glossary	83	3,088	58.6	80	3,105	58.4	163	6,193	58.4	911	32,203	12.7	229	7,733	3.2	1,140	39,935	8.0
Smoking-Attributable Mortality	see glossary	30	506	19.1	16	306	8.6	46	813	13.4	2,132	24,499	10.7	793	8,700	3.7	2,925	33,199	7.2

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

POTENTIAL YEARS OF LIFE LOST (AGE UNDER 75 YEARS) BY HEALTH REGION
17 BURNABY
BRITISH COLUMBIA, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	**ICD9 Codes**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**	**Deaths**	**Total**	**Rate**
Infectious/Parasitic Diseases	**001-139**	1	8	5.3	2	70	5.6	3	78	5.4	103	2,935	3.7	27	574	0.8	130	3,509	2.2
AIDS/HIV Infections	042-044	-	-	-	1	33	2.6	1	33	1.7	67	2,248	2.7	4	160	0.2	71	2,408	1.5
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	5	73	0.1	2	5	0.0	7	78	0.0
Cancer	**140-208**	8	110	30.1	6	105	20.7	14	215	24.2	951	11,108	14.0	795	10,811	13.1	1,746	21,919	13.4
Lung	162	3	33	9.8	2	30	7.0	5	63	7.9	302	3,205	4.0	219	2,548	3.0	521	5,753	3.5
Female Breast	174	-	-	-	-	-	-	-	-	-	-	-	-	160	2,840	3.4	160	2,840	3.4
Colorectal	153-154	1	8	5.3	-	-	-	1	8	2.0	89	993	1.3	50	525	0.6	139	1,518	0.9
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	14	270	0.3	14	270	0.3
Prostate	185	1	3	2.8	-	-	-	1	3	2.8	69	478	0.6	-	-	-	69	478	0.6
Endocrine/Nutritional/Metabolic	**240-279**	-	-	-	-	-	-	-	-	-	87	1,227	1.8	55	714	1.0	142	1,941	1.3
Diabetes	250	-	-	-	-	-	-	-	-	-	66	810	1.0	34	325	0.4	100	1,135	0.7
Circulatory System Diseases	**390-459**	9	118	41.3	4	45	11.4	13	163	23.1	866	8,570	10.9	439	3,708	4.4	1,305	12,278	7.5
Ischemic Heart	410-414, 429.2	5	53	23.1	1	18	3.2	6	70	10.9	548	5,470	6.9	195	1,453	1.7	743	6,923	4.2
Cerebrovascular/Stroke	430-434, 436-438	1	43	4.3	1	8	3.3	2	50	3.8	136	1,260	1.6	99	828	1.0	235	2,088	1.3
Diseases of Arteries	440-448	2	10	8.1	-	-	-	2	10	3.1	53	413	0.5	30	195	0.2	83	608	0.4
Respiratory System Diseases	**460-519**	1	3	2.8	1	23	2.6	2	25	2.7	168	1,340	1.8	101	937	1.2	269	2,277	1.5
Pneumonia/Influenza	480-487	-	-	-	-	-	-	-	-	-	56	560	0.8	35	462	0.6	91	1,022	0.7
Chronic Pulmonary Disease	491-492, 496	1	3	2.8	-	-	-	1	3	1.0	81	463	0.6	50	290	0.3	131	753	0.5
Asthma	493	-	-	-	1	23	2.6	1	23	1.7	4	65	0.1	10	60	0.1	14	125	0.1
Digestive System Diseases	**520-579**	4	90	15.6	2	60	5.4	6	150	9.2	147	2,313	2.9	84	1,220	1.5	231	3,533	2.2
Chronic Liver Disease/Cirrhosis	571	3	63	11.3	1	33	2.8	4	95	6.0	82	1,440	1.8	24	405	0.5	106	1,845	1.1
Congenital Anomalies	**740-759**	1	75	3.5	-	-	-	1	75	1.9	20	1,223	2.0	19	1,209	2.0	39	2,432	2.0
Perinatal Conditions	**760-779**	2	149	7.1	-	-	-	2	149	3.7	27	2,012	3.3	17	1,267	2.3	44	3,278	2.8
External Causes	**E800-E999**	14	575	56.6	4	197	13.0	18	772	31.3	400	14,741	18.7	112	3,530	4.6	512	18,271	11.8
Motor Vehicle Traffic Accidents	E810-E819	2	100	7.5	2	80	6.2	4	180	6.9	73	3,240	4.4	28	815	1.1	101	4,055	2.7
Accidental Poisoning	E850-E869	4	155	16.2	1	43	3.0	5	198	8.5	110	4,075	5.1	20	720	0.9	130	4,795	3.0
Accidental Falls	E880-E888	1	33	4.3	-	-	-	1	33	1.7	24	750	1.0	11	128	0.2	35	877	0.6
Suicide	E950-E959	4	175	15.7	-	-	-	4	175	6.8	120	3,850	4.8	31	1,098	1.4	151	4,948	3.1
Homicide	E960-E969	2	95	8.1	1	75	3.9	3	170	5.3	29	1,283	1.6	8	355	0.4	37	1,638	1.0
Fire and Flames	E890-E899	-	-	-	-	-	-	-	-	-	5	108	0.1	-	-	-	5	108	0.1
All Other Causes		2	107	7.8	3	133	9.1	5	240	8.6	178	3,267	4.3	123	1,884	2.5	301	5,150	3.4
Total Deaths		42	1,233	170.1	22	632	67.7	64	1,865	109.9	2,947	48,733	63.1	1,772	25,852	33.3	4,719	74,585	48.0
Alcohol-Related Deaths	see glossary	9	223	38.7	2	65	5.7	11	288	18.8	342	5,795	7.2	79	1,378	1.7	421	7,173	4.4
Medically Treatable Diseases	see glossary	-	-	-	-	-	-	-	-	-	19	563	0.7	20	605	0.8	39	1,168	0.8
Drug Induced Deaths	see glossary	3	118	12.4	1	43	3.0	4	160	6.9	126	4,475	5.5	35	1,223	1.6	161	5,698	3.6
Smoking-Attributable Mortality	see glossary	6	59	24.2	3	52	10.6	10	111	15.6	724	7,631	9.6	340	3,489	4.1	1,064	11,120	6.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region

18 North Shore

British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**2**	**75**	**6.7**	**4**	**130**	**11.5**	**6**	**205**	**9.2**	**89**	**2,458**	**3.1**	**20**	**280**	**0.3**	**109**	**2,738**	**1.7**
AIDS/HIV Infections	042-044	2	75	6.7	2	75	6.1	4	150	6.3	71	2,073	2.6	5	128	0.2	76	2,200	1.4
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	1	3	0.0	1	3	0.0	2	5	0.0
Cancer	**140-208**	**8**	**85**	**15.9**	**12**	**305**	**30.0**	**20**	**390**	**23.2**	**841**	**9,718**	**11.9**	**789**	**10,383**	**11.9**	**1,630**	**20,100**	**11.9**
Lung	162	-	-	-	1	8	1.4	1	8	0.8	236	2,240	2.7	167	1,878	2.1	403	4,118	2.4
Female Breast	174	-	-	-	1	38	2.8	1	38	2.8	-	-	-	177	2,693	2.9	177	2,693	2.9
Colorectal	153-154	2	15	3.6	2	70	5.7	4	85	4.7	86	1,005	1.2	65	698	0.8	151	1,703	1.0
Cervical	180	-	-	-	2	60	5.8	2	60	5.8	-	-	-	14	310	0.4	14	310	0.4
Prostate	185	-	-	-	-	-	-	-	-	-	57	498	0.6	-	-	-	57	498	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**4**	**50**	**9.6**	**-**	**-**	**-**	**4**	**50**	**3.8**	**65**	**870**	**1.1**	**34**	**415**	**0.5**	**99**	**1,285**	**0.8**
Diabetes	250	3	33	6.1	-	-	-	3	33	2.7	45	478	0.6	21	253	0.3	66	730	0.4
Circulatory System Diseases	**390-459**	**16**	**220**	**36.5**	**7**	**143**	**14.5**	**23**	**363**	**24.0**	**697**	**6,765**	**8.4**	**318**	**2,652**	**3.1**	**1,015**	**9,417**	**5.8**
Ischemic Heart	410-414, 429.2	10	105	21.8	1	13	2.0	11	118	10.6	437	4,203	5.1	137	878	1.0	574	5,080	3.0
Cerebrovascular/Stroke	430-434, 436-438	1	18	2.5	4	60	6.8	5	78	4.8	98	755	1.0	90	957	1.2	188	1,712	1.1
Diseases of Arteries	440-448	1	13	2.6	-	-	-	1	13	1.1	42	390	0.5	19	203	0.2	61	593	0.4
Respiratory System Diseases	**460-519**	**2**	**10**	**2.4**	**4**	**40**	**5.1**	**6**	**50**	**3.9**	**133**	**1,264**	**1.7**	**91**	**768**	**0.9**	**224**	**2,031**	**1.3**
Pneumonia/Influenza	480-487	-	-	-	3	38	4.7	3	38	2.6	27	462	0.7	29	273	0.4	56	734	0.5
Chronic Pulmonary Disease	491-492, 496	2	10	2.4	1	3	0.4	3	13	1.3	78	485	0.6	38	205	0.2	116	690	0.4
Asthma	493	-	-	-	-	-	-	-	-	-	8	60	0.1	7	128	0.2	15	188	0.1
Digestive System Diseases	**520-579**	**5**	**88**	**11.3**	**6**	**150**	**14.0**	**11**	**238**	**12.7**	**76**	**1,035**	**1.2**	**64**	**765**	**0.9**	**140**	**1,800**	**1.0**
Chronic Liver Disease/Cirrhosis	571	2	40	5.1	4	95	8.6	6	135	7.0	38	565	0.7	32	395	0.4	70	960	0.5
Congenital Anomalies	**740-759**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**18**	**1,102**	**1.9**	**15**	**778**	**1.4**	**33**	**1,880**	**1.7**
Perinatal Conditions	**760-779**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**12**	**894**	**1.6**	**9**	**671**	**1.3**	**21**	**1,565**	**1.5**
External Causes	**E800-E999**	**24**	**1,027**	**88.9**	**3**	**118**	**10.1**	**27**	**1,144**	**47.7**	**270**	**9,285**	**13.9**	**117**	**3,440**	**4.9**	**387**	**12,724**	**9.3**
Motor Vehicle Traffic Accidents	E810-E819	5	285	20.7	2	65	5.9	7	350	13.4	38	1,550	2.4	22	795	1.2	60	2,345	1.8
Accidental Poisoning	E850-E869	8	270	26.8	-	-	-	8	270	12.5	55	2,173	3.4	22	690	0.9	77	2,863	2.1
Accidental Falls	E880-E888	2	105	7.4	-	-	-	2	105	3.8	26	615	0.9	15	278	0.4	41	893	0.6
Suicide	E950-E959	4	180	15.9	-	-	-	4	180	7.4	92	2,965	4.3	36	985	1.3	128	3,950	2.8
Homicide	E960-E969	2	95	8.0	1	53	4.2	3	148	5.9	8	295	0.4	4	170	0.3	12	465	0.4
Fire and Flames	E890-E899	-	-	-	-	-	-	-	-	-	1	3	0.0	-	-	-	1	3	0.0
All Other Causes		4	172	14.4	3	108	9.2	7	280	11.8	146	2,667	3.7	125	2,224	3.1	271	4,891	3.4
Total Deaths		**65**	**1,726**	**184.7**	**39**	**993**	**94.5**	**104**	**2,719**	**136.4**	**2,347**	**36,054**	**48.6**	**1,582**	**22,375**	**29.4**	**3,929**	**58,429**	**38.2**
Alcohol-Related Deaths	see glossary	24	725	75.1	7	213	18.2	31	938	44.7	226	3,880	5.0	104	1,460	1.7	330	5,340	3.3
Medically Treatable Diseases	see glossary	-	-	-	3	88	8.5	3	88	4.5	17	543	0.7	25	668	0.8	42	1,210	0.8
Drug Induced Deaths	see glossary	5	193	17.9	1	53	4.2	6	245	10.5	77	2,848	4.4	37	1,018	1.3	114	3,865	2.8
Smoking-Attributable Mortality	see glossary	8	100	16.6	5	73	8.4	12	173	11.9	562	5,519	6.7	265	2,700	3.0	827	8,218	4.7

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region

19 Richmond

British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**1**	**23**	**12.0**	**-**	**-**	**-**	**1**	**23**	**5.4**	**58**	**1,490**	**2.5**	**18**	**430**	**0.7**	**76**	**1,919**	**1.5**
AIDS/HIV Infections	042-044	-	-	-	-	-	-	-	-	-	34	1,140	1.8	4	150	0.3	38	1,290	1.0
Tuberculosis	010-018,137	-	-	-	-	-	-	-	-	-	1	3	0.0	-	-	-	1	3	0.0
Cancer	**140-208**	**2**	**10**	**24.2**	**4**	**100**	**37.5**	**6**	**110**	**34.1**	**601**	**7,802**	**14.4**	**563**	**8,017**	**11.6**	**1,164**	**15,819**	**11.9**
Lung	162	1	3	9.7	1	18	7.8	2	20	7.8	185	1,963	3.8	141	1,513	2.2	326	3,475	2.6
Female Breast	174	-	-	-	1	28	8.2	1	28	8.2	-	-	-	113	1,998	2.7	113	1,998	2.7
Colorectal	153-154	-	-	-	-	-	-	-	-	-	60	650	1.2	48	705	1.1	108	1,355	1.1
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	14	305	0.4	14	305	0.4
Prostate	185	-	-	-	-	-	-	-	-	-	34	250	0.6	-	-	-	34	250	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**1**	**8**	**14.4**	**-**	**-**	**-**	**1**	**8**	**8.2**	**43**	**423**	**0.9**	**27**	**355**	**0.6**	**70**	**777**	**0.8**
Diabetes	250	-	-	-	-	-	-	-	-	-	33	283	0.6	18	190	0.3	51	473	0.4
Circulatory System Diseases	**390-459**	**1**	**3**	**9.7**	**1**	**3**	**4.6**	**2**	**5**	**6.2**	**516**	**5,852**	**11.4**	**234**	**2,100**	**3.2**	**750**	**7,952**	**6.1**
Ischemic Heart	410-414, 429.2	1	3	9.7	1	3	4.6	2	5	6.2	344	3,820	7.5	115	858	1.3	459	4,678	3.6
Cerebrovascular/Stroke	430-434, 436-438	-	-	-	-	-	-	-	-	-	79	843	1.7	59	648	1.0	138	1,490	1.2
Diseases of Arteries	440-448	-	-	-	-	-	-	-	-	-	27	283	0.6	11	103	0.1	38	385	0.3
Respiratory System Diseases	**460-519**	**1**	**8**	**14.4**	**-**	**-**	**-**	**1**	**8**	**8.2**	**90**	**795**	**1.7**	**54**	**485**	**0.7**	**144**	**1,280**	**1.0**
Pneumonia/Influenza	480-487	-	-	-	-	-	-	-	-	-	22	180	0.4	21	173	0.3	43	353	0.3
Chronic Pulmonary Disease	491-492, 496	-	-	-	-	-	-	-	-	-	36	210	0.6	18	85	0.1	54	295	0.2
Asthma	493	-	-	-	-	-	-	-	-	-	5	83	0.2	4	70	0.1	9	153	0.1
Digestive System Diseases	**520-579**	**-**	**-**	**-**	**2**	**50**	**19.5**	**2**	**50**	**11.1**	**68**	**1,005**	**1.7**	**41**	**468**	**0.7**	**109**	**1,473**	**1.1**
Chronic Liver Disease/Cirrhosis	571	-	-	-	1	38	11.0	1	38	6.7	31	473	0.8	10	115	0.2	41	588	0.4
Congenital Anomalies	**740-759**	**1**	**75**	**12.3**	**-**	**-**	**-**	**1**	**75**	**6.2**	**13**	**695**	**1.2**	**9**	**557**	**1.1**	**22**	**1,251**	**1.2**
Perinatal Conditions	**760-779**	**-**	**-**	**-**	**2**	**149**	**24.9**	**2**	**149**	**12.4**	**19**	**1,416**	**2.7**	**15**	**1,118**	**2.3**	**34**	**2,533**	**2.5**
External Causes	**E800-E999**	**5**	**218**	**79.5**	**2**	**90**	**25.3**	**7**	**308**	**55.1**	**219**	**7,490**	**12.0**	**82**	**2,732**	**4.3**	**301**	**10,221**	**8.0**
Motor Vehicle Traffic Accidents	E810-E819	2	105	36.1	-	-	-	2	105	19.4	43	1,878	3.0	25	903	1.4	68	2,780	2.2
Accidental Poisoning	E850-E869	-	-	-	1	43	11.2	1	43	6.4	41	1,438	2.3	11	438	0.7	52	1,875	1.5
Accidental Falls	E880-E888	1	48	16.3	-	-	-	1	48	7.6	12	200	0.4	1	53	0.1	13	253	0.2
Suicide	E950-E959	-	-	-	1	48	14.1	1	48	7.6	68	2,030	3.1	24	595	0.9	92	2,625	2.0
Homicide	E960-E969	1	13	9.1	-	-	-	1	13	4.4	8	320	0.5	4	135	0.2	12	455	0.4
Fire and Flames	E890-E899	-	-	-	-	-	-	-	-	-	6	220	0.3	-	-	-	6	220	0.2
All Other Causes		2	30	27.0	3	43	21.3	5	73	21.8	84	1,964	3.6	66	1,133	1.9	150	3,097	2.6
Total Deaths		**14**	**372**	**193.6**	**14**	**434**	**133.1**	**28**	**806**	**168.5**	**1,711**	**28,929**	**52.2**	**1,109**	**17,392**	**27.2**	**2,820**	**46,321**	**36.6**
Alcohol-Related Deaths	see glossary	1	23	12.0	3	113	33.3	4	135	25.2	139	2,413	4.1	40	530	0.8	179	2,943	2.2
Medically Treatable Diseases	see glossary	1	23	12.0	-	-	-	1	23	5.4	11	288	0.4	17	453	0.6	28	740	0.8
Drug Induced Deaths	see glossary	-	-	-	2	90	25.3	2	90	14.0	51	1,728	2.7	24	735	1.1	75	2,463	1.9
Smoking-Attributable Mortality	see glossary	1	3	10.7	1	14	6.7	2	17	7.4	417	4,734	8.9	198	2,128	3.1	614	6,863	5.1

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Potential Years of Life Lost (Age Under 75 Years) by Health Region
20 Capital
British Columbia, 1991-1999

		Status Indians									Other Residents								
		Male-PYLL			Female-PYLL			Total-PYLL			Male-PYLL			Female-PYLL			Total-PYLL		
Causes of Death	ICD9 Codes	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate	Deaths	Total	Rate
Infectious/Parasitic Diseases	**001-139**	**7**	**233**	**9.5**	**4**	**155**	**5.1**	**11**	**388**	**7.0**	**190**	**5,599**	**4.3**	**45**	**940**	**0.7**	**225**	**6,539**	**2.5**
AIDS/HIV Infections	042-044	5	223	8.1	2	80	2.6	7	303	5.1	140	4,675	3.6	7	268	0.2	147	4,943	1.9
Tuberculosis	010-018,137	1	8	1.0	-	-	-	1	8	0.5	-	-	-	-	-	-	-	-	-
Cancer	**140-208**	**23**	**433**	**29.8**	**18**	**305**	**17.2**	**41**	**738**	**22.7**	**1,954**	**20,740**	**14.2**	**1,863**	**22,952**	**14.7**	**3,817**	**43,692**	**14.4**
Lung	162	3	53	3.6	4	25	2.9	7	78	3.2	634	6,040	4.1	502	5,450	3.3	1,136	11,490	3.7
Female Breast	174	-	-	-	4	80	4.1	4	80	4.1	-	-	-	401	5,853	3.8	401	5,853	3.8
Colorectal	153-154	2	30	2.4	-	-	-	2	30	1.1	162	1,585	1.1	120	1,295	0.8	282	2,880	0.9
Cervical	180	-	-	-	-	-	-	-	-	-	-	-	-	34	775	0.5	34	775	0.5
Prostate	185	1	3	0.4	-	-	-	1	3	0.4	154	975	0.6	-	-	-	154	975	0.6
Endocrine/Nutritional/Metabolic	**240-279**	**2**	**30**	**3.0**	**4**	**157**	**4.9**	**6**	**187**	**3.9**	**106**	**2,335**	**1.6**	**103**	**1,328**	**0.9**	**209**	**3,663**	**1.2**
Diabetes	250	-	-	-	1	28	1.2	1	28	0.6	128	1,285	0.9	76	825	0.5	204	2,110	0.7
Circulatory System Diseases	**390-459**	**26**	**482**	**30.0**	**13**	**218**	**11.2**	**39**	**699**	**19.5**	**1,551**	**15,139**	**10.3**	**806**	**9,882**	**4.2**	**2,357**	**22,021**	**7.1**
Ischemic Heart	410-414, 429.2	14	140	14.7	4	45	3.0	18	185	8.0	962	9,285	6.3	367	2,688	1.6	1,329	11,973	3.8
Cerebrovascular/Stroke	430-434, 436-438	3	53	4.0	5	58	4.3	8	110	4.0	221	1,888	1.3	216	1,935	1.2	437	3,823	1.2
Diseases of Arteries	440-448	3	93	4.8	1	38	1.2	4	130	2.8	93	808	0.5	44	295	0.2	137	1,103	0.4
Respiratory System Diseases	**460-519**	**3**	**95**	**3.4**	**6**	**130**	**5.6**	**9**	**225**	**4.6**	**313**	**2,628**	**1.8**	**271**	**2,200**	**1.4**	**584**	**4,827**	**1.6**
Pneumonia/Influenza	480-487	2	92	3.0	1	23	1.2	3	115	2.0	80	855	0.6	60	642	0.4	140	1,497	0.5
Chronic Pulmonary Disease	491-492, 496	1	3	0.4	2	10	1.2	3	13	0.9	163	1,113	0.7	150	890	0.5	313	2,003	0.6
Asthma	493	-	-	-	1	48	1.4	1	48	0.6	18	190	0.1	13	133	0.1	31	323	0.1
Digestive System Diseases	**520-579**	**9**	**315**	**13.2**	**3**	**68**	**3.3**	**12**	**382**	**7.9**	**193**	**2,905**	**2.1**	**118**	**1,440**	**0.9**	**311**	**4,345**	**1.5**
Chronic Liver Disease/Cirrhosis	571	7	235	10.3	2	55	2.4	9	290	6.0	113	1,778	1.2	48	720	0.5	161	2,498	0.8
Congenital Anomalies	**740-759**	**4**	**269**	**6.1**	**2**	**149**	**3.0**	**6**	**418**	**4.6**	**46**	**2,474**	**2.4**	**34**	**1,728**	**1.7**	**80**	**4,201**	**2.0**
Perinatal Conditions	**760-779**	**4**	**298**	**5.6**	**-**	**-**	**-**	**4**	**298**	**2.9**	**31**	**2,310**	**2.4**	**19**	**1,416**	**1.6**	**50**	**3,725**	**2.0**
External Causes	**E800-E999**	**63**	**2,736**	**96.7**	**26**	**1,172**	**34.4**	**89**	**3,908**	**63.1**	**730**	**24,015**	**18.7**	**272**	**8,082**	**6.2**	**1,002**	**32,096**	**12.4**
Motor Vehicle Traffic Accidents	E810-E819	11	538	17.5	3	133	4.1	14	670	10.5	97	3,848	3.1	44	1,775	1.5	141	5,622	2.3
Accidental Poisoning	E850-E869	13	503	20.9	7	273	8.5	20	775	13.9	195	6,928	5.4	46	1,620	1.2	241	8,548	3.3
Accidental Falls	E880-E888	7	148	8.7	-	-	-	7	148	4.0	50	1,100	0.9	24	260	0.2	74	1,360	0.5
Suicide	E950-E959	19	953	31.1	8	375	10.8	27	1,328	20.3	231	7,083	5.3	96	2,725	2.0	327	9,808	3.7
Homicide	E960-E969	1	72	1.4	1	38	1.2	2	110	1.4	28	1,085	0.9	19	740	0.6	47	1,825	0.7
Fire and Flames	E890-E899	4	234	6.3	3	183	4.8	7	417	5.4	9	218	0.2	4	50	0.0	13	268	0.1
All Other Causes		14	581	20.8	9	424	12.0	23	1,005	15.8	348	6,501	5.2	320	4,832	3.6	668	11,333	4.4
Total Deaths		**155**	**5,469**	**218.2**	**85**	**2,777**	**96.8**	**240**	**8,246**	**152.1**	**5,532**	**84,643**	**63.0**	**3,851**	**51,797**	**36.0**	**9,383**	**136,440**	**49.2**
Alcohol-Related Deaths	see glossary	41	1,133	58.3	8	245	8.8	49	1,378	30.6	653	11,038	7.8	201	3,098	2.1	854	14,135	4.8
Medically Treatable Diseases	see glossary	-	-	-	2	70	2.6	2	70	1.4	23	768	0.6	45	1,373	1.0	68	2,140	0.8
Drug Induced Deaths	see glossary	10	400	16.2	12	547	15.4	22	947	15.6	227	7,723	5.9	89	2,858	2.1	316	10,580	4.0
Smoking-Attributable Mortality	see glossary	14	214	17.4	8	89	6.3	22	303	10.8	1,384	13,691	9.2	751	7,543	4.6	2,136	21,234	6.8

Notes: Gender unknown are excluded.
PYLL - Potential Years of Life Lost per 10,000 Standard population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.
Smoking attributable deaths may not sum to Total due to rounding.

Appendix 6

Causes of Death by Age and Health Region

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	7	1	1	-	-	1	90	36	8	7	151	4.1	3.5
		F	3	1	2	1	-	-	27	20	13	11	78	2.9	2.2
		T	10	2	3	1	-	1	117	56	21	18	229	3.6	2.8
Neoplasms	140-239	M	1	-	3	4	2	3	44	158	141	150	506	13.6	21.3
		F	-	1	1	2	1	4	52	149	100	134	444	16.3	16.1
		T	1	1	4	6	3	7	96	307	241	284	950	14.8	18.6
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	4	-	-	-	1	-	6	28	23	19	81	2.2	3.2
		F	3	-	1	1	1	1	7	31	24	24	93	3.4	3.4
		T	7	-	1	1	2	1	13	59	47	43	174	2.7	3.3
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	4	1	3	8	0.2	0.3
		F	-	-	-	-	-	-	1	5	2	3	11	0.4	0.4
		T	-	-	-	-	-	-	1	9	3	6	19	0.3	0.3
Mental disorders	290-319	M	-	-	-	1	1	-	42	57	22	19	142	3.8	4.6
		F	-	-	-	-	1	2	34	22	6	15	80	2.9	2.1
		T	-	-	-	1	2	2	76	79	28	34	222	3.5	3.3
Diseases of the nervous system and sense organs	320-389	M	3	2	-	-	1	5	11	8	10	15	55	1.5	1.9
		F	3	2	-	2	-	1	13	9	9	11	50	1.8	1.5
		T	6	4	-	2	1	6	24	17	19	26	105	1.6	1.7
Diseases of the circulatory system	390-459	M	6	2	1	1	4	3	48	245	214	311	835	22.5	36.6
		F	1	-	-	1	1	3	53	128	136	349	672	24.7	27.7
		T	7	2	1	2	5	6	101	373	350	660	1,507	23.4	32.0
Diseases of the respiratory system	460-519	M	7	2	-	1	2	2	18	54	62	116	264	7.1	11.7
		F	8	1	-	1	-	3	20	49	45	113	240	8.8	9.4
		T	15	3	-	2	2	5	38	103	107	229	504	7.8	10.5
Diseases of the digestive system	520-579	M	3	-	-	1	-	1	33	86	45	35	204	5.5	7.4
		F	-	-	-	-	-	-	49	106	26	42	223	8.2	6.9
		T	3	-	-	1	-	1	82	192	71	77	427	6.6	7.1
Diseases of the genitourinary system	580-629	M	2	-	-	-	-	1	-	7	12	26	48	1.3	2.3
		F	1	-	-	-	-	-	4	11	8	25	49	1.8	2.0
		T	3	-	-	-	-	1	4	18	20	51	97	1.5	2.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	3	-	-	-	4	0.1	0.1
		T	-	-	-	-	1	-	3	-	-	-	4	0.1	0.1
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	1	1	-	2	0.1	0.1
		F	-	-	-	-	-	-	1	3	-	1	5	0.2	0.1
		T	-	-	-	-	-	-	1	4	1	1	7	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	1	1	8	2	3	15	0.4	0.5
		F	-	-	-	-	-	1	8	21	7	8	45	1.7	1.4
		T	-	-	-	-	-	2	9	29	9	11	60	0.9	1.0
Congenital anomalies	740-759	M	19	-	2	1	1	-	4	1	-	1	29	0.8	0.4
		F	12	-	2	-	-	3	2	-	-	-	19	0.7	0.2
		T	31	-	4	1	1	3	6	1	-	1	48	0.7	0.3
Certain conditions originating in the perinatal period	760-779	M	39	-	-	-	-	-	-	-	-	-	39	1.1	0.4
		F	33	-	-	-	-	-	-	-	-	-	33	1.2	0.3
		T	72	-	-	-	-	-	-	-	-	-	72	1.1	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	70	5	-	-	3	5	30	20	4	8	145	3.9	2.6
		F	49	2	-	-	3	6	19	14	3	11	107	3.9	2.0
		T	119	7	-	-	6	11	49	34	7	19	252	3.9	2.3
External causes	E800-E999	M	4	17	12	19	109	158	598	195	47	25	1,184	31.9	24.4
		F	8	15	6	5	50	55	277	92	26	34	568	20.9	11.3
		T	12	32	18	24	159	213	875	287	73	59	1,752	27.3	17.5
All causes		**M**	**165**	**29**	**19**	**28**	**124**	**180**	**925**	**908**	**592**	**738**	**3,708**	**100.0**	**121.3**
		F	**121**	**22**	**12**	**13**	**58**	**79**	**570**	**660**	**405**	**781**	**2,721**	**100.0**	**87.0**
		T	**286**	**51**	**31**	**41**	**182**	**259**	**1,495**	**1,568**	**997**	**1,519**	**6,429**	**100.0**	**103.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - PROVINCIAL TOTAL
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	11	5	4	4	8	21	1,273	723	266	456	2,771	2.3	1.7
		F	8	9	6	3	8	13	130	136	197	672	1,182	1.1	0.6
		T	19	14	10	7	16	34	1,403	859	463	1,128	3,953	1.7	1.1
Neoplasms	140-239	M	11	14	29	33	43	54	1,041	7,901	10,767	13,844	33,737	27.5	20.7
		F	3	28	34	27	30	38	1,351	7,082	8,128	12,771	29,492	27.5	14.6
		T	14	42	63	60	73	92	2,392	14,983	18,895	26,615	63,229	27.5	17.2
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	18	7	3	-	6	14	121	561	830	1,626	3,186	2.6	2.0
		F	14	6	6	6	8	13	65	299	618	2,225	3,260	3.0	1.5
		T	32	13	9	6	14	27	186	860	1,448	3,851	6,446	2.6	1.7
Disease of blood and blood-forming organs	280-289	M	1	2	1	1	2	2	12	47	80	256	404	0.3	0.3
		F	3	1	2	2	3	-	10	41	69	327	458	0.4	0.2
		T	4	3	3	3	5	2	22	88	149	583	862	0.4	0.2
Mental disorders	290-319	M	-	-	-	-	1	4	147	363	339	1,372	2,226	1.8	1.4
		F	-	-	-	-	1	1	46	133	217	2,586	2,984	2.8	1.3
		T	-	-	-	-	2	5	193	496	556	3,958	5,210	2.3	1.4
Diseases of the nervous system and sense organs	320-389	M	18	15	8	12	15	17	118	340	544	1,665	2,752	2.2	1.7
		F	17	8	7	10	11	14	103	287	489	2,312	3,258	3.0	1.5
		T	35	23	15	22	26	31	221	627	1,033	3,977	6,010	2.6	1.6
Diseases of the circulatory system	390-459	M	13	12	5	8	20	30	791	6,445	10,542	26,592	44,458	36.3	27.8
		F	8	7	5	14	9	19	352	2,166	5,733	33,116	41,429	38.7	18.3
		T	21	19	10	22	29	49	1,143	8,611	16,275	59,708	85,887	37.4	22.6
Diseases of the respiratory system	460-519	M	10	12	5	6	5	8	128	947	2,443	8,886	12,450	10.2	7.9
		F	8	6	7	8	8	2	70	553	1,594	8,857	11,113	10.4	4.9
		T	18	18	12	14	13	10	198	1,500	4,037	17,743	23,563	10.3	6.2
Diseases of the digestive system	520-579	M	7	8	4	1	7	5	243	1,075	1,041	1,819	4,210	3.4	2.6
		F	3	2	2	3	-	2	126	539	716	2,740	4,133	3.9	1.9
		T	10	10	6	4	7	7	369	1,614	1,757	4,559	8,343	3.6	2.2
Diseases of the genitourinary system	580-629	M	1	1	-	-	1	2	32	141	333	1,238	1,749	1.4	1.1
		F	-	1	-	-	-	2	14	117	248	1,362	1,744	1.6	0.8
		T	1	2	-	-	1	4	46	258	581	2,600	3,493	1.5	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	1	10	-	-	-	12	0.0	0.0
		T	-	-	-	-	1	1	10	-	-	-	12	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	2	9	13	66	90	0.1	0.1
		F	-	-	-	-	-	-	-	7	18	136	161	0.2	0.1
		T	-	-	-	-	-	-	2	16	31	202	251	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	1	-	-	-	1	-	4	35	74	175	290	0.2	0.2
		F	-	-	1	2	1	1	22	83	106	491	707	0.7	0.3
		T	1	-	1	2	2	1	26	118	180	666	997	0.4	0.3
Congenital anomalies	740-759	M	306	33	13	12	7	11	53	56	18	38	547	0.4	0.4
		F	219	18	11	6	6	9	45	50	26	48	438	0.4	0.3
		T	525	51	24	18	13	20	98	106	44	86	985	0.4	0.3
Certain conditions originating in the perinatal period	760-779	M	460	1	-	-	-	1	-	-	-	-	462	0.4	0.3
		F	371	1	-	-	-	-	-	-	-	-	372	0.3	0.3
		T	831	2	-	-	-	1	-	-	-	-	834	0.4	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	165	20	5	6	21	35	244	209	139	378	1,222	1.0	0.8
		F	109	7	3	4	14	12	88	93	82	788	1,200	1.1	0.6
		T	274	27	8	10	35	47	332	302	221	1,166	2,422	1.1	0.7
External causes	E800-E999	M	33	72	72	117	671	1,017	4,987	2,637	833	1,621	12,060	9.8	7.4
		F	23	52	42	53	248	246	1,213	828	479	1,935	5,119	4.8	2.7
		T	56	124	114	170	919	1,263	6,200	3,465	1,312	3,556	17,179	7.5	5.1
All causes		**M**	**1,055**	**202**	**149**	**200**	**808**	**1,221**	**9,196**	**21,499**	**28,262**	**80,032**	**122,614**	**100.0**	**76.2**
		F	**786**	**146**	**126**	**138**	**348**	**373**	**3,645**	**12,414**	**18,720**	**70,366**	**107,062**	**100.0**	**49.9**
		T	**1,841**	**348**	**275**	**338**	**1,156**	**1,594**	**12,841**	**33,903**	**46,982**	**130,398**	**229,676**	**100.0**	**61.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Status Indians - 01/02 East and West Kootenay
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	1	-	-	-	1	1.4	1.5
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	1	-	-	-	1	0.8	0.7
Neoplasms	140-239	M	-	-	-	-	-	-	-	7	2	7	16	23.2	58.4
		F	-	-	-	-	-	-	-	4	4	6	14	28.0	44.4
		T	-	-	-	-	-	-	-	11	6	13	30	25.2	48.2
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	-	-	-	1	-	-	2	2.9	3.7
		F	-	-	-	-	-	-	-	-	-	2	2	4.0	5.2
		T	1	-	-	-	-	-	-	1	-	2	4	3.4	5.1
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	-	1	-	2	3	4.3	11.3
		F	-	-	-	-	-	-	-	1	-	-	1	2.0	2.0
		T	-	-	-	-	-	-	-	2	-	2	4	3.4	5.3
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	1	-	-	-	1	2	2.9	5.7
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	1	-	-	-	1	2	1.7	2.2
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	2	6	3	6	17	24.6	57.4
		F	-	-	-	-	-	-	-	2	6	8	16	32.0	53.8
		T	-	-	-	-	-	-	2	8	9	14	33	27.7	53.3
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	1	-	4	1	6	8.7	22.2
		F	-	-	-	-	-	-	-	-	-	3	3	6.0	7.7
		T	-	-	-	-	-	-	1	-	4	4	9	7.6	15.8
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	-	1	-	1	2	2.9	6.2
		F	-	-	-	-	-	-	1	2	-	-	3	6.0	5.9
		T	-	-	-	-	-	-	1	3	-	1	5	4.2	5.4
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	1	1	2.0	2.6
		F	-	-	-	-	-	-	-	-	-	1	1	0.8	1.7
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	740-759	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period	760-779	M	1	-	-	-	-	-	-	-	-	-	1	1.4	0.6
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	0.8	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	-	-	-	-	-	-	-	-	1	-	1	1.4	3.8
		F	3	-	-	-	-	-	-	-	-	-	3	6.0	1.8
		T	3	-	-	-	-	-	-	-	1	-	4	3.4	2.9
External causes	E800-E999	M	-	-	1	-	3	2	6	3	3	-	18	26.1	33.0
		F	-	-	-	-	1	-	3	2	-	1	7	14.0	11.1
		T	-	-	1	-	4	2	9	5	3	1	25	21.0	22.8
All causes		**M**	**2**	**-**	**1**	**-**	**3**	**3**	**10**	**19**	**13**	**18**	**69**	**100.0**	**203.8**
		F	**3**	**-**	**-**	**-**	**1**	**-**	**4**	**11**	**10**	**21**	**50**	**100.0**	**134.6**
		T	**5**	**-**	**1**	**-**	**4**	**3**	**14**	**30**	**23**	**39**	**119**	**100.0**	**163.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 01/02 East and West Kootenay
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	2	4	12	7	18	43	0.7	1.0
		F	-	1	-	-	-	-	2	7	8	21	39	0.8	0.5
		T	-	1	-	-	-	2	6	19	15	39	82	0.8	0.6
Neoplasms	140-239	M	1	-	2	3	3	1	42	356	544	659	1,611	27.8	40.8
		F	-	2	1	-	2	2	54	309	367	520	1,257	27.3	15.6
		T	1	2	3	3	5	3	96	665	911	1,179	2,866	27.6	18.9
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	2	-	-	-	1	4	22	48	88	165	2.9	4.5
		F	2	-	-	-	1	-	3	10	38	117	171	3.7	2.1
		T	2	2	-	-	1	1	7	32	86	205	336	3.2	2.3
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	1	4	13	18	0.3	0.5
		F	-	-	-	-	-	-	1	2	2	14	19	0.4	0.2
		T	-	-	-	-	-	-	1	3	6	27	37	0.4	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	3	11	17	60	91	1.6	2.6
		F	-	-	-	-	1	-	-	3	6	104	114	2.5	1.4
		T	-	-	-	-	1	-	3	14	23	164	205	2.0	1.4
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	2	1	8	17	27	78	133	2.3	3.7
		F	1	-	-	1	-	1	3	14	23	139	182	3.9	2.3
		T	1	-	-	1	2	2	11	31	50	217	315	3.0	2.2
Diseases of the circulatory system	390-459	M	-	-	-	-	-	2	40	285	543	1,265	2,135	36.9	59.8
		F	1	-	-	1	-	2	16	112	271	1,433	1,836	39.8	22.4
		T	1	-	-	1	-	4	56	397	814	2,698	3,971	38.2	27.0
Diseases of the respiratory system	460-519	M	1	-	-	-	1	-	4	39	106	429	580	10.0	17.4
		F	-	1	-	-	-	-	3	28	62	272	366	7.9	4.5
		T	1	1	-	-	1	-	7	67	168	701	946	9.1	6.5
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	8	37	59	105	209	3.6	5.4
		F	-	-	-	1	-	-	4	22	40	117	184	4.0	2.2
		T	-	-	-	1	-	-	12	59	99	222	393	3.8	2.6
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	7	14	67	88	1.5	2.7
		F	-	-	-	-	-	-	-	6	7	59	72	1.6	0.9
		T	-	-	-	-	-	-	-	13	21	126	160	1.5	1.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		T	-	-	-	-	-	-	-	-	-	2	2	0.0	0.1
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	1	1	0.0	0.0
		F	-	-	-	-	-	-	-	-	-	3	3	0.0	0.0
		T	-	-	-	-	-	-	-	-	-	3	3	0.0	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	1	2	11	14	0.2	0.4
		F	-	-	-	1	-	-	1	4	7	30	43	0.9	0.5
		T	-	-	-	1	-	-	1	5	9	41	57	0.5	0.4
Congenital anomalies	740-759	M	14	1	-	-	-	1	4	1	1	1	23	0.4	0.4
		F	7	-	-	-	1	1	1	3	1	-	14	0.3	0.2
		T	21	1	-	-	1	2	5	4	2	1	37	0.4	0.3
Certain conditions originating in the perinatal period	760-779	M	16	-	-	-	-	-	-	-	-	-	16	0.3	0.3
		F	13	-	-	-	-	-	-	-	-	-	13	0.3	0.3
		T	29	-	-	-	-	-	-	-	-	-	29	0.3	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	9	-	-	-	2	-	9	8	4	16	48	0.8	1.1
		F	3	1	1	-	-	-	5	1	1	37	49	1.1	0.6
		T	12	1	1	-	2	-	14	9	5	53	97	0.9	0.7
External causes	E800-E999	M	3	5	6	10	66	44	216	144	40	79	613	10.6	11.0
		F	6	3	2	3	23	15	35	46	33	81	247	5.4	3.4
		T	9	8	8	13	89	59	251	190	73	160	860	8.3	6.3
All causes		**M**	**44**	**8**	**8**	**13**	**74**	**52**	**342**	**941**	**1,416**	**2,891**	**5,789**	**100.0**	**151.7**
		F	**33**	**8**	**4**	**7**	**28**	**21**	**129**	**567**	**866**	**2,945**	**4,608**	**100.0**	**57.2**
		T	**77**	**16**	**12**	**20**	**102**	**73**	**471**	**1,508**	**2,282**	**5,836**	**10,397**	**100.0**	**70.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 03 NORTH OKANAGAN
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	1	-	-	-	1	1.3	0.8
		F	-	-	-	-	-	-	-	-	1	-	1	1.4	1.3
		T	-	-	-	-	-	-	1	-	1	-	2	1.3	1.1
Neoplasms	140-239	M	-	-	1	-	-	-	1	2	1	5	10	12.5	11.8
		F	-	-	-	-	-	-	1	7	-	3	11	15.5	12.9
		T	-	-	1	-	-	-	2	9	1	8	21	13.9	12.4
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	1	-	-	-	1	1.3	0.8
		F	-	-	-	-	-	-	-	-	2	3	5	7.0	8.1
		T	-	-	-	-	-	-	1	-	2	3	6	4.0	4.1
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	1	1.4	1.3
		T	-	-	-	-	-	-	-	-	1	-	1	0.7	0.7
Mental disorders	290-319	M	-	-	-	-	-	-	-	1	1	1	3	3.8	4.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	1	1	3	2.0	2.1
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	1	-	2	2.8	2.0
		T	-	-	-	-	-	-	-	1	1	-	2	1.3	1.1
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	1	7	5	4	17	21.3	22.0
		F	-	-	-	-	-	-	1	2	2	9	14	19.7	21.4
		T	-	-	-	-	-	-	2	9	7	13	31	20.5	20.5
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	2	3	1	4	10	12.5	11.3
		F	2	-	-	-	-	-	-	2	4	3	11	15.5	14.2
		T	2	-	-	-	-	-	2	5	5	7	21	13.9	12.7
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	-	1	1	1	3	3.8	4.0
		F	-	-	-	-	-	-	2	4	1	1	8	11.3	8.7
		T	-	-	-	-	-	-	2	5	2	2	11	7.3	6.3
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	1.4	1.8
		T	-	-	-	-	-	-	-	-	-	1	1	0.7	0.8
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	1	1.4	1.4
		T	-	-	-	-	-	-	-	-	1	-	1	0.7	0.7
Congenital anomalies	740-759	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	2	2.8	1.1
		T	1	-	-	-	-	1	-	-	-	-	2	1.3	0.6
Certain conditions originating in the perinatal period	760-779	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	1.4	0.5
		T	1	-	-	-	-	-	-	-	-	-	1	0.7	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	-	-	-	-	-	1	-	-	1	-	2	2.5	2.2
		F	-	-	-	-	-	-	-	1	-	-	1	1.4	0.8
		T	-	-	-	-	-	1	-	1	1	-	3	2.0	1.5
External causes	E800-E999	M	-	1	-	1	4	4	14	3	5	1	33	41.3	29.2
		F	-	-	-	-	1	1	5	-	4	1	12	16.9	11.8
		T	-	1	-	1	5	5	19	3	9	2	45	29.8	20.0
All causes		**M**	-	1	1	1	4	5	20	17	15	16	80	100.0	86.3
		F	4	-	-	-	1	2	9	17	17	21	71	100.0	87.2
		T	4	1	1	1	5	7	29	34	32	37	151	100.0	85.0

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - 03 NORTH OKANAGAN
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	1	-	1	-	-	1	7	7	6	13	36	0.8	0.7
		F	-	-	-	-	-	-	1	2	8	24	35	1.0	0.5
		T	1	-	1	-	-	1	8	9	14	37	71	0.9	0.6
Neoplasms	140-239	M	1	-	-	1	3	2	39	261	412	505	1,224	27.4	20.4
		F	-	-	1	3	1	-	36	250	289	405	985	27.8	14.4
		T	1	-	1	4	4	2	75	511	701	910	2,209	27.6	17.1
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	7	14	30	71	122	2.7	2.1
		F	-	1	-	-	-	-	1	9	21	78	110	3.1	1.5
		T	-	1	-	-	-	-	8	23	51	149	232	2.9	1.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	1	1	3	12	17	0.4	0.3
		F	-	-	-	-	-	-	1	1	2	12	16	0.5	0.2
		T	-	-	-	-	-	-	2	2	5	24	33	0.4	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	2	8	5	50	65	1.5	1.1
		F	-	-	-	-	-	-	2	5	7	68	82	2.3	1.1
		T	-	-	-	-	-	-	4	13	12	118	147	1.8	1.1
Diseases of the nervous system and sense organs	320-389	M	1	-	-	1	2	-	7	13	17	73	114	2.5	2.0
		F	1	-	-	-	-	-	5	9	18	70	103	2.9	1.4
		T	2	-	-	1	2	-	12	22	35	143	217	2.7	1.7
Diseases of the circulatory system	390-459	M	-	1	-	1	1	1	19	220	446	1,066	1,755	39.2	29.2
		F	-	-	2	1	-	1	13	75	222	1,129	1,443	40.8	19.2
		T	-	1	2	2	1	2	32	295	668	2,195	3,196	39.9	23.9
Diseases of the respiratory system	460-519	M	-	1	-	-	-	1	2	18	89	343	454	10.1	7.6
		F	-	-	1	-	-	-	-	20	62	229	312	8.8	4.2
		T	-	1	1	-	-	1	2	38	151	572	766	9.6	5.7
Diseases of the digestive system	520-579	M	1	1	-	-	-	-	4	39	43	69	157	3.5	2.7
		F	-	-	-	-	-	-	3	15	21	80	119	3.4	1.6
		T	1	1	-	-	-	-	7	54	64	149	276	3.4	2.1
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	2	5	13	39	59	1.3	1.0
		F	-	-	-	-	-	-	-	5	5	39	49	1.4	0.7
		T	-	-	-	-	-	-	2	10	18	78	108	1.3	0.8
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	3	3	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	5	5	0.1	0.0
		T	-	-	-	-	-	-	-	-	-	8	8	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	1	7	8	0.2	0.1
		F	-	-	-	-	-	-	-	3	5	19	27	0.8	0.4
		T	-	-	-	-	-	-	-	3	6	26	35	0.4	0.3
Congenital anomalies	740-759	M	8	1	-	-	-	-	1	3	1	1	15	0.3	0.4
		F	6	-	-	-	-	1	1	6	1	1	16	0.5	0.4
		T	14	1	-	-	-	1	2	9	2	2	31	0.4	0.4
Certain conditions originating in the perinatal period	760-779	M	10	-	-	-	-	-	-	-	-	-	10	0.2	0.3
		F	7	-	-	-	-	-	-	-	-	-	7	0.2	0.2
		T	17	-	-	-	-	-	-	-	-	-	17	0.2	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	8	2	-	2	-	2	8	6	4	15	47	1.1	1.0
		F	-	-	-	-	1	1	1	1	2	26	32	0.9	0.5
		T	8	2	-	2	1	3	9	7	6	41	79	1.0	0.7
External causes	E800-E999	M	-	4	5	6	27	39	119	84	41	63	388	8.7	8.3
		F	2	2	2	2	16	9	47	30	20	70	200	5.6	3.8
		T	2	6	7	8	43	48	166	114	61	133	588	7.3	6.0
All causes		**M**	**30**	**10**	**6**	**11**	**33**	**46**	**218**	**679**	**1,111**	**2,330**	**4,474**	**100.0**	**77.1**
		F	**16**	**3**	**6**	**6**	**18**	**12**	**111**	**431**	**683**	**2,255**	**3,541**	**100.0**	**50.0**
		T	**46**	**13**	**12**	**17**	**51**	**58**	**329**	**1,110**	**1,794**	**4,585**	**8,015**	**100.0**	**62.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Status Indians - 04 South Okanagan Similkameen
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	-	2	-	-	2	1.5	1.3
		F	-	-	-	-	-	-	-	1	-	2	3	4.3	3.2
		T	-	-	-	-	-	-	-	3	-	2	5	2.5	2.5
Neoplasms	140-239	M	-	-	-	1	-	-	2	3	4	9	19	14.4	29.3
		F	-	-	-	-	-	-	2	2	2	1	7	10.1	6.4
		T	-	-	-	1	-	-	4	5	6	10	26	12.9	15.7
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	-	1	1	2	1.5	3.3
		F	-	-	-	-	-	-	1	2	-	-	3	4.3	2.1
		T	-	-	-	-	-	-	1	2	1	1	5	2.5	2.5
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	2	2	1	1	6	4.5	6.2
		F	-	-	-	-	1	-	1	-	-	-	2	2.9	1.0
		T	-	-	-	-	1	-	3	2	1	1	8	4.0	3.2
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	1	2	3	2.3	5.9
		F	-	-	-	1	-	-	-	-	-	-	1	1.4	0.4
		T	-	-	-	1	-	-	-	-	1	2	4	2.0	2.6
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	3	7	11	13	34	25.8	50.9
		F	1	-	-	-	-	-	2	2	4	15	24	34.8	28.3
		T	1	-	-	-	-	-	5	9	15	28	58	28.9	38.3
Diseases of the respiratory system	460-519	M	1	-	-	-	-	-	-	4	7	6	18	13.6	26.3
		F	-	-	-	-	-	-	2	2	-	4	8	11.6	7.5
		T	1	-	-	-	-	-	2	6	7	10	26	12.9	15.9
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	3	6	3	2	14	10.6	15.1
		F	-	-	-	-	-	-	-	2	-	2	4	5.8	4.1
		T	-	-	-	-	-	-	3	8	3	4	18	9.0	9.2
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	2	3	4.3	3.2
		T	-	-	-	-	-	-	-	1	-	2	3	1.5	1.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	1	1.4	1.1
		T	-	-	-	-	-	-	-	1	-	-	1	0.5	0.5
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	740-759	M	1	-	-	-	-	-	-	-	-	-	1	0.8	0.3
		F	-	-	-	-	-	1	-	-	-	-	1	1.4	0.5
		T	1	-	-	-	-	1	-	-	-	-	2	1.0	0.4
Certain conditions originating in the perinatal period	760-779	M	2	-	-	-	-	-	-	-	-	-	2	1.5	0.8
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	2	1.0	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
External causes	E800-E999	M	-	-	-	1	2	6	15	2	3	2	31	23.5	22.7
		F	2	-	-	-	-	1	6	2	-	1	12	17.4	6.9
		T	2	-	-	1	2	7	21	4	3	3	43	21.4	14.1
All causes		**M**	**4**	**-**	**-**	**2**	**2**	**6**	**25**	**26**	**31**	**36**	**132**	**100.0**	**161.8**
		F	**3**	**-**	**-**	**1**	**1**	**2**	**14**	**15**	**6**	**27**	**69**	**100.0**	**64.7**
		T	7	-	-	3	3	8	39	41	37	63	201	100.0	107.2

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 04 South Okanagan Similkameen
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	1	1	25	21	17	23	88	0.9	0.8
		F	-	-	1	-	1	-	4	5	9	44	64	0.9	0.4
		T	-	-	1	-	2	1	29	26	26	67	152	0.9	0.6
Neoplasms	140-239	M	-	-	3	2	-	3	58	487	890	1,266	2,709	29.1	19.9
		F	-	-	2	-	1	3	61	461	607	930	2,065	27.6	13.2
		T	-	-	5	2	1	6	119	948	1,497	2,196	4,774	28.4	16.2
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	2	-	-	-	1	-	10	40	49	126	228	2.5	1.7
		F	-	-	-	-	1	-	5	21	29	137	193	2.6	1.1
		T	2	-	-	-	2	-	15	61	78	263	421	2.5	1.4
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	6	7	23	36	0.4	0.3
		F	-	-	1	-	-	-	2	3	3	17	26	0.3	0.2
		T	-	-	1	-	-	-	2	9	10	40	62	0.4	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	6	10	20	105	141	1.5	1.0
		F	-	-	-	-	-	-	2	7	22	161	192	2.6	1.0
		T	-	-	-	-	-	-	8	17	42	266	333	2.0	1.0
Diseases of the nervous system and sense organs	320-389	M	1	1	-	-	-	1	8	24	51	159	245	2.6	1.8
		F	-	1	-	-	-	1	6	24	32	193	257	3.4	1.5
		T	1	2	-	-	-	2	14	48	83	352	502	3.0	1.6
Diseases of the circulatory system	390-459	M	1	-	-	-	1	2	47	368	806	2,296	3,521	37.8	25.1
		F	-	-	1	-	-	2	19	122	403	2,354	2,901	38.8	15.8
		T	1	-	1	-	1	4	66	490	1,209	4,650	6,422	38.3	20.1
Diseases of the respiratory system	460-519	M	1	1	1	-	1	1	8	58	182	782	1,035	11.1	7.2
		F	-	-	1	1	-	-	6	33	114	687	842	11.3	4.6
		T	1	1	2	1	1	1	14	91	296	1,469	1,877	11.2	5.8
Diseases of the digestive system	520-579	M	1	1	1	-	-	-	11	65	76	164	319	3.4	2.4
		F	-	-	-	-	-	-	3	35	47	211	296	4.0	1.7
		T	1	1	1	-	-	-	14	100	123	375	615	3.7	2.0
Diseases of the genitourinary system	580-629	M	-	-	-	-	1	-	4	9	27	97	138	1.5	1.0
		F	-	-	-	-	-	-	-	6	20	80	106	1.4	0.6
		T	-	-	-	-	1	-	4	15	47	177	244	1.5	0.8
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
		T	-	-	-	-	-	-	2	-	-	-	2	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	7	7	0.1	0.0
		F	-	-	-	-	-	-	-	-	2	15	17	0.2	0.1
		T	-	-	-	-	-	-	-	-	2	22	24	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	1	3	7	12	23	0.2	0.2
		F	-	-	-	-	-	-	1	14	9	37	61	0.8	0.4
		T	-	-	-	-	-	-	2	17	16	49	84	0.5	0.3
Congenital anomalies	740-759	M	15	-	1	1	-	-	5	3	1	1	27	0.3	0.3
		F	10	1	1	1	-	-	1	2	3	3	22	0.3	0.3
		T	25	1	2	2	-	-	6	5	4	4	49	0.3	0.3
Certain conditions originating in the perinatal period	760-779	M	26	-	-	-	-	-	-	-	-	-	26	0.3	0.4
		F	24	-	-	-	-	-	-	-	-	-	24	0.3	0.4
		T	50	-	-	-	-	-	-	-	-	-	50	0.3	0.4
Symptoms, signs, and ill-defined conditions	780-799	M	7	1	-	-	-	-	6	5	2	32	53	0.6	0.5
		F	4	-	1	-	-	1	4	6	4	53	73	1.0	0.5
		T	11	1	1	-	-	1	10	11	6	85	126	0.8	0.5
External causes	E800-E999	M	4	3	4	7	50	51	215	133	82	158	707	7.6	7.3
		F	1	4	4	4	16	11	59	52	41	151	343	4.6	2.8
		T	5	7	8	11	66	62	274	185	123	309	1,050	6.3	5.0
All causes		**M**	**58**	**7**	**10**	**10**	**55**	**59**	**404**	**1,232**	**2,217**	**5,251**	**9,303**	**100.0**	**69.8**
		F	**39**	**6**	**12**	**6**	**19**	**18**	**175**	**791**	**1,345**	**5,073**	**7,484**	**100.0**	**44.5**
		T	**97**	**13**	**22**	**16**	**74**	**77**	**579**	**2,023**	**3,562**	**10,324**	**16,787**	**100.0**	**56.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 05 THOMPSON
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	1	3	-	-	4	1.3	0.8
		F	-	-	-	-	-	-	1	1	-	-	2	0.8	0.5
		T	-	-	-	-	-	-	2	4	-	-	6	1.1	0.7
Neoplasms	140-239	M	-	-	-	1	-	-	2	7	8	13	31	10.1	12.3
		F	-	-	-	1	-	-	2	12	11	10	36	15.3	12.6
		T	-	-	-	2	-	-	4	19	19	23	67	12.3	12.4
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	1	1	2	4	8	2.6	3.4
		F	-	-	-	-	-	-	1	4	2	3	10	4.2	3.5
		T	-	-	-	-	-	-	2	5	4	7	18	3.3	3.4
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	1	1	0.3	0.5
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	1	1	0.2	0.2
Mental disorders	290-319	M	-	-	-	1	-	-	2	4	3	2	12	3.9	3.9
		F	-	-	-	-	-	-	4	1	1	2	8	3.4	2.3
		T	-	-	-	1	-	-	6	5	4	4	20	3.7	3.1
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	1	2	1	-	4	1.3	1.2
		F	-	-	-	-	-	-	1	-	1	2	4	1.7	1.4
		T	-	-	-	-	-	-	2	2	2	2	8	1.5	1.3
Diseases of the circulatory system	390-459	M	-	-	-	-	1	-	3	20	21	28	73	23.8	29.2
		F	-	-	-	-	-	-	2	16	16	28	62	26.3	23.1
		T	-	-	-	-	1	-	5	36	37	56	135	24.9	26.0
Diseases of the respiratory system	460-519	M	1	-	-	-	-	-	-	5	6	10	22	7.2	9.0
		F	-	-	-	1	-	-	3	5	12	8	29	12.3	10.6
		T	1	-	-	1	-	-	3	10	18	18	51	9.4	9.8
Diseases of the digestive system	520-579	M	-	-	-	1	-	-	2	6	5	4	18	5.9	6.3
		F	-	-	-	-	-	-	5	15	4	4	28	11.9	8.2
		T	-	-	-	1	-	-	7	21	9	8	46	8.5	7.3
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	1	-	1	2	0.7	0.8
		F	1	-	-	-	-	-	1	2	3	3	10	4.2	3.4
		T	1	-	-	-	-	-	1	3	3	4	12	2.2	2.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.4	0.2
		T	-	-	-	-	-	-	1	-	-	-	1	0.2	0.2
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	1	-	-	1	0.3	0.3
		F	-	-	-	-	-	-	1	1	-	-	2	0.8	0.5
		T	-	-	-	-	-	-	1	2	-	-	3	0.6	0.4
Congenital anomalies	740-759	M	1	-	-	-	-	-	-	-	-	-	1	0.3	0.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	0.2	0.1
Certain conditions originating in the perinatal period	760-779	M	1	-	-	-	-	-	-	-	-	-	1	0.3	0.1
		F	2	-	-	-	-	-	-	-	-	-	2	0.8	0.3
		T	3	-	-	-	-	-	-	-	-	-	3	0.6	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	2	1	-	-	-	-	2	-	-	-	5	1.6	0.8
		F	1	-	-	-	-	-	-	-	-	1	2	0.8	0.5
		T	3	1	-	-	-	-	2	-	-	1	7	1.3	0.7
External causes	E800-E999	M	1	-	1	3	16	17	55	24	3	4	124	40.4	25.7
		F	-	1	-	-	8	6	14	6	2	3	40	16.9	8.6
		T	1	1	1	3	24	23	69	30	5	7	164	30.2	16.9
All causes		**M**	**6**	**1**	**1**	**6**	**17**	**17**	**69**	**74**	**49**	**67**	**307**	**100.0**	**94.3**
		F	**4**	**1**	**-**	**2**	**8**	**6**	**36**	**63**	**52**	**84**	**236**	**100.0**	**75.7**
		T	**10**	**2**	**1**	**8**	**25**	**23**	**105**	**137**	**101**	**151**	**543**	**100.0**	**84.6**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 05 Thompson
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years) <1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Total Number	Total Percent	Total ASMR
Infectious and parasitic diseases	001-139	M	-	1	-	-	1	-	9	10	12	18	51	1.3	1.1
		F	-	1	-	-	-	-	2	4	9	19	35	1.2	0.6
		T	-	2	-	-	1	-	11	14	21	37	86	1.3	0.9
Neoplasms	140-239	M	-	-	1	1	-	2	33	299	340	386	1,062	26.3	22.1
		F	-	-	-	1	1	1	35	253	247	288	824	29.0	15.0
		T	-	-	1	2	1	3	68	552	587	672	1,886	27.4	18.1
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	1	-	-	-	1	3	23	29	41	98	2.4	2.1
		F	1	-	1	-	-	-	3	8	23	55	91	3.2	1.7
		T	1	1	1	-	-	1	6	31	52	96	189	2.8	1.9
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	1	3	3	6	13	0.3	0.3
		F	-	-	-	-	-	-	-	5	1	8	14	0.5	0.3
		T	-	-	-	-	-	-	1	8	4	14	27	0.4	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	3	13	12	33	61	1.5	1.4
		F	-	-	-	-	-	-	3	6	5	84	98	3.5	1.8
		T	-	-	-	-	-	-	6	19	17	117	159	2.3	1.7
Diseases of the nervous system and sense organs	320-389	M	1	-	-	-	-	2	7	15	21	53	99	2.5	2.3
		F	-	-	-	-	-	1	2	7	18	49	77	2.7	1.4
		T	1	-	-	-	-	3	9	22	39	102	176	2.6	1.8
Diseases of the circulatory system	390-459	M	-	-	-	1	2	3	29	281	406	663	1,387	34.4	30.3
		F	1	2	-	1	-	-	13	86	200	684	987	34.8	18.4
		T	1	2	-	2	2	3	42	367	606	1,347	2,374	34.6	24.0
Diseases of the respiratory system	460-519	M	1	-	-	-	1	-	5	46	125	259	437	10.8	10.1
		F	1	-	-	-	-	-	3	18	62	196	280	9.9	5.2
		T	2	-	-	-	1	-	8	64	187	455	717	10.4	7.4
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	14	49	43	42	148	3.7	3.0
		F	-	-	-	-	-	-	7	31	20	77	135	4.8	2.5
		T	-	-	-	-	-	-	21	80	63	119	283	4.1	2.8
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	4	22	37	63	1.6	1.4
		F	-	-	-	-	-	-	-	5	7	31	43	1.5	0.8
		T	-	-	-	-	-	-	-	9	29	68	106	1.5	1.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	1	3	4	0.1	0.1
		F	-	-	-	-	-	-	-	-	1	-	1	0.0	0.0
		T	-	-	-	-	-	-	-	-	2	3	5	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	3	2	4	9	0.2	0.2
		F	-	-	-	-	-	-	1	3	3	10	17	0.6	0.3
		T	-	-	-	-	-	-	1	6	5	14	26	0.4	0.3
Congenital anomalies	740-759	M	8	2	2	-	2	-	2	1	1	-	18	0.4	0.4
		F	10	-	-	-	-	-	2	2	-	2	16	0.6	0.4
		T	18	2	2	-	2	-	4	3	1	2	34	0.5	0.4
Certain conditions originating in the perinatal period	760-779	M	17	-	-	-	-	-	-	-	-	-	17	0.4	0.4
		F	5	-	-	-	-	-	-	-	-	-	5	0.2	0.1
		T	22	-	-	-	-	-	-	-	-	-	22	0.3	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	7	1	-	2	2	-	9	4	5	11	41	1.0	0.9
		F	4	-	-	-	-	-	1	1	2	17	25	0.9	0.5
		T	11	1	-	2	2	-	10	5	7	28	66	1.0	0.7
External causes	E800-E999	M	1	3	5	10	27	54	212	114	34	64	524	13.0	10.9
		F	-	4	4	4	8	9	53	33	26	50	191	6.7	3.8
		T	1	7	9	14	35	63	265	147	60	114	715	10.4	7.3
All causes		**M**	**35**	**8**	**8**	**14**	**35**	**62**	**327**	**865**	**1,058**	**1,620**	**4,032**	**100.0**	**86.8**
		F	**22**	**7**	**5**	**6**	**9**	**11**	**125**	**462**	**624**	**1,568**	**2,839**	**100.0**	**52.9**
		T	**57**	**15**	**13**	**20**	**44**	**73**	**452**	**1,327**	**1,682**	**3,188**	**6,871**	**100.0**	**68.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 06 FRASER VALLEY
BRITISH COLUMBIA, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years) <1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Total Number	Total Percent	Total ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	3	1	1	-	5	2.2	2.1
		F	-	-	-	-	-	-	-	2	1	1	4	2.6	2.6
		T	-	-	-	-	-	-	3	3	2	1	9	2.4	2.3
Neoplasms	140-239	M	-	-	-	-	1	-	2	10	5	7	25	11.0	15.9
		F	-	-	-	-	-	-	2	13	6	9	30	19.6	18.2
		T	-	-	-	-	1	-	4	23	11	16	55	14.5	17.0
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	3	4	-	7	10.1	4.9
		F	-	-	-	-	1	1	-	1	2	-	5	10.0	2.2
		T	-	-	-	-	1	1	-	4	6	-	12	10.1	3.6
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	2	-	-	2	0.9	0.7
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	2	-	-	2	0.5	0.4
Mental disorders	290-319	M	-	-	-	-	-	-	1	3	1	-	5	2.2	2.5
		F	-	-	-	-	-	-	1	-	-	1	2	1.3	1.1
		T	-	-	-	-	-	-	2	3	1	1	7	1.8	1.8
Diseases of the nervous system and sense organs	320-389	M	1	1	-	-	-	-	1	-	1	1	5	2.2	2.4
		F	-	-	-	-	-	-	-	-	1	-	1	0.7	0.7
		T	1	1	-	-	-	-	1	-	2	1	6	1.6	1.5
Diseases of the circulatory system	390-459	M	1	-	-	-	-	-	2	16	18	24	61	26.9	45.2
		F	-	-	-	-	1	-	4	7	8	17	37	24.2	25.1
		T	1	-	-	-	1	-	6	23	26	41	98	25.8	34.6
Diseases of the respiratory system	460-519	M	1	-	-	1	-	-	3	-	4	4	13	5.7	8.2
		F	-	-	-	-	-	-	2	1	3	8	14	9.2	9.8
		T	1	-	-	1	-	-	5	1	7	12	27	7.1	9.1
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	2	3	8	2	15	6.6	10.3
		F	-	-	-	-	-	-	2	4	2	2	10	6.5	5.2
		T	-	-	-	-	-	-	4	7	10	4	25	6.6	7.7
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	0.7	0.8
		T	-	-	-	-	-	-	-	-	-	1	1	0.3	0.8
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	1	-	-	1	0.4	0.4
		F	-	-	-	-	-	-	1	2	-	-	3	2.0	1.0
		T	-	-	-	-	-	-	1	3	-	-	4	1.1	0.7
Congenital anomalies	740-759	M	2	-	-	-	-	-	1	-	-	-	3	1.3	0.6
		F	2	-	-	-	-	-	1	-	-	-	3	2.0	0.6
		T	4	-	-	-	-	-	2	-	-	-	6	1.6	0.6
Certain conditions originating in the perinatal period	760-779	M	2	-	-	-	-	-	-	-	-	-	2	0.9	0.3
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	2	0.5	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	6	-	-	-	-	1	2	2	-	-	11	4.8	2.6
		F	5	1	-	-	-	1	1	-	-	-	8	5.2	1.5
		T	11	1	-	-	-	2	3	2	-	-	19	5.0	2.0
External causes	E800-E999	M	1	1	-	1	4	12	33	14	3	3	72	31.7	25.4
		F	-	2	1	-	2	4	15	10	1	-	35	22.9	10.2
		T	1	3	1	1	6	16	48	24	4	3	107	28.2	17.4
All causes		**M**	**14**	**2**	**-**	**2**	**5**	**13**	**50**	**55**	**45**	**41**	**227**	**100.0**	**121.6**
		F	**7**	**3**	**1**	**-**	**4**	**6**	**29**	**40**	**24**	**39**	**153**	**100.0**	**79.0**
		T	**21**	**5**	**1**	**2**	**9**	**19**	**79**	**95**	**69**	**80**	**380**	**100.0**	**99.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - 06 FRASER VALLEY
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	1	1	1	25	27	15	22	92	1.2	0.9
		F	2	-	1	-	1	1	7	5	10	48	75	1.1	0.6
		T	2	-	1	1	2	2	32	32	25	70	167	1.2	0.8
Neoplasms	140-239	M	2	1	3	3	5	3	58	483	682	863	2,103	27.4	20.6
		F	-	2	1	2	1	3	69	397	532	730	1,737	26.3	14.4
		T	2	3	4	5	6	6	127	880	1,214	1,593	3,840	26.9	17.2
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	3	-	-	-	-	1	2	35	52	106	199	3.4	2.0
		F	2	2	2	-	-	-	2	17	39	128	192	4.2	1.5
		T	5	2	2	-	-	1	4	52	91	234	391	3.8	1.7
Disease of blood and blood-forming organs	280-289	M	1	-	-	-	-	-	1	6	3	17	28	0.4	0.3
		F	-	-	-	-	1	-	-	4	3	15	23	0.3	0.2
		T	1	-	-	-	1	-	1	10	6	32	51	0.4	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	4	21	16	90	131	1.7	1.3
		F	-	-	-	-	-	-	2	7	14	130	153	2.3	1.1
		T	-	-	-	-	-	-	6	28	30	220	284	2.0	1.2
Diseases of the nervous system and sense organs	320-389	M	-	1	2	2	3	1	7	13	32	116	177	2.3	1.7
		F	-	-	-	1	1	1	4	12	31	125	175	2.6	1.3
		T	-	1	2	3	4	2	11	25	63	241	352	2.5	1.5
Diseases of the circulatory system	390-459	M	2	2	-	-	1	-	47	363	685	1,836	2,936	38.3	26.7
		F	1	2	1	1	1	1	19	153	396	2,168	2,743	41.5	20.3
		T	3	4	1	1	2	1	66	516	1,081	4,004	5,679	39.8	24.1
Diseases of the respiratory system	460-519	M	2	1	-	1	1	-	4	55	145	530	739	9.6	7.2
		F	2	-	-	1	1	-	3	38	107	537	689	10.4	5.1
		T	4	1	-	2	2	-	7	93	252	1,067	1,428	10.0	6.0
Diseases of the digestive system	520-579	M	1	1	1	-	2	1	13	62	73	134	288	3.8	2.8
		F	-	1	1	-	-	-	7	31	49	147	236	3.6	1.9
		T	1	2	2	-	2	1	20	93	122	281	524	3.7	2.3
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	2	3	25	80	110	1.4	1.1
		F	-	-	-	-	-	-	2	9	15	81	107	1.6	0.8
		T	-	-	-	-	-	-	4	12	40	161	217	1.5	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-	1	0.0	0.0
		T	-	-	-	-	1	-	-	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	2	2	0.0	0.0
		F	-	-	-	-	-	-	-	2	2	9	13	0.2	0.1
		T	-	-	-	-	-	-	-	2	2	11	15	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	1	-	-	3	4	10	18	0.2	0.2
		F	-	-	-	-	-	-	-	5	8	31	44	0.7	0.3
		T	-	-	-	-	1	-	-	8	12	41	62	0.4	0.3
Congenital anomalies	740-759	M	24	3	1	-	1	1	6	3	1	4	44	0.6	0.4
		F	19	4	2	1	-	-	4	2	4	7	43	0.7	0.4
		T	43	7	3	1	1	1	10	5	5	11	87	0.6	0.4
Certain conditions originating in the perinatal period	760-779	M	25	-	-	-	-	-	-	-	-	-	25	0.3	0.3
		F	19	-	-	-	-	-	-	-	-	-	19	0.3	0.2
		T	44	-	-	-	-	-	-	-	-	-	44	0.3	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	16	3	1	1	1	2	20	18	8	22	92	1.2	1.0
		F	7	-	-	-	2	1	3	2	4	30	49	0.7	0.4
		T	23	3	1	1	3	3	23	20	12	52	141	1.0	0.7
External causes	E800-E999	M	-	2	8	7	42	69	294	122	53	89	686	8.9	7.3
		F	2	7	3	3	11	19	75	55	31	102	306	4.7	2.9
		T	2	9	11	10	53	88	369	177	84	191	994	7.0	5.2
All causes		**M**	**76**	**14**	**16**	**15**	**58**	**79**	**483**	**1,214**	**1,794**	**3,921**	**7,670**	**100.0**	**75.8**
		F	**54**	**18**	**11**	**9**	**20**	**26**	**197**	**739**	**1,245**	**4,288**	**6,607**	**100.0**	**51.6**
		T	**130**	**32**	**27**	**24**	**78**	**105**	**680**	**1,953**	**3,039**	**8,209**	**14,277**	**100.0**	**62.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 07 SOUTH FRASER VALLEY
BRITISH COLUMBIA, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (In years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	6	-	-	-	6	4.8	4.0
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	6	-	-	-	6	2.7	1.8
Neoplasms	140-239	M	-	-	-	-	-	-	2	8	7	8	25	19.8	65.2
		F	-	-	-	-	-	-	1	9	9	5	24	25.0	44.1
		T	-	-	-	-	-	-	3	17	16	13	49	22.1	53.4
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	2	-	1	3	2.4	7.7
		F	-	-	-	-	-	-	-	1	2	-	3	3.1	4.9
		T	-	-	-	-	-	-	-	3	2	1	6	2.7	6.2
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	-	1	-	-	1	0.8	1.8
		F	-	-	-	-	-	-	1	-	-	-	1	1.0	0.5
		T	-	-	-	-	-	-	1	1	-	-	2	0.9	1.0
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	1	-	-	1	0.8	1.1
		F	-	-	-	-	-	-	-	2	1	2	5	5.2	11.8
		T	-	-	-	-	-	-	-	3	1	2	6	2.7	7.0
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	1	6	6	21	34	27.0	115.9
		F	-	-	-	-	-	-	1	2	4	17	24	25.0	76.6
		T	-	-	-	-	-	-	2	8	10	38	58	26.1	94.2
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	-	-	-	5	5	4.0	21.5
		F	-	-	-	-	-	-	-	3	-	5	8	8.3	22.5
		T	-	-	-	-	-	-	-	3	-	10	13	5.9	22.3
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	-	4	1	-	5	4.0	9.2
		F	-	-	-	-	-	-	1	2	3	-	6	6.3	7.7
		T	-	-	-	-	-	-	1	6	4	-	11	5.0	8.2
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	1	1	-	2	1.6	4.7
		F	-	-	-	-	-	-	-	-	-	1	1	1.0	3.9
		T	-	-	-	-	-	-	-	1	1	1	3	1.4	3.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	2	2	2.1	7.8
		T	-	-	-	-	-	-	-	-	-	2	2	0.9	4.1
Congenital anomalies	740-759	M	2	-	1	-	-	-	-	-	-	-	3	2.4	0.7
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	1	-	-	-	-	-	-	-	3	1.4	0.4
Certain conditions originating in the perinatal period	760-779	M	1	-	-	-	-	-	-	-	-	-	1	0.8	0.2
		F	1	-	-	-	-	-	-	-	-	-	1	1.0	0.2
		T	2	-	-	-	-	-	-	-	-	-	2	0.9	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	3	-	-	-	-	-	1	-	1	-	5	4.0	4.1
		F	-	-	-	-	-	1	-	1	-	-	2	2.1	1.7
		T	3	-	-	-	-	1	1	1	1	-	7	3.2	2.7
External causes	E800-E999	M	-	-	1	-	2	5	24	2	1	-	35	27.8	26.6
		F	-	-	-	-	1	1	12	4	1	-	19	19.8	12.8
		T	-	-	1	-	3	6	36	6	2	-	54	24.3	19.0
All causes		**M**	**6**	**-**	**2**	**-**	**2**	**5**	**34**	**25**	**17**	**35**	**126**	**100.0**	**282.7**
		F	**1**	**-**	**-**	**-**	**1**	**2**	**18**	**24**	**20**	**32**	**98**	**100.0**	**194.5**
		T	**7**	**-**	**2**	**-**	**3**	**7**	**50**	**49**	**37**	**67**	**222**	**100.0**	**224.4**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - 07 SOUTH FRASER VALLEY
BRITISH COLUMBIA, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (In years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	1	2	1	1	1	4	72	72	36	63	253	1.8	1.2
		F	3	1	2	1	1	2	19	16	35	84	164	1.3	0.6
		T	4	3	3	2	2	6	91	88	71	147	417	1.5	0.9
Neoplasms	140-239	M	4	5	7	6	3	8	126	1,021	1,232	1,642	4,054	28.2	20.0
		F	-	5	6	6	7	9	209	973	1,046	1,515	3,776	29.7	15.0
		T	4	10	13	12	10	17	335	1,994	2,278	3,157	7,830	28.9	17.1
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	3	-	-	-	1	1	23	70	102	194	394	2.7	2.0
		F	-	-	-	1	-	3	9	47	78	256	394	3.1	1.5
		T	3	-	-	1	1	4	32	117	180	450	788	2.9	1.7
Disease of blood and blood-forming organs	280-289	M	-	1	-	-	-	-	1	3	13	27	45	0.3	0.2
		F	-	-	-	1	-	-	1	3	4	38	47	0.4	0.2
		T	-	1	-	1	-	-	2	6	17	65	92	0.3	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	21	25	45	130	221	1.5	1.1
		F	-	-	-	-	-	-	5	12	20	223	260	2.0	1.0
		T	-	-	-	-	-	-	26	37	65	353	481	1.8	1.0
Diseases of the nervous system and sense organs	320-389	M	4	-	1	1	2	1	12	41	61	180	303	2.1	1.5
		F	5	-	1	-	3	2	17	23	62	250	363	2.9	1.4
		T	9	-	2	1	5	3	29	64	123	430	666	2.5	1.4
Diseases of the circulatory system	390-459	M	1	2	1	2	3	5	104	818	1,233	3,238	5,407	37.6	27.5
		F	-	1	-	-	2	7	51	296	734	3,781	4,872	38.3	18.1
		T	1	3	1	2	5	12	155	1,114	1,967	7,019	10,279	37.9	22.3
Diseases of the respiratory system	460-519	M	-	2	-	1	-	1	18	116	262	951	1,351	9.4	7.0
		F	1	-	1	-	2	1	10	70	184	989	1,258	9.9	4.7
		T	1	2	1	1	2	2	28	186	446	1,940	2,609	9.6	5.7
Diseases of the digestive system	520-579	M	-	2	-	-	-	-	26	128	124	208	488	3.4	2.4
		F	1	-	-	-	-	-	20	73	93	286	473	3.7	1.8
		T	1	2	-	-	-	-	46	201	217	494	961	3.5	2.1
Diseases of the genitourinary system	580-629	M	-	1	-	-	-	-	4	14	41	143	203	1.4	1.1
		F	-	1	-	-	-	-	5	16	26	144	192	1.5	0.7
		T	-	2	-	-	-	-	9	30	67	287	395	1.5	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	1	1	-	3	5	0.0	0.0
		F	-	-	-	-	-	-	-	1	1	19	21	0.2	0.1
		T	-	-	-	-	-	-	1	2	1	22	26	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	5	8	17	30	0.2	0.2
		F	-	-	1	1	-	-	3	10	14	62	91	0.7	0.3
		T	-	-	1	1	-	-	3	15	22	79	121	0.4	0.3
Congenital anomalies	740-759	M	53	2	3	2	1	2	9	11	1	3	87	0.6	0.4
		F	42	3	3	1	1	-	7	3	3	2	65	0.5	0.3
		T	95	5	6	3	2	2	16	14	1	5	152	0.6	0.3
Certain conditions originating in the perinatal period	760-779	M	70	-	-	-	-	1	-	-	-	-	71	0.5	0.3
		F	73	-	-	-	-	-	-	-	-	-	73	0.6	0.3
		T	143	-	-	-	-	1	-	-	-	-	144	0.5	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	22	1	2	-	2	4	36	20	15	39	141	1.0	0.7
		F	19	1	-	-	-	1	7	7	7	72	114	0.9	0.4
		T	41	2	2	-	2	5	43	27	22	111	255	0.9	0.5
External causes	E800-E999	M	5	14	7	14	77	128	571	285	61	159	1,321	9.2	5.9
		F	2	5	12	8	26	30	138	98	55	177	551	4.3	2.3
		T	7	19	19	22	103	158	709	383	116	336	1,872	6.9	4.1
All causes		**M**	**163**	**32**	**22**	**27**	**90**	**155**	**1,024**	**2,630**	**3,234**	**6,997**	**14,374**	**100.0**	**71.3**
		F	**146**	**17**	**26**	**19**	**42**	**55**	**501**	**1,648**	**2,362**	**7,898**	**12,714**	**100.0**	**48.7**
		T	**309**	**49**	**48**	**46**	**132**	**210**	**1,525**	**4,278**	**5,596**	**14,895**	**27,088**	**100.0**	**58.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 08 SIMON FRASER
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	1	1	-	-	2	1.8	4.0
		F	-	-	1	-	-	-	-	-	-	-	1	1.0	0.6
		T	-	-	1	-	-	-	1	1	-	-	3	1.4	1.7
Neoplasms	140-239	M	-	-	-	-	-	-	1	14	5	6	26	23.9	128.6
		F	-	-	-	-	-	-	3	5	7	8	23	22.1	90.5
		T	-	-	-	-	-	-	4	19	12	14	49	23.0	99.9
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	1	1	1	1	4	3.7	17.0
		F	-	-	-	-	-	-	-	2	1	2	5	4.8	21.5
		T	-	-	-	-	-	-	1	3	2	3	9	4.2	19.6
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	1.0	7.2
		T	-	-	-	-	-	-	-	-	-	1	1	0.5	3.7
Mental disorders	290-319	M	-	-	-	-	-	-	1	-	1	-	2	1.8	11.4
		F	-	-	-	-	-	-	1	-	-	-	1	1.0	0.7
		T	-	-	-	-	-	-	2	-	1	-	3	1.4	3.3
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	-	1	1	0.9	7.7
		F	1	-	-	-	-	-	-	1	-	-	2	1.9	1.6
		T	1	-	-	-	-	-	-	1	-	1	3	1.4	4.8
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	1	10	5	11	27	24.8	132.8
		F	-	-	-	-	-	-	3	5	6	24	38	36.5	201.6
		T	-	-	-	-	-	-	4	15	11	35	65	30.5	168.8
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	-	3	6	6	15	13.8	100.1
		F	-	-	-	-	-	-	-	1	3	2	6	5.8	25.5
		T	-	-	-	-	-	-	-	4	9	8	21	9.9	54.5
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	3	1	1	1	6	5.5	18.9
		F	-	-	-	-	-	-	2	1	-	2	5	4.8	18.9
		T	-	-	-	-	-	-	5	2	1	3	11	5.2	18.4
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	1	-	1	0.9	10.6
		F	-	-	-	-	-	-	-	1	-	1	2	1.9	9.7
		T	-	-	-	-	-	-	-	1	1	1	3	1.4	7.6
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	740-759	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	2	1.9	0.9
		T	1	-	1	-	-	-	-	-	-	-	2	0.9	0.5
Certain conditions originating in the perinatal period	760-779	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	780-790	M	3	1	-	-	-	-	1	2	-	-	7	6.4	6.2
		F	1	-	-	-	-	-	1	-	-	-	2	1.9	1.1
		T	4	1	-	-	-	-	2	2	-	-	9	4.2	3.2
External causes	E800-E999	M	-	-	-	-	3	3	8	3	-	1	18	16.5	28.8
		F	-	-	-	-	-	2	7	4	1	2	16	15.4	29.8
		T	-	-	-	-	3	5	15	7	1	3	34	16.0	28.7
All causes		**M**	**3**	**1**	**-**	**-**	**3**	**3**	**17**	**35**	**20**	**27**	**109**	**100.0**	**466.0**
		F	**3**	**-**	**2**	**-**	**-**	**2**	**17**	**20**	**18**	**42**	**104**	**100.0**	**409.6**
		T	**6**	**1**	**2**	**-**	**3**	**5**	**34**	**55**	**38**	**69**	**213**	**100.0**	**414.5**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 08 Simon Fraser
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	3	-	-	-	-	2	49	31	14	26	125	1.6	1.1
		F	-	1	1	-	-	1	7	12	12	50	84	1.1	0.6
		T	3	1	1	-	-	3	56	43	26	76	209	1.4	0.8
Neoplasms	140-239	M	-	1	2	4	4	4	90	615	643	821	2,184	27.8	22.7
		F	-	2	-	4	2	3	138	552	522	840	2,063	26.1	15.7
		T	-	3	2	8	6	7	228	1,167	1,165	1,661	4,247	27.9	18.4
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	2	1	-	-	-	2	8	48	41	99	201	2.6	2.1
		F	3	1	-	-	2	3	6	22	60	162	259	3.5	1.9
		T	5	2	-	-	2	5	14	70	101	261	460	3.0	2.0
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	1	-	1	1	2	11	16	0.2	0.2
		F	2	-	-	-	-	-	-	4	6	13	25	0.3	0.2
		T	2	-	-	-	1	-	1	5	8	24	41	0.3	0.2
Mental disorders	290-319	M	-	-	-	-	-	1	12	19	30	76	138	1.8	1.5
		F	-	-	-	-	-	-	4	10	16	176	206	2.8	1.5
		T	-	-	-	-	-	1	16	29	46	252	344	2.3	1.5
Diseases of the nervous system and sense organs	320-389	M	1	1	-	3	-	2	12	32	36	95	182	2.3	2.0
		F	1	-	1	-	2	1	13	33	30	145	226	3.1	1.7
		T	2	1	1	3	2	3	25	65	66	240	406	2.7	1.8
Diseases of the circulatory system	390-459	M	1	1	1	1	2	1	66	496	703	1,583	2,855	36.4	31.5
		F	-	-	1	1	-	-	28	157	408	2,184	2,779	37.8	19.9
		T	1	1	2	2	2	1	94	653	1,111	3,767	5,634	37.1	24.9
Diseases of the respiratory system	460-519	M	1	2	-	2	-	-	17	71	179	570	842	10.7	9.7
		F	1	-	1	1	-	1	4	52	138	618	816	11.1	5.9
		T	2	2	1	3	-	1	21	123	317	1,188	1,658	10.9	7.4
Diseases of the digestive system	520-579	M	-	1	-	-	2	1	22	74	73	93	266	3.4	2.7
		F	-	-	-	-	-	1	11	37	39	173	261	3.6	1.9
		T	-	1	-	-	2	2	33	111	112	266	527	3.5	2.3
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	1	3	10	14	63	91	1.2	1.0
		F	-	-	-	-	-	-	1	8	21	88	118	1.6	0.9
		T	-	-	-	-	-	1	4	18	35	151	209	1.4	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	4	-	-	-	4	0.1	0.0
		T	-	-	-	-	-	-	4	-	-	-	4	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	1	-	2	3	0.0	0.0
		F	-	-	-	-	-	-	-	-	2	11	13	0.2	0.0
		T	-	-	-	-	-	-	-	1	2	13	16	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	1	1	3	7	12	0.2	0.1
		F	-	-	-	-	-	-	2	3	11	22	38	0.5	0.3
		T	-	-	-	-	-	-	3	4	14	29	50	0.3	0.2
Congenital anomalies	740-759	M	29	5	-	-	-	1	1	-	2	1	39	0.5	0.3
		F	19	1	2	1	-	1	8	8	3	3	46	0.6	0.4
		T	48	6	2	1	-	2	9	8	5	4	85	0.6	0.3
Certain conditions originating in the perinatal period	760-779	M	30	1	-	-	-	-	-	-	-	-	31	0.4	0.2
		F	32	-	-	-	-	-	-	-	-	-	32	0.4	0.3
		T	62	1	-	-	-	-	-	-	-	-	63	0.4	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	17	3	1	1	-	3	19	14	10	10	78	1.0	0.7
		F	11	-	-	-	1	-	10	11	3	39	75	1.0	0.6
		T	28	3	1	1	1	3	29	25	13	49	153	1.0	0.6
External causes	E800-E999	M	3	7	2	6	40	74	353	145	55	105	790	10.1	6.6
		F	-	6	2	1	23	19	79	52	30	93	305	4.1	2.3
		T	3	13	4	7	63	93	432	197	85	198	1,095	7.2	4.4
All causes		**M**	**87**	**23**	**6**	**17**	**49**	**92**	**654**	**1,558**	**1,805**	**3,562**	**7,853**	**100.0**	**82.4**
		F	**69**	**11**	**8**	**8**	**30**	**30**	**315**	**961**	**1,301**	**4,617**	**7,350**	**100.0**	**54.1**
		T	**156**	**34**	**14**	**25**	**79**	**122**	**969**	**2,519**	**3,106**	**8,179**	**15,203**	**100.0**	**66.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 09 COAST GARIBALDI
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	1	-	-	1	2	1.7	2.1
		F	-	-	-	-	-	-	-	1	-	-	1	1.4	0.8
		T	-	-	-	-	-	-	1	1	-	1	3	1.6	1.4
Neoplasms	140-239	M	-	-	-	-	-	-	2	6	2	4	14	12.1	15.3
		F	-	-	-	-	-	-	2	3	2	5	12	16.7	16.1
		T	-	-	-	-	-	-	4	9	4	9	26	13.8	15.8
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	4	1	1	6	5.2	5.9
		F	-	-	-	-	-	-	-	-	3	2	5	6.9	7.8
		T	-	-	-	-	-	-	-	4	4	3	11	5.9	7.0
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	2	1	1	-	4	3.4	3.3
		F	-	-	-	-	-	-	-	1	1	-	2	2.8	2.2
		T	-	-	-	-	-	-	2	2	2	-	6	3.2	2.7
Diseases of the nervous system and sense organs	320-389	M	1	-	-	-	-	1	-	-	-	-	2	1.7	0.8
		F	-	-	-	-	-	-	1	-	1	-	2	2.8	2.5
		T	1	-	-	-	-	1	1	-	1	-	4	2.1	1.6
Diseases of the circulatory system	390-459	M	-	-	-	-	1	-	-	9	2	14	26	22.4	33.5
		F	-	-	-	-	-	-	1	8	3	8	20	27.8	28.2
		T	-	-	-	-	1	-	1	17	5	22	46	24.5	30.9
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	1	2	1	4	8	6.9	9.7
		F	-	1	-	-	-	-	-	3	-	4	8	11.1	9.8
		T	-	1	-	-	-	-	1	5	1	8	16	8.5	9.8
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	2	4	1	1	8	6.9	8.1
		F	-	-	-	-	-	-	-	3	2	-	5	6.9	7.0
		T	-	-	-	-	-	-	2	7	3	1	13	6.9	7.4
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	1	2	-	3	2.6	4.2
		F	-	-	-	-	-	-	-	-	-	1	1	1.4	1.7
		T	-	-	-	-	-	-	-	1	2	1	4	2.1	3.0
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	1	1	0.9	1.6
		F	-	-	-	-	-	-	-	-	-	1	1	1.4	1.7
		T	-	-	-	-	-	-	-	-	-	2	2	1.1	1.6
Congenital anomalies	740-759	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	1.4	0.5
		T	-	-	-	-	-	-	1	-	-	-	1	0.5	0.2
Certain conditions originating in the perinatal period	760-779	M	2	-	-	-	-	-	-	-	-	-	2	1.7	0.7
		F	1	-	-	-	-	-	-	-	-	-	1	1.4	0.4
		T	3	-	-	-	-	-	-	-	-	-	3	1.6	0.5
Symptoms, signs, and ill-defined conditions	780-790	M	1	-	-	-	-	1	-	1	-	-	3	2.6	1.5
		F	1	-	-	-	-	-	1	1	-	-	3	4.2	1.5
		T	2	-	-	-	-	1	1	2	-	-	6	3.2	1.6
External causes	E800-E999	M	-	-	-	1	2	7	17	6	3	1	37	31.9	24.5
		F	-	-	-	1	-	-	6	2	1	-	10	13.9	6.6
		T	-	-	-	2	2	7	23	8	4	1	47	25.0	15.6
All causes		**M**	**4**	**-**	**-**	**1**	**3**	**9**	**25**	**34**	**13**	**27**	**116**	**100.0**	**111.0**
		F	**2**	**1**	**-**	**1**	**-**	**-**	**12**	**22**	**13**	**21**	**72**	**100.0**	**86.7**
		T	**6**	**1**	**-**	**2**	**3**	**9**	**37**	**56**	**26**	**48**	**188**	**100.0**	**99.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - 09 COAST GARIBALDI
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	6	9	6	8	29	1.3	0.9
		F	-	-	-	-	-	-	2	2	3	13	20	1.1	0.6
		T	-	-	-	-	-	-	8	11	9	21	49	1.2	0.8
Neoplasms	140-239	M	-	-	-	1	2	1	23	155	236	258	676	30.0	22.2
		F	-	-	-	-	-	-	21	158	150	189	518	29.0	15.2
		T	-	-	-	1	2	1	44	313	386	447	1,194	29.5	18.3
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	1	-	2	10	17	28	58	2.6	2.0
		F	-	-	-	1	-	1	4	3	8	34	51	2.9	1.5
		T	-	-	-	1	1	1	6	13	25	62	109	2.7	1.7
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	1	1	1	3	0.1	0.1
		F	-	-	-	-	-	-	1	2	1	6	10	0.6	0.3
		T	-	-	-	-	-	-	1	3	2	7	13	0.3	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	3	8	6	25	42	1.9	1.4
		F	-	-	-	-	-	-	-	5	2	46	53	3.0	1.5
		T	-	-	-	-	-	-	3	13	8	71	95	2.4	1.5
Diseases of the nervous system and sense organs	320-389	M	1	2	-	-	-	-	4	9	11	14	41	1.8	1.4
		F	-	-	1	-	-	-	3	6	12	25	47	2.6	1.4
		T	1	2	1	-	-	-	7	15	23	39	88	2.2	1.4
Diseases of the circulatory system	390-459	M	-	-	-	-	-	2	15	127	201	472	817	36.2	28.1
		F	-	-	-	-	-	-	12	50	111	531	704	39.4	19.7
		T	-	-	-	-	-	2	27	177	312	1,003	1,521	37.6	23.7
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	2	13	43	134	192	8.5	6.8
		F	-	-	-	-	-	-	1	6	33	113	153	8.6	4.3
		T	-	-	-	-	-	-	3	19	76	247	345	8.5	5.4
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	6	15	18	23	62	2.7	2.0
		F	-	-	-	-	-	-	2	10	11	39	62	3.5	1.8
		T	-	-	-	-	-	-	8	25	29	62	124	3.1	1.9
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	1	2	5	22	30	1.3	1.1
		F	-	-	-	-	-	-	-	2	3	24	29	1.6	0.8
		T	-	-	-	-	-	-	1	4	8	46	59	1.5	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	1	2	3	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	1	1	0.1	0.0
		T	-	-	-	-	-	-	-	-	1	3	4	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	1	2	3	0.1	0.1
		F	-	-	-	-	-	-	1	2	-	5	8	0.4	0.2
		T	-	-	-	-	-	-	1	2	1	7	11	0.3	0.2
Congenital anomalies	740-759	M	6	-	-	1	-	-	1	1	-	-	9	0.4	0.3
		F	2	-	-	-	-	-	-	1	-	1	4	0.2	0.1
		T	8	-	-	1	-	-	1	2	-	1	13	0.3	0.2
Certain conditions originating in the perinatal period	760-779	M	6	-	-	-	-	-	-	-	-	-	6	0.3	0.2
		F	6	-	-	-	-	-	-	-	-	-	6	0.3	0.2
		T	12	-	-	-	-	-	-	-	-	-	12	0.3	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	1	-	-	-	-	2	4	3	3	10	23	1.0	0.8
		F	1	-	-	-	-	-	1	3	2	13	20	1.1	0.6
		T	2	-	-	-	-	2	5	6	5	23	43	1.1	0.7
External causes	E800-E999	M	2	1	-	2	13	35	107	53	22	28	263	11.7	8.7
		F	-	1	-	2	1	6	30	15	8	36	99	5.5	3.1
		T	2	2	-	4	14	41	137	68	30	64	362	9.0	6.0
All causes		**M**	**16**	**3**	**-**	**4**	**16**	**40**	**174**	**406**	**571**	**1,027**	**2,257**	**100.0**	**76.2**
		F	**9**	**1**	**1**	**3**	**1**	**7**	**78**	**265**	**344**	**1,076**	**1,785**	**100.0**	**51.2**
		T	**25**	**4**	**1**	**7**	**17**	**47**	**252**	**671**	**915**	**2,103**	**4,042**	**100.0**	**63.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Status Indians - 10 Central Vancouver Island
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	1	-	-	-	-	12	1	1	-	15	4.4	3.4
		F	1	-	-	-	-	-	3	2	1	1	8	3.0	1.9
		T	1	1	-	-	-	-	15	3	2	1	23	3.8	2.6
Neoplasms	140-239	M	-	-	-	1	-	-	1	11	11	4	28	8.2	12.7
		F	-	1	1	-	1	1	1	8	5	7	25	9.2	8.6
		T	-	1	1	1	1	1	2	19	16	11	53	8.7	10.6
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	-	-	-	2	3	3	9	2.6	4.1
		F	-	-	-	-	-	-	-	2	1	2	5	1.8	2.0
		T	1	-	-	-	-	-	-	4	4	5	14	2.3	3.0
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	2	-	1	[illegible]	1.1	0.9
		T	-	-	-	-	-	-	-	2	-	1	[illegible]	0.5	0.5
Mental disorders	290-319	M	-	-	-	-	-	-	2	3	3	1	9	2.6	3.7
		F	-	-	-	-	-	-	2	-	1	1	4	1.5	1.2
		T	-	-	-	-	-	-	4	3	4	2	13	2.1	2.4
Diseases of the nervous system and sense organs	320-389	M	-	1	-	-	1	2	1	-	1	3	9	2.6	3.1
		F	1	2	-	-	-	-	1	2	1	1	8	3.0	2.0
		T	1	3	-	-	1	2	2	2	2	4	17	2.6	2.4
Diseases of the circulatory system	390-459	M	2	-	1	-	-	-	7	21	20	28	79	23.2	37.0
		F	-	-	-	-	-	3	8	14	19	34	78	28.8	30.4
		T	2	-	1	-	-	3	15	35	39	62	157	25.7	33.5
Diseases of the respiratory system	460-519	M	2	1	-	-	1	-	2	7	4	10	27	7.9	11.4
		F	4	-	-	-	-	-	2	5	2	6	19	7.0	5.9
		T	6	1	-	-	1	-	4	12	6	16	46	7.5	8.4
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	2	8	4	5	19	5.6	7.9
		F	-	-	-	-	-	-	5	11	3	2	21	7.7	6.3
		T	-	-	-	-	-	-	7	19	7	7	40	6.5	6.9
Diseases of the genitourinary system	580-629	M	1	-	-	-	-	-	-	-	-	7	8	2.4	4.3
		F	-	-	-	-	-	-	1	1	2	1	5	1.8	2.0
		T	1	-	-	-	-	-	1	1	2	8	13	2.1	2.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.4	0.1
		T	-	-	-	-	-	-	1	-	-	-	1	0.2	0.1
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	2	-	-	2	0.6	0.5
		F	-	-	-	-	-	-	1	4	1	-	6	2.2	1.6
		T	-	-	-	-	-	-	1	6	1	-	8	1.3	1.1
Congenital anomalies	740-759	M	2	-	-	-	-	-	-	-	-	-	2	0.6	0.2
		F	1	-	-	-	-	-	-	-	-	-	1	0.4	0.1
		T	3	-	-	-	-	-	-	-	-	-	3	0.5	0.1
Certain conditions originating in the perinatal period	760-779	M	4	-	-	-	-	-	-	-	-	-	4	1.2	0.4
		F	7	-	-	-	-	-	-	-	-	-	7	2.6	0.6
		T	11	-	-	-	-	-	-	-	-	-	11	1.8	0.5
Symptoms, signs, and ill-defined conditions	780-790	M	12	-	-	-	1	1	3	3	1	1	22	6.5	3.9
		F	10	-	-	-	-	-	2	2	2	1	17	6.3	3.2
		T	22	-	-	-	1	1	5	5	3	2	39	6.4	3.6
External causes	E800-E999	M	1	3	-	4	17	17	49	12	2	2	107	31.5	19.8
		F	1	4	-	1	7	9	26	10	2	3	63	23.2	11.4
		T	2	7	-	5	24	26	75	22	4	5	170	27.8	15.3
All causes		**M**	**25**	**6**	**1**	**5**	**20**	**20**	**79**	**70**	**50**	**64**	**340**	**100.0**	**112.3**
		F	**25**	**7**	**1**	**1**	**8**	**13**	**53**	**63**	**40**	**60**	**271**	**100.0**	**78.5**
		T	**50**	**13**	**2**	**6**	**28**	**33**	**132**	**133**	**90**	**124**	**611**	**100.0**	**94.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 10 Central Vancouver Island
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	2	-	-	-	1	2	34	33	9	26	107	1.3	1.1
		F	-	2	-	-	-	-	8	9	13	36	68	1.0	0.5
		T	2	2	-	-	1	2	42	42	22	62	175	1.1	0.8
Neoplasms	140-239	M	-	-	2	2	1	4	55	526	870	1,036	2,496	29.3	21.1
		F	-	4	5	1	1	2	90	494	648	815	2,060	29.7	15.3
		T	-	4	7	3	2	6	145	1,020	1,518	1,851	4,556	29.4	17.9
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	1	-	-	-	1	6	41	46	117	212	2.5	1.9
		F	1	-	-	1	1	-	6	20	32	112	173	2.5	1.3
		T	1	1	-	1	1	1	12	61	78	229	385	2.5	1.5
Disease of blood and blood-forming organs	280-289	M	-	1	-	-	-	-	-	3	4	17	25	0.3	0.2
		F	-	-	-	1	1	-	-	-	2	18	22	0.3	0.2
		T	-	1	-	1	1	-	-	3	6	35	47	0.3	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	12	11	29	82	134	1.6	1.2
		F	-	-	-	-	-	-	2	5	12	172	191	2.8	1.3
		T	-	-	-	-	-	-	14	16	41	254	325	2.1	1.3
Diseases of the nervous system and sense organs	320-389	M	-	-	1	1	3	-	5	20	43	95	168	2.0	1.5
		F	-	-	1	2	-	1	8	21	41	114	188	2.7	1.4
		T	-	-	2	3	3	1	13	41	84	209	356	2.3	1.4
Diseases of the circulatory system	390-459	M	1	-	2	-	1	2	49	490	856	1,883	3,284	38.5	28.4
		F	2	1	-	2	-	-	30	154	461	2,008	2,658	38.3	18.3
		T	3	1	2	2	1	2	79	644	1,317	3,891	5,942	38.4	23.0
Diseases of the respiratory system	460-519	M	-	1	1	-	-	1	3	65	182	587	840	9.8	7.3
		F	-	1	-	1	-	-	6	43	139	517	707	10.2	4.9
		T	-	2	1	1	-	1	9	108	321	1,104	1,547	10.0	5.9
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	12	60	67	97	236	2.8	2.0
		F	-	-	-	1	-	-	6	46	55	170	278	4.0	2.0
		T	-	-	-	1	-	-	18	106	122	267	514	3.3	2.0
Diseases of the genitourinary system	580-629	M	1	-	-	-	-	-	-	10	25	76	112	1.3	1.0
		F	-	-	-	-	-	-	2	4	14	73	93	1.3	0.6
		T	1	-	-	-	-	-	2	14	39	149	205	1.3	0.8
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	1	3	5	9	0.1	0.1
		F	-	-	-	-	-	-	-	-	1	8	9	0.1	0.1
		T	-	-	-	-	-	-	-	1	4	13	18	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	1	2	3	15	21	0.2	0.2
		F	-	-	-	-	-	-	1	5	3	34	43	0.6	0.3
		T	-	-	-	-	-	-	2	7	6	49	64	0.4	0.3
Congenital anomalies	740-759	M	12	1	1	1	1	-	3	5	-	4	28	0.3	0.3
		F	6	2	-	-	1	-	-	1	1	1	12	0.2	0.1
		T	18	3	1	1	2	-	3	6	1	5	40	0.3	0.2
Certain conditions originating in the perinatal period	760-779	M	22	-	-	-	-	-	-	-	-	-	22	0.3	0.3
		F	16	-	-	-	-	-	-	-	-	-	16	0.2	0.2
		T	38	-	-	-	-	-	-	-	-	-	38	0.2	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	10	2	-	-	-	1	18	15	13	31	90	1.1	0.9
		F	8	1	-	1	3	-	8	9	11	71	112	1.6	0.9
		T	18	3	-	1	3	1	26	24	24	102	202	1.3	0.9
External causes	E800-E999	M	4	5	3	8	46	60	273	168	59	123	749	8.8	8.0
		F	1	1	2	2	15	11	66	53	20	143	314	4.5	2.8
		T	5	6	5	10	61	71	339	221	79	266	1,063	6.9	5.4
All causes		**M**	**52**	**11**	**10**	**12**	**53**	**71**	**471**	**1,450**	**2,206**	**4,194**	**8,533**	**100.0**	**75.4**
		F	**34**	**12**	**8**	**12**	**22**	**14**	**233**	**864**	**1,453**	**4,292**	**6,944**	**100.0**	**50.2**
		T	**86**	**23**	**18**	**24**	**75**	**85**	**704**	**2,314**	**3,662**	**8,486**	**15,477**	**100.0**	**62.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Status Indians - 11 Upper Island / Central Coast
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	2	1	1	1	5	1.9	2.8
		F	1	-	-	-	-	-	-	4	1	2	8	4.2	3.9
		T	1	-	-	-	-	-	2	5	2	3	13	2.9	3.3
Neoplasms	140-239	M	-	-	1	-	-	-	6	14	10	12	43	16.3	26.2
		F	-	-	-	-	-	-	5	8	3	10	26	13.5	13.2
		T	-	-	1	-	-	-	11	22	13	22	69	15.1	18.9
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	1	-	1	3	5	2	13	4.9	7.0
		F	-	-	-	-	-	-	-	2	5	1	8	4.2	4.7
		T	1	-	-	-	1	-	1	5	10	3	21	4.6	5.9
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	4	10	2	1	17	6.4	7.0
		F	-	-	-	-	-	-	1	2	1	1	5	2.6	2.4
		T	-	-	-	-	-	-	5	12	3	2	22	4.8	4.7
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	1	-	1	1	3	1.1	2.0
		F	-	-	-	-	-	-	1	-	-	1	2	1.0	1.0
		T	-	-	-	-	-	-	2	-	1	2	5	1.1	1.4
Diseases of the circulatory system	390-459	M	1	-	-	-	1	-	3	15	25	16	61	23.1	40.3
		F	-	-	-	-	-	-	6	13	14	26	59	30.7	34.2
		T	1	-	-	-	1	-	9	28	39	42	120	26.3	36.9
Diseases of the respiratory system	460-519	M	-	1	-	-	-	1	-	3	2	6	13	4.9	8.9
		F	-	-	-	-	-	-	1	4	3	7	15	7.8	8.8
		T	-	1	-	-	-	1	1	7	5	13	28	6.1	8.8
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	3	5	5	2	15	5.7	8.3
		F	-	-	-	-	-	-	2	5	4	5	16	8.3	8.4
		T	-	-	-	-	-	-	5	10	9	7	31	6.8	8.4
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	1	-	4	5	1.9	4.2
		F	-	-	-	-	-	-	1	1	-	2	4	2.1	2.1
		T	-	-	-	-	-	-	1	2	-	6	9	2.0	3.0
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.5	0.3
		T	-	-	-	-	-	-	1	-	-	-	1	0.2	0.3
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	1	0.5	0.3
		T	-	-	-	-	-	-	-	1	-	-	1	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	1	1	0.4	0.9
		F	-	-	-	-	-	-	1	-	1	1	3	1.6	1.6
		T	-	-	-	-	-	-	1	-	1	2	4	0.9	1.3
Congenital anomalies	740-759	M	1	-	-	-	-	-	-	-	-	-	1	0.4	0.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	0.2	0.1
Certain conditions originating in the perinatal period	760-779	M	1	-	-	-	-	-	-	-	-	-	1	0.4	0.2
		F	5	-	-	-	-	-	-	-	-	-	5	2.6	0.8
		T	6	-	-	-	-	-	-	-	-	-	6	1.3	0.5
Symptoms, signs, and ill-defined conditions	780-790	M	10	-	-	-	-	-	4	2	-	-	16	6.1	3.6
		F	9	-	-	-	-	-	1	-	-	1	11	5.7	2.5
		T	19	-	-	-	-	-	5	2	-	1	27	5.9	3.1
External causes	E800-E999	M	-	-	3	3	8	11	33	11	-	1	70	26.5	19.8
		F	1	2	-	1	2	3	11	4	2	2	28	14.6	8.3
		T	1	2	3	4	10	14	44	15	2	3	98	21.5	13.7
All causes		**M**	**14**	**1**	**4**	**3**	**10**	**12**	**57**	**85**	**61**	**47**	**294**	**100.0**	**131.3**
		F	**16**	**2**	**-**	**1**	**2**	**3**	**31**	**44**	**34**	**59**	**192**	**100.0**	**82.6**
		T	**30**	**3**	**4**	**4**	**12**	**15**	**88**	**129**	**95**	**106**	**486**	**100.0**	**110.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 11 Upper Island / Central Coast
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	1	1	-	-	-	8	10	3	13	36	1.1	0.8
		F	-	-	-	-	-	-	2	2	4	16	24	1.0	0.5
		T	-	1	1	-	-	-	10	12	7	29	60	1.1	0.7
Neoplasms	140-239	M	-	-	1	-	-	2	37	254	351	321	966	30.5	22.6
		F	-	-	2	-	1	1	37	220	229	274	764	30.4	16.2
		T	-	-	3	-	1	3	74	474	580	595	1,730	30.5	19.1
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	-	-	2	9	31	33	76	2.4	1.9
		F	-	-	-	-	-	1	-	4	18	64	87	3.5	1.9
		T	1	-	-	-	-	1	2	13	49	97	163	2.9	1.9
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	1	4	5	10	0.3	0.3
		F	-	-	-	-	-	-	-	1	4	3	8	0.3	0.2
		T	-	-	-	-	-	-	-	2	8	8	18	0.3	0.2
Mental disorders	290-319	M	-	-	-	-	-	1	3	7	4	15	30	0.9	0.8
		F	-	-	-	-	-	-	1	1	8	31	41	1.6	0.9
		T	-	-	-	-	-	1	4	8	12	46	71	1.3	0.9
Diseases of the nervous system and sense organs	320-389	M	-	-	2	-	-	-	2	12	14	36	66	2.1	1.7
		F	-	-	-	1	1	1	2	8	16	74	103	4.1	2.2
		T	-	-	2	1	1	1	4	20	30	110	169	3.0	2.0
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	19	211	288	573	1,091	34.4	27.4
		F	-	-	-	-	-	-	16	63	153	676	908	36.1	19.5
		T	-	-	-	-	-	-	35	274	441	1,249	1,999	35.2	23.4
Diseases of the respiratory system	460-519	M	-	1	-	-	-	1	5	23	52	177	259	8.2	6.9
		F	-	-	-	1	1	-	2	17	42	146	209	8.3	4.5
		T	-	1	-	1	1	1	7	40	94	323	468	8.2	5.6
Diseases of the digestive system	520-579	M	-	1	-	1	-	-	5	18	29	41	95	3.0	2.3
		F	1	-	-	-	-	-	4	14	22	52	93	3.7	2.0
		T	1	1	-	1	-	-	9	32	51	93	188	3.3	2.1
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	1	5	6	20	32	1.0	0.8
		F	-	-	-	-	-	-	1	1	3	22	27	1.1	0.6
		T	-	-	-	-	-	-	2	6	9	42	59	1.0	0.7
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	1	1	0.0	0.0
		F	-	-	-	-	-	-	-	-	1	2	3	0.1	0.1
		T	-	-	-	-	-	-	-	-	1	3	4	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	1	4	1	6	0.2	0.1
		F	-	-	-	-	-	-	2	2	2	10	16	0.6	0.3
		T	-	-	-	-	-	-	2	3	6	11	22	0.4	0.2
Congenital anomalies	740-759	M	4	-	-	-	-	-	1	1	-	1	7	0.2	0.2
		F	4	-	-	1	1	-	3	3	1	1	14	0.6	0.3
		T	8	-	-	1	1	-	4	4	1	2	21	0.4	0.2
Certain conditions originating in the perinatal period	760-779	M	16	-	-	-	-	-	-	-	-	-	16	0.5	0.4
		F	15	-	-	-	-	-	-	-	-	-	15	0.6	0.4
		T	31	-	-	-	-	-	-	-	-	-	31	0.5	0.4
Symptoms, signs, and ill-defined conditions	780-799	M	5	1	-	-	1	1	10	14	14	19	65	2.1	1.5
		F	6	-	1	-	2	-	6	7	7	26	55	2.2	1.2
		T	11	1	1	-	3	1	16	21	21	45	120	2.1	1.4
External causes	E800-E999	M	1	4	4	7	24	39	183	98	16	36	412	13.0	9.0
		F	-	5	2	1	7	9	48	23	13	36	144	5.7	3.2
		T	1	9	6	8	31	48	231	121	29	72	556	9.8	6.1
All causes		**M**	**27**	**8**	**8**	**8**	**25**	**44**	**276**	**664**	**816**	**1,292**	**3,168**	**100.0**	**76.7**
		F	**26**	**5**	**5**	**4**	**13**	**12**	**125**	**386**	**523**	**1,433**	**2,513**	**100.0**	**54.0**
		T	**53**	**13**	**13**	**12**	**38**	**56**	**401**	**1,050**	**1,339**	**2,725**	**5,680**	**100.0**	**65.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Status Indians - 12 Cariboo
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	1	-	-	-	-	-	1	1	1	-	4	2.0	1.7
		F	-	-	-	-	-	-	-	1	-	-	1	0.7	0.4
		T	1	-	-	-	-	-	1	2	1	-	5	1.4	1.1
Neoplasms	140-239	M	-	-	-	-	1	-	3	8	12	4	28	14.1	16.6
		F	-	-	-	-	-	2	2	6	7	6	23	15.8	13.5
		T	-	-	-	-	1	2	5	14	19	10	51	14.8	15.1
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	3	-	2	5	2.5	3.2
		F	-	-	-	-	-	-	-	1	1	1	3	2.1	1.8
		T	-	-	-	-	-	-	-	4	1	3	8	2.3	2.3
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	2	-	-	2	1.4	1.1
		T	-	-	-	-	-	-	-	2	-	-	2	0.6	0.5
Mental disorders	290-319	M	-	-	-	-	1	-	-	2	2	2	7	3.5	4.8
		F	-	-	-	-	-	-	1	1	1	1	4	2.7	2.1
		T	-	-	-	-	1	-	1	3	3	3	11	3.2	3.2
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	1	-	1	1	-	3	1.5	1.3
		F	-	-	-	-	-	-	-	1	-	1	2	1.4	1.3
		T	-	-	-	-	-	1	-	2	1	1	5	1.4	1.4
Diseases of the circulatory system	390-459	M	1	-	-	-	-	1	1	14	5	10	32	16.1	21.0
		F	-	-	-	-	-	-	3	7	8	12	30	20.5	18.1
		T	1	-	-	-	-	1	4	21	13	22	62	18.0	19.4
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	1	1	2	7	11	5.5	8.9
		F	-	-	-	-	-	1	1	3	-	7	12	8.2	6.5
		T	-	-	-	-	-	1	2	4	2	14	23	6.7	7.6
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	1	4	-	3	8	4.0	5.2
		F	-	-	-	-	-	-	5	6	1	2	14	9.8	6.8
		T	-	-	-	-	-	-	6	10	1	5	22	6.4	5.8
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	1	1	0.5	0.9
		F	-	-	-	-	-	-	-	2	1	2	5	3.4	2.8
		T	-	-	-	-	-	-	-	2	1	3	6	1.7	1.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	1	-	-	1	0.5	0.4
		F	-	-	-	-	-	-	1	-	-	-	1	0.7	0.3
		T	-	-	-	-	-	-	1	1	-	-	2	0.6	0.4
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	1	-	1	1	-	3	1.5	1.5
		F	-	-	-	-	-	-	-	1	1	-	2	1.4	1.2
		T	-	-	-	-	-	1	-	2	2	-	5	1.4	1.3
Congenital anomalies	740-759	M	3	-	-	-	-	-	-	-	-	-	3	1.5	0.6
		F	1	-	-	-	-	-	-	-	-	-	1	0.7	0.2
		T	4	-	-	-	-	-	-	-	-	-	4	1.2	0.4
Certain conditions originating in the perinatal period	760-779	M	2	-	-	-	-	-	-	-	-	-	2	1.0	0.4
		F	1	-	-	-	-	-	-	-	-	-	1	0.7	0.2
		T	3	-	-	-	-	-	-	-	-	-	3	0.9	0.3
Symptoms, signs, and ill-defined conditions	780-799	M	3	-	-	-	-	-	3	2	-	1	9	4.5	3.6
		F	1	-	-	-	-	-	1	1	-	5	8	5.5	4.1
		T	4	-	-	-	-	-	4	3	-	6	17	4.9	4.1
External causes	E800-E999	M	-	-	1	-	10	8	37	18	6	2	82	41.2	33.2
		F	-	1	-	-	12	2	10	3	2	7	37	25.3	14.0
		T	-	1	1	-	22	10	47	21	8	9	119	34.5	23.5
All causes		**M**	**10**	**-**	**1**	**-**	**12**	**11**	**47**	**58**	**30**	**32**	**190**	**100.0**	**103.2**
		F	**3**	**1**	**-**	**-**	**12**	**5**	**24**	**35**	**32**	**44**	**146**	**100.0**	**74.5**
		T	**13**	**1**	**1**	**-**	**24**	**16**	**71**	**91**	**62**	**76**	**345**	**100.0**	**88.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 12 Cariboo
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	1	-	-	-	-	-	5	4	3	3	16	0.9	0.6
		F	-	-	1	-	1	-	1	1	2	7	13	1.0	0.6
		T	1	-	1	-	1	-	6	5	5	10	29	0.9	0.6
Neoplasms	140-239	M	-	-	-	-	1	-	14	129	180	162	486	26.2	21.0
		F	-	-	1	1	-	-	23	156	107	117	405	32.5	16.7
		T	-	-	1	1	1	-	37	285	287	279	891	28.7	18.7
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	2	10	10	12	34	1.8	1.4
		F	1	-	1	1	1	1	-	5	9	20	39	3.1	1.8
		T	1	-	1	1	1	1	2	15	19	32	73	2.4	1.6
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	2	3	5	0.3	0.3
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	2	3	5	0.2	0.1
Mental disorders	290-319	M	-	-	-	-	-	-	1	5	5	16	27	1.5	1.3
		F	-	-	-	-	-	-	-	2	4	16	22	1.8	1.1
		T	-	-	-	-	-	-	1	7	9	32	49	1.6	1.2
Diseases of the nervous system and sense organs	320-389	M	1	1	2	2	-	-	4	7	9	22	48	2.6	2.2
		F	-	-	-	1	-	-	-	4	6	22	33	2.7	1.6
		T	1	1	2	3	-	-	4	11	15	44	81	2.6	1.9
Diseases of the circulatory system	390-459	M	-	1	-	-	-	-	15	138	179	294	627	33.8	29.4
		F	-	-	-	1	-	-	5	51	80	270	407	32.7	19.5
		T	-	1	-	1	-	-	20	189	259	564	1,034	33.3	24.4
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	3	18	48	115	184	9.9	9.5
		F	1	-	-	-	-	-	2	14	26	76	119	9.6	5.6
		T	1	-	-	-	-	-	5	32	74	191	303	9.8	7.5
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	4	17	10	26	57	3.1	2.6
		F	-	-	-	-	-	-	5	10	14	22	51	4.1	2.2
		T	-	-	-	-	-	-	9	27	24	48	108	3.5	2.4
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	5	5	17	27	1.5	1.4
		F	-	-	-	-	-	-	-	1	3	13	17	1.4	0.8
		T	-	-	-	-	-	-	-	6	8	30	44	1.4	1.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	-	1	0.1	0.0
		T	-	-	-	-	-	1	-	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	2	2	0.1	0.1
		F	-	-	-	-	-	-	-	-	1	-	1	0.1	0.0
		T	-	-	-	-	-	-	-	-	1	2	3	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	2	1	4	7	0.4	0.3
		F	-	-	-	-	-	-	-	2	1	3	6	0.5	0.3
		T	-	-	-	-	-	-	-	4	2	7	13	0.4	0.3
Congenital anomalies	740-759	M	8	1	-	-	-	-	-	1	-	1	11	0.6	0.4
		F	1	1	-	-	-	-	1	-	-	-	3	0.2	0.1
		T	9	2	-	-	-	-	1	1	-	1	14	0.5	0.3
Certain conditions originating in the perinatal period	760-779	M	8	-	-	-	-	-	-	-	-	-	8	0.4	0.3
		F	5	-	-	-	-	-	-	-	-	-	5	0.4	0.2
		T	13	-	-	-	-	-	-	-	-	-	13	0.4	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	1	-	-	-	-	3	4	2	2	10	22	1.2	1.0
		F	2	-	-	-	2	-	1	-	-	12	17	1.4	0.8
		T	3	-	-	-	2	3	5	2	2	22	39	1.3	0.9
External causes	E800-E999	M	1	8	4	5	21	28	94	82	30	22	295	15.9	10.5
		F	2	1	3	3	14	5	36	20	4	18	106	8.5	4.0
		T	3	9	7	8	35	33	130	102	34	40	401	12.9	7.4
All causes		**M**	**20**	**11**	**6**	**7**	**22**	**31**	**148**	**420**	**484**	**709**	**1,858**	**100.0**	**82.4**
		F	**12**	**2**	**6**	**7**	**18**	**7**	**74**	**288**	**257**	**596**	**1,245**	**100.0**	**55.5**
		T	**32**	**13**	**12**	**14**	**40**	**38**	**220**	**686**	**741**	**1,305**	**3,101**	**100.0**	**68.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 13 NORTH WEST
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	3	-	-	-	-	-	5	2	-	2	12	2.2	1.5
		F	-	1	-	1	-	-	1	3	3	3	12	3.3	2.2
		T	3	1	-	1	-	-	6	5	3	5	24	2.7	1.8
Neoplasms	140-239	M	-	-	1	1	-	-	8	31	25	31	97	18.1	18.6
		F	-	-	-	-	-	-	6	26	17	20	69	19.0	13.1
		T	-	-	1	1	-	-	14	57	42	51	166	18.4	15.8
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	1	2	-	3	0.6	0.7
		F	1	-	-	1	-	-	1	6	4	3	16	4.4	2.9
		T	1	-	-	1	-	-	1	7	6	3	19	2.1	1.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	1	-	1	2	0.4	0.4
		F	-	-	-	-	-	-	-	1	-	-	1	0.3	0.1
		T	-	-	-	-	-	-	-	2	-	1	3	0.3	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	1	5	3	5	14	2.6	2.6
		F	-	-	-	-	-	-	3	4	1	2	10	2.8	1.5
		T	-	-	-	-	-	-	4	9	4	7	24	2.7	2.0
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	1	1	1	-	3	0.6	0.5
		F	-	-	-	1	-	1	3	-	1	1	7	1.9	0.9
		T	-	-	-	1	-	1	4	1	2	1	10	1.1	0.7
Diseases of the circulatory system	390-459	M	-	-	-	-	1	2	7	42	34	64	150	27.9	29.2
		F	-	-	-	-	-	-	7	12	17	59	95	26.2	19.3
		T	-	-	-	-	1	2	14	54	51	123	245	27.2	24.3
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	3	9	8	19	39	7.3	7.7
		F	-	-	-	-	-	1	1	8	10	18	38	10.5	7.8
		T	-	-	-	-	-	1	4	17	18	37	77	8.6	7.7
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	2	11	11	10	34	6.3	6.6
		F	-	-	-	-	-	-	1	7	1	9	18	5.0	3.4
		T	-	-	-	-	-	-	3	18	12	19	52	5.8	5.0
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	4	9	13	2.4	2.8
		F	-	-	-	-	-	-	-	-	1	7	8	2.2	1.7
		T	-	-	-	-	-	-	-	-	5	16	21	2.3	2.3
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-	1	0.3	0.1
		T	-	-	-	-	1	-	-	-	-	-	1	0.1	0.1
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	1	-	1	0.2	0.3
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	1	-	1	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	1	-	1	0.2	0.3
		F	-	-	-	-	-	1	2	4	2	-	9	2.5	1.3
		T	-	-	-	-	-	1	2	4	3	-	10	1.1	0.8
Congenital anomalies	740-759	M	2	-	-	-	-	-	2	-	-	-	4	0.7	0.4
		F	1	-	1	-	-	-	-	-	-	-	2	0.6	0.1
		T	3	-	1	-	-	-	2	-	-	-	6	0.7	0.2
Certain conditions originating in the perinatal period	760-779	M	5	-	-	-	-	-	-	-	-	-	5	0.9	0.3
		F	7	-	-	-	-	-	-	-	-	-	7	1.9	0.5
		T	12	-	-	-	-	-	-	-	-	-	12	1.3	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	10	2	-	-	-	-	-	3	-	1	16	3.0	1.4
		F	6	-	-	-	1	2	1	6	1	1	18	5.0	2.1
		T	16	2	-	-	1	2	1	9	1	2	34	3.8	1.8
External causes	E800-E999	M	-	2	2	3	11	17	74	24	5	5	143	26.6	16.1
		F	-	2	-	1	3	6	21	5	7	7	52	14.3	6.8
		T	-	4	2	4	14	23	95	29	12	12	195	21.7	11.2
All causes		**M**	**20**	**4**	**3**	**4**	**12**	**19**	**103**	**130**	**95**	**147**	**537**	**100.0**	**89.1**
		F	**15**	**3**	**1**	**4**	**5**	**11**	**47**	**82**	**65**	**130**	**363**	**100.0**	**63.7**
		T	**35**	**7**	**4**	**8**	**17**	**30**	**150**	**212**	**160**	**277**	**900**	**100.0**	**76.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 13 North West
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	1	2	3	3	3	12	0.8	0.7
		F	-	-	-	-	-	-	-	3	3	5	11	1.2	0.6
		T	-	-	-	-	-	1	2	6	6	8	23	0.9	0.7
Neoplasms	140-239	M	-	-	-	2	1	-	27	142	136	101	409	26.4	22.9
		F	-	-	-	-	1	1	29	106	73	83	293	30.8	15.3
		T	-	-	-	2	2	1	56	248	209	184	702	28.1	18.8
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	1	-	1	5	11	11	29	1.9	2.0
		F	1	-	-	-	-	-	1	4	6	27	39	4.1	2.5
		T	1	-	-	-	1	-	2	9	17	38	68	2.7	2.3
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	2	-	-	2	0.1	0.1
		F	-	-	-	-	-	-	-	-	1	1	2	0.2	0.1
		T	-	-	-	-	-	-	-	2	1	1	4	0.2	0.1
Mental disorders	290-319	M	-	-	-	-	-	-	4	11	4	6	25	1.6	1.3
		F	-	-	-	-	-	-	-	2	1	25	28	2.9	1.9
		T	-	-	-	-	-	-	4	13	5	31	53	2.1	1.7
Diseases of the nervous system and sense organs	320-389	M	-	2	-	-	-	-	2	8	6	4	22	1.4	1.1
		F	-	-	-	-	-	-	-	3	7	10	20	2.1	1.2
		T	-	2	-	-	-	-	2	11	13	14	42	1.7	1.2
Diseases of the circulatory system	390-459	M	-	-	-	-	1	2	15	150	130	203	501	32.3	32.5
		F	-	-	-	1	-	-	7	43	75	217	343	36.1	21.9
		T	-	-	-	1	1	2	22	193	205	420	844	33.7	27.0
Diseases of the respiratory system	460-519	M	-	-	-	-	1	1	5	18	32	74	131	8.4	9.9
		F	-	-	-	-	-	-	-	8	16	48	72	7.6	4.7
		T	-	-	-	-	1	1	5	26	48	122	203	8.1	7.0
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	2	20	10	16	48	3.1	2.8
		F	-	-	-	-	-	-	1	7	4	17	29	3.1	1.7
		T	-	-	-	-	-	-	3	27	14	33	77	3.1	2.3
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	1	3	4	14	22	1.4	1.7
		F	-	-	-	-	-	-	-	3	4	11	18	1.9	1.1
		T	-	-	-	-	-	-	1	6	8	25	40	1.6	1.4
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.1	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	1	1	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	1	1	0.0	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	3	3	0.2	0.3
		F	-	-	-	-	-	-	-	-	1	2	3	0.3	0.2
		T	-	-	-	-	-	-	-	-	1	5	6	0.2	0.2
Congenital anomalies	740-759	M	10	3	-	-	-	-	-	-	1	-	14	0.9	0.5
		F	5	-	-	-	-	-	-	1	-	-	6	0.6	0.2
		T	15	3	-	-	-	-	-	1	1	-	20	0.8	0.3
Certain conditions originating in the perinatal period	760-779	M	9	-	-	-	-	-	-	-	-	-	9	0.6	0.3
		F	7	-	-	-	-	-	-	-	-	-	7	0.7	0.2
		T	16	-	-	-	-	-	-	-	-	-	16	0.6	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	2	1	-	-	1	1	5	7	2	3	22	1.4	0.9
		F	2	-	-	-	1	-	1	1	3	11	19	2.0	1.1
		T	4	1	-	-	2	1	6	8	5	14	41	1.6	1.1
External causes	E800-E999	M	1	5	6	5	15	30	131	78	14	16	301	19.4	10.4
		F	-	-	1	4	6	5	17	10	1	15	59	6.2	2.6
		T	1	5	7	9	21	35	148	88	15	31	360	14.4	6.8
All causes		**M**	**22**	**11**	**6**	**7**	**20**	**35**	**195**	**447**	**353**	**455**	**1,551**	**100.0**	**87.3**
		F	**15**	**-**	**1**	**5**	**8**	**6**	**57**	**191**	**195**	**472**	**950**	**100.0**	**55.5**
		T	**37**	**11**	**7**	**12**	**28**	**41**	**252**	**638**	**548**	**927**	**2,501**	**100.0**	**71.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 14 PEACE LIARD
BRITISH COLUMBIA, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	-	1	-	-	1	1.3	2.0
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	-	1	0.7	0.8
Neoplasms	140-239	M	-	-	-	-	-	-	2	1	5	3	11	13.9	21.7
		F	-	-	-	-	-	-	-	4	4	4	12	21.4	16.8
		T	-	-	-	-	-	-	2	5	9	7	23	17.0	19.6
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	1.8	0.6
		T	-	-	-	-	-	-	1	-	-	-	1	0.7	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	1	1	-	-	2	2.5	1.7
		F	-	-	-	-	-	-	2	1	-	1	4	7.1	4.8
		T	-	-	-	-	-	-	3	2	-	1	6	4.4	3.4
Diseases of the nervous system and sense organs	320-389	M	1	-	-	-	-	-	-	-	-	1	2	2.5	2.6
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	1	2	1.5	1.2
Diseases of the circulatory system	390-459	M	-	1	-	-	-	-	2	4	3	5	15	19.0	24.7
		F	-	-	-	-	-	-	2	2	2	9	15	26.8	25.6
		T	-	1	-	-	-	-	4	6	5	14	30	22.2	25.2
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	-	3	3	4	10	12.7	20.1
		F	-	-	-	-	-	-	-	-	-	1	1	1.8	2.0
		T	-	-	-	-	-	-	-	3	3	5	11	8.1	10.1
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	-	2	-	-	2	2.5	2.8
		F	-	-	-	-	-	-	-	3	-	-	3	5.4	3.2
		T	-	-	-	-	-	-	-	5	-	-	5	3.7	3.0
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	1	-	1	1.3	2.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	1	-	1	0.7	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	740-759	M	-	-	1	-	-	-	-	1	-	-	2	2.5	1.7
		F	1	-	-	-	-	-	-	-	-	-	1	1.8	0.3
		T	1	-	1	-	-	-	-	1	-	-	3	2.2	0.9
Certain conditions originating in the perinatal period	760-779	M	1	-	-	-	-	-	-	-	-	-	1	1.3	0.2
		F	2	-	-	-	-	-	-	-	-	-	2	3.6	0.6
		T	3	-	-	-	-	-	-	-	-	-	3	2.2	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	1	-	-	-	-	1	1	-	-	-	3	3.8	1.5
		F	1	-	-	-	-	-	1	1	-	-	3	5.4	1.9
		T	2	-	-	-	-	1	2	1	-	-	6	4.4	1.7
External causes	E800-E999	M	-	2	-	-	2	4	9	9	3	-	29	36.7	27.1
		F	-	-	-	-	2	1	7	3	-	1	14	25.0	10.0
		T	-	2	-	-	4	5	16	12	3	1	43	31.9	17.6
All causes		**M**	**3**	**3**	**1**	**-**	**2**	**5**	**15**	**22**	**15**	**13**	**79**	**100.0**	**106.3**
		F	**4**	**-**	**-**	**-**	**2**	**1**	**13**	**14**	**6**	**16**	**56**	**100.0**	**67.8**
		T	**7**	**3**	**1**	**-**	**4**	**6**	**29**	**36**	**21**	**29**	**135**	**100.0**	**85.2**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 14 Peace Liard
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	1	3	1	3	4	12	0.8	0.7
		F	1	-	-	1	1	1	1	-	1	5	11	1.2	0.6
		T	1	-	-	1	1	2	4	1	4	9	23	1.0	0.6
Neoplasms	140-239	M	-	-	1	1	-	1	12	113	121	120	369	26.1	22.9
		F	-	-	1	-	1	-	20	87	63	91	263	28.9	15.0
		T	-	-	2	1	1	1	32	200	184	211	632	27.2	18.7
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	2	1	2	8	12	12	38	2.7	2.3
		F	-	-	-	-	-	-	1	5	10	19	35	3.9	2.2
		T	1	-	-	-	2	1	3	13	22	31	73	3.1	2.3
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	1	2	3	0.2	0.2
		F	-	-	-	-	1	-	-	1	1	5	8	0.9	0.5
		T	-	-	-	-	1	-	-	1	2	7	11	0.5	0.4
Mental disorders	290-319	M	-	-	-	-	-	-	1	7	2	8	18	1.3	1.1
		F	-	-	-	-	-	-	1	1	1	19	22	2.4	1.4
		T	-	-	-	-	-	-	2	8	3	27	40	1.7	1.3
Diseases of the nervous system and sense organs	320-389	M	1	1	-	-	-	1	4	3	2	16	28	2.0	1.8
		F	-	1	-	-	-	1	1	4	4	22	33	3.6	2.0
		T	1	2	-	-	-	2	5	7	6	38	61	2.6	1.9
Diseases of the circulatory system	390-459	M	1	-	-	-	2	-	17	92	98	231	441	31.2	30.1
		F	1	-	-	-	1	-	5	30	44	232	313	34.4	19.7
		T	2	-	-	-	3	-	22	122	142	463	754	32.5	24.8
Diseases of the respiratory system	460-519	M	-	-	1	1	-	-	2	24	32	97	157	11.1	11.3
		F	-	1	1	-	1	-	-	8	21	57	89	9.8	5.6
		T	-	1	2	1	1	-	2	32	53	154	246	10.6	8.2
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	2	20	7	24	53	3.8	3.3
		F	-	-	-	-	-	-	-	5	3	17	25	2.8	1.5
		T	-	-	-	-	-	-	2	25	10	41	78	3.4	2.4
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	3	4	13	20	1.4	1.5
		F	-	-	-	-	-	-	-	5	4	5	14	1.5	0.8
		T	-	-	-	-	-	-	-	8	8	18	34	1.5	1.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	1	1	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	1	1	0.0	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	1	3	4	0.3	0.3
		F	-	-	-	-	-	-	1	2	-	3	6	0.7	0.3
		T	-	-	-	-	-	-	1	2	1	6	10	0.4	0.3
Congenital anomalies	740-759	M	-	-	-	-	-	-	1	-	-	1	2	0.1	0.1
		F	3	-	-	-	-	-	-	-	-	-	3	0.3	0.1
		T	3	-	-	-	-	-	1	-	-	1	5	0.2	0.1
Certain conditions originating in the perinatal period	760-779	M	8	-	-	-	-	-	-	-	-	-	8	0.6	0.3
		F	9	-	-	-	-	-	-	-	-	-	9	1.0	0.3
		T	17	-	-	-	-	-	-	-	-	-	17	0.7	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	4	1	-	-	-	1	4	12	3	3	28	2.0	1.2
		F	3	1	-	-	-	-	3	4	2	4	17	1.9	0.8
		T	7	2	-	-	-	1	7	16	5	7	45	1.9	1.0
External causes	E800-E999	M	-	2	2	2	22	29	62	57	14	21	231	16.3	9.7
		F	-	5	-	2	6	7	19	7	4	11	61	6.7	2.7
		T	-	7	2	4	28	36	101	64	18	32	292	12.6	6.3
All causes		**M**	**15**	**4**	**4**	**4**	**26**	**34**	**130**	**340**	**300**	**556**	**1,413**	**100.0**	**67.0**
		F	**17**	**8**	**2**	**3**	**11**	**9**	**52**	**159**	**158**	**490**	**909**	**100.0**	**53.6**
		T	**32**	**12**	**6**	**7**	**37**	**43**	**182**	**499**	**458**	**1,046**	**2,322**	**100.0**	**59.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 15 NORTHERN INTERIOR
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	2	-	-	-	-	-	1	3	-	1	7	2.6	2.1
		F	1	-	-	-	-	-	3	-	4	-	8	4.0	3.4
		T	3	-	-	-	-	-	4	3	4	1	15	3.2	2.8
Neoplasms	140-239	M	-	-	-	-	-	-	3	14	12	17	46	17.1	24.0
		F	-	-	-	-	-	-	5	9	4	10	28	14.1	12.9
		T	-	-	-	-	-	-	8	23	16	27	74	15.8	18.7
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	-	-	2	2	-	1	6	2.2	2.0
		F	-	-	-	-	-	-	-	2	1	-	3	1.5	1.5
		T	1	-	-	-	-	-	2	4	1	1	9	1.9	1.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	1	2	1.0	1.2
		T	-	-	-	-	-	-	-	-	1	1	2	0.4	0.6
Mental disorders	290-319	M	-	-	-	-	-	-	1	3	2	2	8	3.0	3.9
		F	-	-	-	-	-	-	2	-	-	1	3	1.5	1.0
		T	-	-	-	-	-	-	3	3	2	3	11	2.4	2.5
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	2	-	1	1	4	1.5	1.7
		F	-	-	-	-	-	-	-	-	-	1	1	0.5	0.6
		T	-	-	-	-	-	-	2	-	1	2	5	1.1	1.2
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	2	11	20	21	54	20.1	29.4
		F	-	-	-	1	-	-	4	12	6	20	43	21.7	21.7
		T	-	-	-	1	-	-	6	23	26	41	97	20.8	25.8
Diseases of the respiratory system	460-519	M	-	-	-	-	1	-	-	2	4	8	15	5.6	8.1
		F	1	-	-	-	-	1	-	3	-	10	15	7.6	7.5
		T	1	-	-	-	1	1	-	5	4	18	30	6.4	7.8
Diseases of the digestive system	520-579	M	1	-	-	-	-	-	1	2	3	1	8	3.0	3.6
		F	-	-	-	-	-	-	3	11	2	4	20	10.1	8.1
		T	1	-	-	-	-	-	4	13	5	5	28	6.0	5.9
Diseases of the genitourinary system	580-629	M	1	-	-	-	-	1	-	-	-	1	3	1.1	0.8
		F	-	-	-	-	-	-	-	-	1	2	3	1.5	2.0
		T	1	-	-	-	-	1	-	-	1	3	6	1.3	1.3
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	1	-	-	1	0.4	0.5
		F	-	-	-	-	-	-	1	3	1	2	7	3.5	3.2
		T	-	-	-	-	-	-	1	4	1	2	8	1.7	1.9
Congenital anomalies	740-759	M	1	-	-	-	-	-	-	-	-	-	1	0.4	0.1
		F	2	-	-	-	-	1	-	-	-	-	3	1.5	0.4
		T	3	-	-	-	-	1	-	-	-	-	4	0.9	0.3
Certain conditions originating in the perinatal period	760-779	M	5	-	-	-	-	-	-	-	-	-	5	1.9	0.6
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	5	-	-	-	-	-	-	-	-	-	5	1.1	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	4	1	-	-	-	-	1	-	-	4	10	3.7	2.9
		F	3	1	-	-	-	-	2	-	-	1	7	3.5	1.5
		T	7	2	-	-	-	-	3	-	-	5	17	3.6	2.3
External causes	E800-E999	M	-	2	1	1	10	17	52	12	5	1	101	37.5	25.3
		F	1	3	2	-	5	7	24	10	2	1	55	27.8	13.3
		T	1	5	3	1	15	24	76	22	7	2	156	33.4	19.0
All causes		**M**	**15**	**3**	**1**	**1**	**11**	**18**	**65**	**50**	**47**	**58**	**269**	**100.0**	**105.1**
		F	**8**	**4**	**2**	**1**	**5**	**9**	**44**	**50**	**22**	**53**	**198**	**100.0**	**78.4**
		T	**23**	**7**	**3**	**2**	**16**	**27**	**109**	**100**	**69**	**111**	**467**	**100.0**	**91.9**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - 15 NORTHERN INTERIOR
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	1	-	13	9	5	13	41	1.5	1.3
		F	-	-	-	-	-	1	4	5	6	14	30	1.7	0.9
		T	-	-	-	-	1	1	17	14	11	27	71	1.6	1.1
Neoplasms	140-239	M	-	1	-	-	1	3	35	216	270	191	717	26.4	23.4
		F	-	-	4	3	2	2	55	211	138	153	568	31.4	16.6
		T	-	1	4	3	3	5	90	427	408	344	1,285	28.4	19.7
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	1	-	-	1	5	16	21	32	77	2.8	2.8
		F	1	-	-	2	-	-	2	11	24	40	80	4.4	2.8
		T	2	-	1	2	-	1	7	27	45	72	157	3.5	2.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	1	1	2	4	0.1	0.1
		F	-	-	-	-	-	-	-	2	1	3	6	0.3	0.2
		T	-	-	-	-	-	-	-	3	2	5	10	0.2	0.2
Mental disorders	290-319	M	-	-	-	-	-	-	3	18	6	16	43	1.6	1.4
		F	-	-	-	-	-	-	2	7	5	21	35	1.9	1.2
		T	-	-	-	-	-	-	5	25	11	37	78	1.7	1.3
Diseases of the nervous system and sense organs	320-389	M	1	-	-	-	-	-	5	6	11	30	53	1.9	2.2
		F	1	-	1	-	1	-	1	4	4	42	54	3.0	2.0
		T	2	-	1	-	1	-	6	10	15	72	107	2.4	2.1
Diseases of the circulatory system	390-459	M	1	1	-	-	-	-	30	226	226	357	841	30.9	30.8
		F	-	-	-	1	-	-	12	75	114	345	547	30.3	19.4
		T	1	1	-	1	-	-	42	301	340	702	1,388	30.7	24.9
Diseases of the respiratory system	460-519	M	-	1	-	-	-	-	4	36	53	151	245	9.0	10.5
		F	-	-	-	2	-	-	2	20	30	105	159	8.8	5.7
		T	-	1	-	2	-	-	6	56	83	256	404	8.9	7.8
Diseases of the digestive system	520-579	M	-	1	1	-	1	1	9	34	31	26	104	3.8	3.2
		F	-	-	-	-	-	-	7	23	14	41	85	4.7	2.7
		T	-	1	1	-	1	1	16	57	45	67	189	4.2	3.0
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	4	4	21	29	1.1	1.3
		F	-	-	-	-	-	-	-	6	3	20	29	1.6	1.0
		T	-	-	-	-	-	-	-	10	7	41	58	1.3	1.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	2	-	2	0.1	0.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	2	-	2	0.0	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	1	1	2	4	0.1	0.2
		F	-	-	-	-	-	-	1	3	2	10	16	0.9	0.6
		T	-	-	-	-	-	-	1	4	3	12	20	0.4	0.4
Congenital anomalies	740-759	M	16	1	-	1	-	-	2	-	-	3	23	0.8	0.5
		F	8	-	-	-	1	-	-	2	-	2	13	0.7	0.3
		T	24	1	-	1	1	-	2	2	-	5	36	0.8	0.4
Certain conditions originating in the perinatal period	760-779	M	19	-	-	-	-	-	-	-	-	-	19	0.7	0.4
		F	21	-	-	-	-	-	-	-	-	-	21	1.2	0.4
		T	40	-	-	-	-	-	-	-	-	-	40	0.9	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	10	-	-	-	2	-	4	12	3	5	36	1.3	0.9
		F	10	2	-	1	-	1	2	4	2	6	28	1.5	0.7
		T	20	2	-	1	2	1	6	16	5	11	64	1.4	0.8
External causes	E800-E999	M	2	3	5	9	48	53	197	115	19	32	483	17.8	10.0
		F	1	3	3	3	20	4	41	24	9	28	136	7.5	3.3
		T	3	6	8	12	68	57	238	139	28	60	619	13.7	6.7
All causes		**M**	**50**	**8**	**7**	**10**	**53**	**58**	**307**	**694**	**653**	**881**	**2,721**	**100.0**	**89.1**
		F	**42**	**5**	**8**	**12**	**24**	**8**	**129**	**397**	**352**	**830**	**1,807**	**100.0**	**57.7**
		T	**92**	**13**	**15**	**22**	**77**	**66**	**436**	**1,091**	**1,005**	**1,711**	**4,528**	**100.0**	**72.8**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 16 VANCOUVER
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	1	-	-	-	-	1	47	19	1	1	70	13.9	15.8
		F	-	-	-	-	-	-	12	3	1	-	16	4.1	3.8
		T	1	-	-	-	-	1	59	22	2	1	86	9.0	9.6
Neoplasms	140-239	M	1	-	-	-	-	1	5	8	11	11	37	7.3	30.9
		F	-	-	-	1	-	1	10	10	12	9	43	11.1	22.5
		T	1	-	-	1	-	2	15	18	23	20	80	9.0	26.0
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	1	1	1	3	0.6	3.0
		F	1	-	1	-	-	-	3	6	-	1	12	3.1	3.6
		T	1	-	1	-	-	-	3	7	1	2	15	1.7	3.1
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	1	-	1	0.2	1.4
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	1	-	1	0.1	0.5
Mental disorders	290-319	M	-	-	-	-	-	-	21	19	1	2	43	8.5	12.9
		F	-	-	-	-	-	1	15	10	-	2	28	7.2	6.9
		T	-	-	-	-	-	1	36	29	1	4	71	8.0	9.7
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	4	3	1	1	9	1.8	4.4
		F	-	-	-	-	-	-	4	1	1	1	7	1.8	2.8
		T	-	-	-	-	-	-	8	4	2	2	16	1.8	3.5
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	10	34	13	14	71	14.1	46.9
		F	-	-	-	-	-	-	5	14	10	32	61	15.7	44.5
		T	-	-	-	-	-	-	15	48	23	46	132	14.8	46.8
Diseases of the respiratory system	460-519	M	1	-	-	-	-	1	5	10	4	10	31	6.1	24.3
		F	1	-	-	-	-	-	6	5	3	8	23	5.9	12.6
		T	2	-	-	-	-	1	11	15	7	18	54	6.0	17.4
Diseases of the digestive system	520-579	M	1	-	-	-	-	-	8	17	-	-	26	5.1	7.9
		F	-	-	-	-	-	-	15	23	2	3	43	11.1	13.9
		T	1	-	-	-	-	-	23	40	2	3	69	7.7	11.3
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	2	3	2	7	1.4	7.1
		F	-	-	-	-	-	-	1	2	-	-	3	0.8	0.9
		T	-	-	-	-	-	-	1	4	3	2	10	1.1	3.5
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	2	-	-	2	0.4	0.8
		F	-	-	-	-	-	-	1	4	-	-	5	1.3	1.4
		T	-	-	-	-	-	-	1	6	-	-	7	0.8	1.1
Congenital anomalies	740-759	M	-	-	-	-	-	-	1	-	-	-	1	0.2	0.2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	1	-	-	-	1	0.1	0.1
Certain conditions originating in the perinatal period	760-779	M	6	-	-	-	-	-	-	-	-	-	6	1.2	0.7
		F	4	-	-	-	-	-	-	-	-	-	4	1.0	0.5
		T	10	-	-	-	-	-	-	-	-	-	10	1.1	0.6
Symptoms, signs, and ill-defined conditions	780-790	M	10	-	-	-	-	-	8	3	-	1	22	4.4	5.1
		F	6	-	-	-	1	1	5	1	-	-	14	3.6	2.2
		T	16	-	-	-	1	1	13	4	-	1	36	4.0	3.5
External causes	E800-E999	M	-	1	1	-	4	11	118	40	1	-	176	34.9	36.0
		F	1	-	1	-	5	6	90	24	1	1	129	33.2	25.2
		T	1	1	2	-	9	17	208	64	2	1	305	34.2	30.4
All causes		**M**	**20**	**1**	**1**	**-**	**4**	**14**	**227**	**158**	**37**	**43**	**505**	**100.0**	**197.4**
		F	**13**	**-**	**2**	**1**	**6**	**9**	**167**	**103**	**30**	**57**	**388**	**100.0**	**140.7**
		T	**33**	**1**	**3**	**1**	**10**	**23**	**394**	**261**	**67**	**100**	**893**	**100.0**	**167.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
OTHER RESIDENTS - 16 VANCOUVER
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	5	788	335	66	96	1,290	6.6	5.0
		F	-	1	-	-	-	4	48	33	26	119	231	1.4	0.7
		T	-	1	-	-	-	9	836	368	92	215	1,521	4.2	2.9
Neoplasms	140-239	M	2	4	3	3	6	5	172	1,150	1,384	1,843	4,572	23.5	20.0
		F	-	8	4	3	4	5	161	818	1,018	2,054	4,075	24.5	13.1
		T	2	12	7	6	10	10	333	1,968	2,402	3,897	8,647	24.0	16.0
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	2	2	1	-	-	1	18	79	113	283	499	2.6	2.2
		F	-	1	1	-	-	1	9	43	96	381	532	3.2	1.5
		T	2	3	2	-	-	2	27	122	209	664	1,031	2.9	1.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	1	-	1	5	8	10	34	59	0.3	0.3
		F	1	1	-	-	-	-	3	8	12	52	77	0.5	0.2
		T	1	1	-	1	-	1	8	16	22	86	136	0.4	0.2
Mental disorders	290-319	M	-	-	-	-	-	2	50	127	74	268	521	2.7	2.2
		F	-	-	-	-	-	1	18	31	31	468	549	3.3	1.5
		T	-	-	-	-	-	3	68	158	105	736	1,070	3.0	1.8
Diseases of the nervous system and sense organs	320-389	M	4	-	-	1	1	2	18	51	71	208	356	1.8	1.6
		F	5	2	2	1	-	1	16	44	62	325	458	2.7	1.4
		T	9	2	2	2	1	3	34	95	133	533	814	2.3	1.4
Diseases of the circulatory system	390-459	M	2	3	1	1	4	5	147	982	1,443	3,752	6,340	32.6	28.0
		F	-	1	-	2	2	1	40	297	740	5,470	6,553	39.3	17.8
		T	2	4	1	3	6	6	187	1,279	2,183	9,222	12,893	35.7	22.3
Diseases of the respiratory system	460-519	M	3	-	1	-	-	2	22	191	393	1,441	2,053	10.6	9.1
		F	1	2	-	-	1	-	9	75	170	1,652	1,910	11.5	5.1
		T	4	2	1	-	1	2	31	266	563	3,093	3,963	11.0	6.7
Diseases of the digestive system	520-579	M	3	-	-	-	2	-	52	218	169	298	742	3.8	3.2
		F	1	1	-	-	-	-	22	65	119	495	703	4.2	2.0
		T	4	1	-	-	2	-	74	283	288	793	1,445	4.0	2.6
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	1	8	30	56	199	294	1.5	1.3
		F	-	-	-	-	-	-	2	17	52	284	355	2.1	1.0
		T	-	-	-	-	-	1	10	47	108	483	649	1.8	1.1
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	1	3	6	18	28	0.1	0.1
		F	-	-	-	-	-	-	-	3	2	20	25	0.2	0.1
		T	-	-	-	-	-	-	1	6	8	38	53	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	1	-	-	-	-	-	-	7	13	28	49	0.3	0.2
		F	-	-	-	-	1	1	4	13	14	45	78	0.5	0.2
		T	1	-	-	-	1	1	4	20	27	73	127	0.4	0.2
Congenital anomalies	740-759	M	50	7	3	2	-	2	9	10	3	2	88	0.5	0.5
		F	37	3	1	1	-	1	8	3	5	7	66	0.4	0.3
		T	87	10	4	3	-	3	17	13	8	9	154	0.4	0.4
Certain conditions originating in the perinatal period	760-779	M	89	-	-	-	-	-	-	-	-	-	89	0.5	0.5
		F	57	1	-	-	-	-	-	-	-	-	58	0.3	0.4
		T	146	1	-	-	-	-	-	-	-	-	147	0.4	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	10	3	-	-	6	9	42	41	23	44	178	0.9	0.8
		F	13	1	-	-	1	3	15	14	12	79	138	0.8	0.5
		T	23	4	-	-	7	12	57	55	35	123	316	0.9	0.6
External causes	E800-E999	M	4	2	4	6	50	132	1,155	532	136	254	2,275	11.7	9.0
		F	1	3	1	2	14	34	269	146	70	311	851	5.1	2.9
		T	5	5	5	8	64	166	1,424	678	206	565	3,126	8.7	5.9
All causes		**M**	**170**	**21**	**13**	**14**	**69**	**167**	**2,487**	**3,764**	**3,960**	**8,768**	**19,433**	**100.0**	**84.0**
		F	**116**	**25**	**9**	**9**	**23**	**52**	**624**	**1,610**	**2,429**	**11,762**	**16,659**	**100.0**	**48.8**
		T	**286**	**46**	**22**	**23**	**92**	**219**	**3,111**	**5,374**	**6,389**	**20,530**	**36,092**	**100.0**	**64.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 17 BURNABY
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	-	-	1	-	1	1.8	6.8
		F	-	-	-	-	-	-	2	-	-	-	2	5.1	1.5
		T	-	-	-	-	-	-	2	-	1	-	3	3.2	3.5
Neoplasms	140-239	M	-	-	-	-	-	1	-	2	5	3	11	20.0	141.8
		F	-	-	-	-	-	-	1	5	-	2	8	20.5	34.4
		T	-	-	-	-	-	1	1	7	5	5	19	20.2	67.6
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	2.6	10.7
		T	-	-	-	-	-	-	-	-	-	1	1	1.1	7.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	1	2.6	10.7
		T	-	-	-	-	-	-	-	-	-	1	1	1.1	7.8
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	1	2	5.1	11.4
		T	-	-	-	-	-	-	1	-	-	1	2	2.1	8.2
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	1	3	5	6	15	27.3	224.5
		F	-	-	-	-	-	-	-	2	2	7	11	28.2	88.7
		T	-	-	-	-	-	-	1	5	7	13	26	27.7	129.8
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	-	-	1	3	4	7.3	96.8
		F	-	-	-	-	-	-	-	1	-	4	5	12.8	43.8
		T	-	-	-	-	-	-	-	1	1	7	9	9.6	59.1
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	1	2	1	-	4	7.3	14.8
		F	-	-	-	-	-	-	1	1	-	-	2	5.1	1.7
		T	-	-	-	-	-	-	2	3	1	-	6	6.4	6.6
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	1	1	1.8	28.7
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	1	1	1.1	7.8
Congenital anomalies	740-759	M	1	-	-	-	-	-	-	-	-	-	1	1.8	0.5
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	1.1	0.2
Certain conditions originating in the perinatal period	760-779	M	2	-	-	-	-	-	-	-	-	-	2	3.6	0.9
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-	2	2.1	0.5
Symptoms, signs, and ill-defined conditions	780-790	M	1	-	-	-	-	-	1	-	-	-	2	3.6	1.7
		F	-	-	-	-	1	-	1	-	-	-	2	5.1	1.4
		T	1	-	-	-	1	-	2	-	-	-	4	4.3	1.5
External causes	E800-E999	M	-	-	-	-	1	2	10	1	-	-	14	25.5	14.6
		F	1	-	-	-	-	-	3	-	-	1	5	12.8	13.4
		T	1	-	-	-	1	2	13	1	-	1	19	20.2	15.4
All causes		**M**	4	-	-	-	1	3	13	8	13	13	55	100.0	531.0
		F	1	-	-	-	1	-	9	9	2	17	39	100.0	217.7
		T	5	-	-	-	2	3	22	17	15	30	94	100.0	315.8

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 17 Burnaby
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	1	-	-	1	-	-	50	36	15	22	125	2.0	1.6
		F	1	1	-	-	-	-	8	5	12	27	54	0.9	0.5
		T	2	1	-	1	-	-	58	41	27	49	179	1.5	1.0
Neoplasms	140-239	M	-	-	1	-	2	6	54	371	530	714	1,678	26.8	23.8
		F	-	3	1	-	2	2	65	335	393	715	1,516	26.4	14.2
		T	-	3	2	-	4	8	119	706	923	1,429	3,194	26.6	17.0
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	2	-	-	-	-	-	9	26	50	89	176	2.8	2.6
		F	1	1	-	-	1	1	2	14	35	145	200	3.5	1.7
		T	3	1	-	-	1	1	11	40	85	234	376	3.1	1.9
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	1	-	1	4	9	15	30	0.5	0.4
		F	-	-	-	-	-	-	-	1	8	17	26	0.5	0.2
		T	-	-	-	-	1	-	1	5	17	32	56	0.5	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	5	16	21	60	102	1.6	1.5
		F	-	-	-	-	-	-	1	3	9	91	104	1.8	0.8
		T	-	-	-	-	-	-	6	19	30	151	206	1.7	1.0
Diseases of the nervous system and sense organs	320-389	M	-	1	-	-	1	-	4	15	25	73	119	1.9	1.8
		F	-	-	-	-	-	-	7	12	25	91	135	2.4	1.2
		T	-	1	-	-	1	-	11	27	50	164	254	2.1	1.3
Diseases of the circulatory system	390-459	M	-	-	-	-	1	1	30	286	548	1,538	2,404	38.4	36.2
		F	-	-	-	2	-	2	12	104	319	2,004	2,443	42.6	19.7
		T	-	-	-	2	1	3	42	390	867	3,542	4,847	40.4	24.3
Diseases of the respiratory system	460-519	M	-	-	1	1	-	-	5	32	129	531	699	11.2	10.9
		F	-	1	1	-	2	-	2	20	75	431	532	9.3	4.3
		T	-	1	2	1	2	-	7	52	204	962	1,231	10.3	6.1
Diseases of the digestive system	520-579	M	-	-	-	-	-	1	20	61	65	93	240	3.8	3.3
		F	-	-	-	1	-	-	10	34	39	181	265	4.6	2.3
		T	-	-	-	1	-	1	30	95	104	274	505	4.2	2.6
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	8	15	80	103	1.6	1.6
		F	-	-	-	-	-	-	-	5	14	88	107	1.9	0.9
		T	-	-	-	-	-	-	-	13	29	168	210	1.8	1.0
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
		T	-	-	-	-	-	-	1	-	-	-	1	0.0	0.0
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	1	-	2	3	0.0	0.0
		F	-	-	-	-	-	-	-	-	2	13	15	0.3	0.1
		T	-	-	-	-	-	-	-	1	2	15	18	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	2	4	6	12	0.2	0.2
		F	-	-	-	-	-	-	1	2	6	19	28	0.5	0.2
		T	-	-	-	-	-	-	1	4	10	25	40	0.3	0.2
Congenital anomalies	740-759	M	12	2	-	-	1	-	1	4	-	2	22	0.4	0.3
		F	13	-	-	-	-	2	2	2	-	2	21	0.4	0.3
		T	25	2	-	-	1	2	3	6	-	4	43	0.4	0.3
Certain conditions originating in the perinatal period	760-779	M	27	-	-	-	-	-	-	-	-	-	27	0.4	0.4
		F	17	-	-	-	-	-	-	-	-	-	17	0.3	0.3
		T	44	-	-	-	-	-	-	-	-	-	44	0.4	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	6	-	-	-	2	-	11	7	6	15	47	0.8	0.7
		F	3	-	-	-	-	-	8	4	5	37	57	1.0	0.5
		T	9	-	-	-	2	-	19	11	11	52	104	0.9	0.6
External causes	E800-E999	M	1	2	1	2	36	44	199	84	31	72	472	7.5	6.0
		F	-	-	-	2	5	15	42	24	24	100	212	3.7	2.1
		T	1	2	1	4	41	59	241	108	55	172	684	5.7	3.9
All causes		**M**	**49**	**5**	**3**	**4**	**44**	**52**	**389**	**953**	**1,446**	**3,312**	**6,259**	**100.0**	**91.3**
		F	**35**	**6**	**2**	**5**	**10**	**22**	**161**	**585**	**966**	**3,981**	**5,733**	**100.0**	**49.4**
		T	**84**	**11**	**5**	**9**	**54**	**74**	**550**	**1,518**	**2,414**	**7,273**	**11,992**	**100.0**	**62.1**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 18 NORTH SHORE
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	2	-	-	1	3	3.9	5.4
		F	-	-	-	-	-	-	2	2	-	1	5	8.8	5.5
		T	-	-	-	-	-	-	4	2	-	2	8	6.0	5.2
Neoplasms	140-239	M	-	-	-	-	-	-	-	2	6	1	9	11.7	19.9
		F	-	-	-	-	-	-	4	7	1	5	17	29.8	22.5
		T	-	-	-	-	-	-	4	9	7	6	26	19.4	21.6
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	2	2	1	5	6.5	11.0
		F	-	-	-	-	-	-	-	-	-	1	1	1.8	2.0
		T	-	-	-	-	-	-	-	2	2	2	6	4.5	5.8
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	1	1	-	-	2	2.6	1.9
		F	-	-	-	-	-	1	-	-	-	-	1	1.8	0.8
		T	-	-	-	-	-	1	1	1	-	-	3	2.2	1.3
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	1	1.8	1.5
		T	-	-	-	-	-	-	-	1	-	-	1	0.7	0.9
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	1	9	6	7	23	29.9	55.5
		F	-	-	-	-	-	-	1	4	2	7	14	24.6	22.4
		T	-	-	-	-	-	-	2	13	8	14	37	27.6	35.7
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	-	-	2	1	3	3.9	8.2
		F	-	-	-	-	-	-	-	2	2	3	7	12.3	11.7
		T	-	-	-	-	-	-	-	2	4	4	10	7.5	10.4
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	-	4	1	1	6	7.8	10.8
		F	-	-	-	-	-	-	2	3	1	1	7	12.3	8.2
		T	-	-	-	-	-	-	2	7	2	2	13	9.7	9.2
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	740-759	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period	760-779	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	780-790	M	1	-	-	-	-	-	1	-	-	-	2	2.6	1.8
		F	-	-	-	-	-	-	1	-	-	-	1	1.8	0.7
		T	1	-	-	-	-	-	2	-	-	-	3	2.2	1.1
External causes	E800-E999	M	1	1	-	1	-	4	12	5	-	-	24	31.2	21.9
		F	-	-	-	-	-	1	1	1	-	-	3	5.3	2.7
		T	1	1	-	1	-	5	13	6	-	-	27	20.1	11.7
All causes		M	2	1	-	1	-	4	17	23	17	12	77	100.0	136.2
		F	-	-	-	-	-	2	11	20	6	18	57	100.0	77.9
		T	2	1	-	1	-	6	28	43	23	30	134	100.0	102.9

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 18 North Shore
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	1	1	-	37	41	9	20	109	2.1	1.3
		F	-	-	-	-	-	-	3	7	10	25	45	0.8	0.4
		T	-	-	-	1	1	-	40	48	19	45	154	1.4	0.8
Neoplasms	140-239	M	-	-	-	1	2	4	40	351	454	649	1,501	29.6	19.2
		F	1	-	1	1	2	1	58	339	395	743	1,541	26.9	14.3
		T	1	-	1	2	4	5	98	690	849	1,392	3,042	28.2	16.3
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	1	-	-	-	-	-	4	26	34	81	146	2.9	1.9
		F	-	-	-	-	1	-	3	12	18	86	120	2.1	1.0
		T	1	-	-	-	1	-	7	38	52	167	266	2.5	1.4
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	6	25	31	0.6	0.4
		F	-	-	-	-	-	-	1	2	4	28	35	0.6	0.3
		T	-	-	-	-	-	-	1	2	10	53	66	0.6	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	5	12	6	64	87	1.7	1.2
		F	-	-	-	-	-	-	1	9	12	146	168	2.9	1.4
		T	-	-	-	-	-	-	6	21	18	210	255	2.4	1.3
Diseases of the nervous system and sense organs	320-389	M	1	2	-	-	-	1	2	17	37	95	155	3.1	2.1
		F	2	1	-	2	1	-	5	18	21	147	197	3.4	1.7
		T	3	3	-	2	1	1	7	35	58	242	352	3.3	1.9
Diseases of the circulatory system	390-459	M	1	-	-	1	-	1	22	215	457	1,197	1,894	37.3	25.1
		F	1	-	-	-	-	1	10	71	235	1,893	2,211	36.7	18.3
		T	2	-	-	1	-	2	32	286	692	3,090	4,105	36.0	21.3
Diseases of the respiratory system	460-519	M	1	2	-	-	-	-	3	28	99	355	488	9.6	6.6
		F	-	-	-	-	-	-	6	14	71	576	667	11.7	5.5
		T	1	2	-	-	-	-	9	42	170	931	1,155	10.7	6.0
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	3	40	33	79	155	3.1	2.0
		F	-	-	-	-	-	1	2	25	36	156	220	3.8	1.9
		T	-	-	-	-	-	1	5	65	69	235	375	3.5	2.0
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	1	2	9	54	66	1.3	0.9
		F	-	-	-	-	-	-	-	4	8	72	84	1.5	0.7
		T	-	-	-	-	-	-	1	6	17	126	150	1.4	0.8
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	3	3	0.1	0.0
		F	-	-	-	-	-	-	-	-	-	10	10	0.2	0..0
		T	-	-	-	-	-	-	-	-	-	13	13	0.1	0.0
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	1	1	5	10	17	0.3	0.2
		F	-	-	-	-	-	-	2	5	3	42	52	0.9	0.4
		T	-	-	-	-	-	-	3	6	8	52	69	0.6	0.4
Congenital anomalies	740-759	M	11	1	-	1	-	1	1	2	1	3	21	0.4	0.3
		F	8	-	-	-	-	1	2	2	2	2	17	0.3	0.3
		T	19	1	-	1	-	2	3	4	3	5	38	0.4	0.3
Certain conditions originating in the perinatal period	760-779	M	12	-	-	-	-	-	-	-	-	-	12	0.2	0.2
		F	9	-	-	-	-	-	-	-	-	-	9	0.2	0.2
		T	21	-	-	-	-	-	-	-	-	-	21	0.2	0.2
Symptoms, signs, and ill-defined conditions	780-790	M	3	1	-	-	-	2	8	9	4	31	58	1.1	0.8
		F	3	-	-	-	1	-	2	5	4	96	111	1.9	1.0
		T	6	1	-	-	1	2	10	14	8	127	169	1.6	0.9
External causes	E800-E999	M	-	1	1	3	15	33	122	66	29	63	333	6.6	4.5
		F	1	-	-	3	7	9	36	36	25	114	231	4.0	2.3
		T	1	1	1	6	22	42	158	102	54	177	564	5.2	3.4
All causes		**M**	**30**	**7**	**1**	**7**	**18**	**42**	**248**	**810**	**1,183**	**2,729**	**5,076**	**100.0**	**66.8**
		F	**25**	**1**	**1**	**6**	**12**	**13**	**131**	**549**	**844**	**4,136**	**5,718**	**100.0**	**49.9**
		T	**55**	**8**	**2**	**13**	**30**	**55**	**389**	**1,369**	**2,027**	**6,865**	**10,794**	**100.0**	**57.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 19 RICHMOND
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	-	-	-	-	-	1	-	-	1	5.6	5.1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	-	1	2.4	2.3
Neoplasms	140-239	M	-	-	-	-	-	-	-	-	2	-	2	11.1	55.4
		F	-	-	-	-	-	-	1	3	-	3	7	29.2	67.7
		T	-	-	-	-	-	-	1	3	2	3	9	21.4	70.5
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	-	1	-	1	5.6	18.4
		F	-	-	-	-	-	-	-	-	-	1	1	4.2	17.7
		T	-	-	-	-	-	-	-	-	1	1	2	4.8	23.6
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	290-319	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	1	4.2	2.8
		T	-	-	-	-	-	-	-	1	-	-	1	2.4	1.9
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	1	-	1	5.6	37.1
		F	-	-	-	-	-	-	-	-	1	-	1	4.2	17.4
		T	-	-	-	-	-	-	-	-	2	-	2	4.8	23.7
Diseases of the circulatory system	390-459	M	-	-	-	-	-	-	-	-	1	3	4	22.2	190.3
		F	-	-	-	-	-	-	-	-	1	2	3	12.5	52.8
		T	-	-	-	-	-	-	-	-	2	5	7	16.7	89.4
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	-	-	1	1	2	11.1	69.4
		F	-	-	-	-	-	-	-	-	-	2	2	8.3	35.4
		T	-	-	-	-	-	-	-	-	1	3	4	9.5	49.8
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	1	-	-	2	8.3	9.3
		T	-	-	-	-	-	-	1	1	-	-	2	4.8	5.1
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	1	-	-	1	5.6	6.0
		F	-	-	-	-	-	-	-	1	-	1	2	8.3	24.2
		T	-	-	-	-	-	-	-	2	-	1	3	7.1	18.4
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	740-759	M	1	-	-	-	-	-	-	-	-	-	1	5.6	1.6
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-	1	2.4	0.8
Certain conditions originating in the perinatal period	760-779	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	2	8.3	3.2
		T	2	-	-	-	-	-	-	-	-	-	2	4.8	1.6
Symptoms, signs, and ill-defined conditions	780-799	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
External causes	E800-E999	M	-	-	-	-	-	3	1	1	-	-	5	27.8	20.0
		F	-	-	-	-	-	-	2	-	-	1	3	12.5	23.0
		T	-	-	-	-	-	3	3	1	-	1	8	19.0	26.3
All causes		**M**	1	-	-	-	-	3	1	3	6	4	18	100.0	403.3
		F	2	-	-	-	-	-	4	6	2	10	24	100.0	253.6
		T	3	-	-	-	-	3	5	9	8	14	42	100.0	313.3

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 19 Richmond
British Columbia, 1991 - 1999

Causes of Death	ICD9 Code	Gender	Age Group (in years)										Total		
			<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	1	-	-	-	-	28	15	14	21	79	2.3	1.6
		F	-	1	-	1	-	1	3	6	6	25	43	1.4	0.6
		T	-	2	-	1	-	1	31	21	20	46	122	1.9	0.9
Neoplasms	140-239	M	-	2	1	1	5	-	39	269	294	411	1,022	30.2	24.7
		F	2	1	1	-	-	1	52	243	271	359	930	29.8	12.8
		T	2	3	2	1	5	1	91	512	565	770	1,952	30.0	14.9
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	1	-	-	-	-	15	27	48	91	2.7	2.3
		F	1	-	-	-	-	-	1	11	14	66	93	3.0	1.2
		T	1	-	1	-	-	-	1	26	41	114	184	2.8	1.4
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	1	1	1	6	9	0.3	0.2
		F	-	-	-	-	-	-	-	-	4	12	16	0.5	0.2
		T	-	-	-	-	-	-	1	1	5	18	25	0.4	0.2
Mental disorders	290-319	M	-	-	-	-	1	-	1	3	5	24	34	1.0	0.8
		F	-	-	-	-	-	-	1	1	5	67	74	2.4	0.9
		T	-	-	-	-	1	-	2	4	10	91	108	1.7	0.8
Diseases of the nervous system and sense organs	320-389	M	1	-	-	-	-	2	1	3	11	36	54	1.6	1.4
		F	-	1	-	-	-	2	1	11	8	54	77	2.5	1.0
		T	1	1	-	-	-	4	2	14	19	90	131	2.0	1.0
Diseases of the circulatory system	390-459	M	1	-	-	-	-	1	30	189	295	739	1,255	37.1	31.4
		F	-	-	-	-	-	1	16	46	171	932	1,166	37.3	15.1
		T	1	-	-	-	-	2	46	235	466	1,671	2,421	37.2	18.7
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	4	24	62	252	342	10.1	8.7
		F	-	-	-	-	-	-	2	15	37	281	335	10.7	4.3
		T	-	-	-	-	-	-	6	39	99	533	677	10.4	5.2
Diseases of the digestive system	520-579	M	-	-	-	-	-	-	8	31	29	45	113	3.3	2.6
		F	-	-	1	-	-	-	1	17	22	88	129	4.1	1.7
		T	-	-	1	-	-	-	9	48	51	133	242	3.7	1.8
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	2	4	13	41	60	1.8	1.5
		F	-	-	-	-	-	-	-	2	6	49	57	1.8	0.7
		T	-	-	-	-	-	-	2	6	19	90	117	1.8	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	2	-	3	5	0.1	0.1
		F	-	-	-	-	-	-	-	-	2	3	5	0.2	0.1
		T	-	-	-	-	-	-	-	2	2	6	10	0.2	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	-	3	6	9	0.3	0.2
		F	-	-	-	-	-	-	-	2	3	16	21	0.7	0.3
		T	-	-	-	-	-	-	-	2	6	22	30	0.5	0.2
Congenital anomalies	740-759	M	6	-	-	-	1	1	2	3	-	1	14	0.4	0.2
		F	7	-	-	-	-	-	-	2	-	1	10	0.3	0.2
		T	13	-	-	-	1	1	2	5	-	2	24	0.4	0.2
Certain conditions originating in the perinatal period	760-779	M	19	-	-	-	-	-	-	-	-	-	19	0.6	0.3
		F	15	-	-	-	-	-	-	-	-	-	15	0.5	0.3
		T	34	-	-	-	-	-	-	-	-	-	34	0.5	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	6	-	1	-	1	2	6	1	2	5	24	0.7	0.5
		F	2	-	-	-	-	-	-	3	4	11	20	0.6	0.3
		T	8	-	1	-	1	2	6	4	6	16	44	0.7	0.4
External causes	E800-E999	M	1	-	-	3	12	24	95	62	22	35	254	7.5	4.5
		F	1	1	-	2	10	8	27	19	14	53	135	4.3	1.9
		T	2	1	-	5	22	32	122	81	36	88	389	6.0	2.9
All causes		**M**	**34**	**3**	**3**	**4**	**20**	**30**	**217**	**622**	**778**	**1,673**	**3,384**	**100.0**	**81.2**
		F	**28**	**4**	**2**	**3**	**10**	**13**	**104**	**378**	**567**	**2,017**	**3,126**	**100.0**	**41.8**
		T	**62**	**7**	**5**	**7**	**30**	**43**	**321**	**1,000**	**1,345**	**3,690**	**6,510**	**100.0**	**50.0**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

CAUSES OF DEATH BY AGE AND HEALTH REGION
STATUS INDIANS - 20 CAPITAL
BRITISH COLUMBIA, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	-	-	1	-	-	-	4	-	2	-	7	3.6	4.7
		F	-	-	1	-	-	-	2	-	1	1	5	3.7	3.2
		T	-	-	2	-	-	-	6	-	3	1	12	3.7	3.9
Neoplasms	140-239	M	-	-	-	-	-	1	4	10	8	5	28	14.6	28.6
		F	-	-	-	-	-	-	4	8	6	11	29	21.6	27.5
		T	-	-	-	-	-	1	8	18	14	16	57	17.5	27.8
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	-	-	2	-	1	3	1.6	3.4
		F	1	-	-	-	-	-	1	2	-	1	5	3.7	2.7
		T	1	-	-	-	-	-	1	4	-	2	8	2.5	2.9
Disease of blood and blood-forming organs	280-289	M	-	-	-	-	-	-	-	1	-	1	2	1.0	1.9
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	1	-	1	2	0.6	0.9
Mental disorders	290-319	M	-	-	-	-	-	-	3	-	1	-	4	2.1	2.6
		F	-	-	-	-	-	-	-	-	-	2	2	1.5	2.5
		T	-	-	-	-	-	-	3	-	1	2	6	1.8	2.5
Diseases of the nervous system and sense organs	320-389	M	-	-	-	-	-	-	-	-	-	2	2	1.0	2.9
		F	1	-	-	-	-	-	1	-	-	-	2	1.5	0.5
		T	1	-	-	-	-	-	1	-	-	2	4	1.2	1.6
Diseases of the circulatory system	390-459	M	1	1	-	1	-	-	1	11	11	16	42	21.9	49.5
		F	-	-	-	-	-	-	3	4	6	15	28	20.9	30.0
		T	1	1	-	1	-	-	4	15	17	31	70	21.5	38.7
Diseases of the respiratory system	460-519	M	1	-	-	-	-	-	-	1	1	7	10	5.2	12.6
		F	-	-	-	-	-	-	2	1	3	9	15	11.2	16.4
		T	1	-	-	-	-	-	2	2	4	16	25	7.7	14.6
Diseases of the digestive system	520-579	M	1	-	-	-	-	1	2	5	-	1	10	5.2	5.7
		F	-	-	-	-	-	-	1	2	-	5	8	6.0	7.8
		T	1	-	-	-	-	1	3	7	-	6	18	5.5	6.8
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	-	-	-	1	1	0.5	1.4
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	1	1	0.3	0.7
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	1	2	1.5	1.8
		T	-	-	-	-	-	-	-	1	-	1	2	0.6	0.9
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	1	-	-	-	1	0.5	0.4
		F	-	-	-	-	-	-	-	2	-	1	3	2.2	2.3
		T	-	-	-	-	-	-	1	2	-	1	4	1.2	1.5
Congenital anomalies	740-759	M	2	-	-	1	1	-	-	-	-	1	5	2.6	2.3
		F	2	-	-	-	-	-	-	-	-	-	2	1.5	0.4
		T	4	-	-	1	1	-	-	-	-	1	7	2.1	1.3
Certain conditions originating in the perinatal period	760-779	M	4	-	-	-	-	-	-	-	-	-	4	2.1	0.7
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	4	-	-	-	-	-	-	-	-	-	4	1.2	0.4
Symptoms, signs, and ill-defined conditions	780-790	M	3	-	-	-	1	-	2	2	-	-	8	4.2	3.3
		F	2	-	-	-	-	1	1	-	-	1	5	3.7	2.2
		T	5	-	-	-	1	1	3	2	-	1	13	4.0	2.6
External causes	E800-E999	M	-	4	1	-	10	8	31	5	4	2	65	33.9	29.6
		F	1	-	2	1	1	5	14	2	-	2	28	20.9	10.4
		T	1	4	3	1	11	13	45	7	4	4	93	28.5	19.3
All causes		**M**	**12**	**5**	**2**	**2**	**12**	**10**	**48**	**37**	**27**	**37**	**192**	**100.0**	**149.5**
		F	**7**	**-**	**3**	**1**	**1**	**6**	**29**	**22**	**16**	**49**	**134**	**100.0**	**107.6**
		T	**19**	**5**	**5**	**3**	**13**	**16**	**77**	**59**	**43**	**86**	**326**	**100.0**	**126.3**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.

Causes of Death by Age and Health Region
Other Residents - 20 Capital
British Columbia, 1991 - 1999

			Age Group (in years)										Total		
Causes of Death	ICD9 Code	Gender	<1	1-4	5-9	10-14	15-19	20-24	25-44	45-64	65-74	75+	Number	Percent	ASMR
Infectious and parasitic diseases	001-139	M	2	-	1	-	1	1	105	47	23	44	224	1.7	1.5
		F	1	-	-	-	3	2	8	11	20	90	135	0.9	0.5
		T	3	-	1	-	4	3	113	58	43	134	359	1.3	1.0
Neoplasms	140-239	M	1	-	2	2	4	4	86	699	1,192	1,893	3,883	29.0	21.3
		F	-	1	3	2	1	2	137	716	1,032	1,951	3,845	26.5	15.7
		T	1	1	5	4	5	6	223	1,415	2,224	3,844	7,728	27.7	17.9
Endocrine/nutritional/metabolic diseases & immunity disorders	240-279	M	-	-	-	-	-	4	13	64	105	155	341	2.5	1.9
		F	-	-	1	-	-	2	7	33	60	298	401	2.8	1.4
		T	-	-	1	-	-	6	20	97	165	453	742	2.7	1.6
Disease of blood and blood-forming organs	280-289	M	-	-	1	-	-	1	-	5	6	37	50	0.4	0.3
		F	-	-	1	-	-	-	-	2	10	65	78	0.5	0.3
		T	-	-	2	-	-	1	-	7	16	102	128	0.5	0.3
Mental disorders	290-319	M	-	-	-	-	-	-	8	28	32	244	312	2.3	1.6
		F	-	-	-	-	-	-	1	16	37	538	592	4.1	1.8
		T	-	-	-	-	-	-	9	44	69	782	904	3.2	1.8
Diseases of the nervous system and sense organs	320-389	M	-	3	-	1	1	3	6	34	59	282	389	2.9	2.0
		F	1	2	-	1	2	1	9	30	69	415	530	3.7	1.8
		T	1	5	-	2	3	4	15	64	128	697	919	3.3	1.9
Diseases of the circulatory system	390-459	M	1	1	-	1	1	2	50	503	992	3,397	4,948	37.0	25.9
		F	1	-	-	-	3	1	27	179	595	4,804	5,610	38.7	17.8
		T	2	1	-	1	4	3	77	682	1,587	8,201	10,558	37.9	21.2
Diseases of the respiratory system	460-519	M	-	-	-	-	-	-	12	72	229	1,104	1,417	10.6	7.2
		F	1	-	1	1	-	-	9	54	205	1,327	1,598	11.0	5.1
		T	1	-	1	1	-	-	21	126	434	2,431	3,015	10.8	6.0
Diseases of the digestive system	520-579	M	1	-	1	-	-	1	21	87	82	236	429	3.2	2.4
		F	-	-	-	-	-	-	11	39	68	371	489	3.4	1.7
		T	1	-	1	-	-	1	32	126	150	607	918	3.3	2.0
Diseases of the genitourinary system	580-629	M	-	-	-	-	-	-	3	12	31	155	201	1.5	1.0
		F	-	-	-	-	-	2	1	11	33	179	226	1.6	0.8
		T	-	-	-	-	-	2	4	23	64	334	427	1.5	0.9
Complications of pregnancy and childbirth	630-676	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and connective tissue	680-709	M	-	-	-	-	-	-	-	-	-	6	6	0.0	0.0
		F	-	-	-	-	-	-	-	1	1	19	21	0.1	0.1
		T	-	-	-	-	-	-	-	1	1	25	27	0.1	0.1
Diseases of the musculoskeletal system and connective tissue	710-739	M	-	-	-	-	-	-	-	3	11	26	40	0.3	0.2
		F	-	-	-	-	-	-	1	3	14	91	109	0.8	0.3
		T	-	-	-	-	-	-	1	6	25	117	149	0.5	0.3
Congenital anomalies	740-759	M	20	3	2	3	-	2	4	7	5	9	55	0.4	0.4
		F	12	3	2	-	1	2	5	7	2	13	47	0.3	0.3
		T	32	6	4	3	1	4	9	14	7	22	102	0.4	0.4
Certain conditions originating in the perinatal period	760-779	M	31	-	-	-	-	-	-	-	-	-	31	0.2	0.3
		F	19	-	-	-	-	-	-	-	-	-	19	0.1	0.2
		T	50	-	-	-	-	-	-	-	-	-	50	0.2	0.3
Symptoms, signs, and ill-defined conditions	780-790	M	20	-	-	-	1	2	16	10	15	56	120	0.9	0.8
		F	8	-	-	2	-	4	10	9	7	147	187	1.3	0.7
		T	28	-	-	2	1	6	26	19	22	203	307	1.1	0.8
External causes	E800-E999	M	-	1	4	5	40	47	348	211	74	201	931	7.0	6.1
		F	1	1	1	2	20	18	94	84	51	346	618	4.3	2.8
		T	1	2	5	7	60	65	442	295	125	547	1,549	5.6	4.4
All causes		**M**	**76**	**8**	**11**	**12**	**48**	**67**	**672**	**1,762**	**2,856**	**7,845**	**13,377**	**100.0**	**72.9**
		F	**44**	**7**	**9**	**8**	**30**	**34**	**320**	**1,195**	**2,204**	**10,854**	**14,505**	**100.0**	**51.3**
		T	**120**	**15**	**20**	**20**	**78**	**101**	**992**	**2,977**	**5,060**	**18,499**	**27,882**	**100.0**	**60.7**

Notes: ASMR - Age Standardized Mortality Rate per 10,000 population (based on Canada Census 1991 as standard population).
Health Regions will not sum to BC due to cases with unknown addresses.